FRIGIDAIRE® APPLIANCES CATALOG



PROFESSIONAL

TABLE OF CONTENTS







FRIGIDAIRE.

BRAND PORTFOLIO	3
BUILT WITH AMERICAN PRIDE	4
EDUCATION	
COOKING	5-6
RANGE	7
СООКТОР	8
BUILT-IN WALL OVEN	9
VENTILATION	10
MICROWAVE	11
CONVERTIBLE	12
REFRIGERATION	13
DISHWASHER	14-17
FRIGIDAIRE	
FREESTANDING COOKING	20-25
BUILT-IN COOKING	26-31
REFRIGERATION	32-43
DISHCARE	44-47
LAUNDRY	48-49
FRIGIDAIRE GALLERY	
FREESTANDING COOKING	52-55
BUILT-IN COOKING	56-61
REFRIGERATION	62-65
DISHCARE	66-67
FRIGIDAIRE PROFESSIONAL	
FREESTANDING COOKING	70-71
BUILT-IN COOKING	72-73
REFRIGERATION	74-75
DISHCARE	76-77
TRIM KITS	78-81
ACCESSORIES	82-83
SPECIFICATIONS	84-107
NOMENCLATURE	108
FRIGIDAIRE WARRANTY	109

For over 95 years, Frigidaire® has been focused on delivering appliances that help customers save time and make their home life better. For 2017, we've added more enhancements to our product lineup and our entire production system — with new features, more advanced testing and faster delivery. That means even more time-saving benefits for our customers.

FRIGIDAIRE

FRIGIDAIRE GALLERY.

Time-Saving Solutions

From the laundry room to the kitchen, Frigidaire Gallery® offers a variety of timesaving innovations so homebuyers can spend more time doing things they love.

A Great Start

Whether it's a first-time homebuyer or someone simply looking for appliances that last, Frigidaire® provides reliable, dependable appliances that are built to save time.



DISHCARE

LAUNDRY

FRIGIDAIRE

P R O F E S S I O N A L.

Elevating Everyday


With appliances designed for results, our Frigidaire Professional[®] line brings commercial durability, style and performance home, to help homebuyers make everyday meals even better.



COOKING

BUILT WITH AMERICAN PRIDE

American-made is definitely a selling point that influences consumers' purchasing decisions. In fact, almost 8 in 10 American consumers said they would rather buy an American-made product than an imported one. And more than 60 percent say they're even willing to pay 10 percent more for it.¹ Many Frigidaire® appliances are designed, assembled and engineered in the U.S.A. Did you know that 1 out of every 3 cooking products, 1 out of every 2 top freezer refrigerators and 3 out of every 5 freezers in America are made by Electrolux Major Appliances?



SMUDGE-PROOF™ STAINLESS STEEL

We use high-grade stainless steel coated with layers of polymers. The end result: a sleek, beautiful stainless steel finish that is both durable and resistant to fingerprints. Smudge-Proof[™] Stainless Steel finish is available on the entire Frigidaire Gallery[®] Collection.





Induction Cooking and How it Works

Unlike radiant electric or gas, induction cooktops utilize powerful magnets to create heat directly in metallic-based cookware. Once the pan is on the cooktop surface, magnetic sensors detect the cookware and automatically adjust to the size of the pan.

The Science Behind Induction Cooking


Copper coil creates a magnetic field.

When an electric current passes through the coil located below the cooktop's surface, it creates an electromagnetic field of energy.

Pan uses energy to produce heat.

COOKWARE TEST

When a magnetic pan is placed on the induction cooktop, energy goes directly into it, bypassing the surface. This causes the iron atoms in the cookware to vibrate, which creates heat. When the atoms vibrate slowly on lower settings it is perfect to cook chocolates and other delicate foods. When the atoms vibrate rapidly on higher settings, creating more heat, consumers can cook foods quickly. This is how the pan is creating the heat needed to cook food, not the surrounding cooktop.



Surrounding cooktop remains relatively cool

Electromagnetic field created by electrically charged coil

RE


REFRIGERATION




COOKING

COOKING EDUCATION

QUICK BAKE





Self-Clean Ovens

Most of our wall ovens and ranges feature a Self-Clean cycle. This is a great time-saving benefit to the consumer, as it gives them the ability to keep a clean oven without having to scrub it themselves. If an oven is kept clean, it prevents spills from burning into the oven surface, and will also reduce odors when baking.

After a self-clean cycle is complete, the baked-on spills are reduced to a fine powdered ash that can just be wiped away with a damp cloth.

Type of Self-Clean Cycles:

Quick Clean - just two hours to a clean oven.

Convection Cooking and How it Works

Quick Bake

Quick Bake uses a fan in the rear of the oven to circulate air throughout the entire oven cavity. Bake and broil elements are both used for heating. Quick Bake creates more even heat distribution for even baking results across all the racks, and allows for stacking of pans rather than having to stagger them. This convection system may reduce cooking time. Time and temperature adjustments are done manually.

True Convection

True Convection uses the same fan in the rear of the oven, but adds a third element assist around the fan and convection conversion on the clock. Third element assist will now add more browning capability by placing a heating element closer to the food.

Use the Convection Conversion function to automatically adjust time and temperature from a regular recipe to convection.

Steam Clean Ovens

Steam clean uses steam to loosen baked on spills and grease.

How to Use the "Steam Clean" Option

- 1. Remove the racks from the oven.
- 2. Wipe loose debris from the bottom of the oven.
- 3. Pour 8 ounces of distilled or filtered water onto the oven bottom.
- 4. Press the Steam Clean icon on the control panel. ("StCn" will appear in the control panel.)
- 5. After the cycle is completed, wipe the oven cavity and it's ready to use.

Choosing a Range

Range Type Comparison

The most versatile of ranges, freestanding ranges can be installed with or without surrounding cabinets. The sides of freestanding ranges are finished, so they can be placed on the end of a cabinet.

Front control ranges have the controls located on the front of the unit for a modern look and feel.

Rear control cooking ranges have the control panel located on the backsplash of the range, above the cooking surface which is ideal for keeping buttons and knobs out of range for small children.

For a built-in look, choose a slide-in range. These sit flush with cabinets and backsplash for a seamless design. Slide-in ranges must be surrounded by cabinets. They can also be placed in an island kitchen layout, as long as cabinets are on either side of the range.







Choosing a Cooktop

Options abound in the line of cooktops, so consumers can choose what fits their needs, space and budget. Multiple sizes, element or burner configurations and designs offer the ultimate in flexibility.



The 36 inch cooktops provide five burner or element sizes for the ultimate in cooking flexibility.

30" COOKTOPS



These smaller footprint cooktops feature four burners or elements. For added flexibility in smaller spaces, a 30 inch cooktop with five burners or elements fits the bill.

COOKTOP PAIRINGS



With a Ventilation Hood

The performance of a ventilation system is measured in cubic feet per minute (CFM). The higher the CFM, the more air the hood can remove in one minute of operation. Size, fuel type and the number of elements/ burners the customer uses at one time all affect the choice of a ventilation hood. The ventilation requirement for electric cooktop is lower (200 to 450 CFMs) while a gas cooktop may need 600+ CFMs. Gas CFMs are usually based on the following math: total BTUs available for the cooktop divided by 100.

With a Single Wall Oven

Frigidaire® cooktops can be installed above any of our Single Electric Wall Ovens.



Frigidaire® Fit Tool

The New Frigidaire® Fit Tool Saves Consumers Time Finding the Right Wall Oven!

With the Frigidaire[®] Fit Web Tool we provide the easiest replacement solution in the industry.

It is a great resource for the customer looking to replace or remodel.

If they need to fit a new wall oven into an existing cabinet, simply type in the model number of their existing appliance and the tool will list the available Frigidaire® models that fit their current cutout dimensions without requiring cabinets to be cut.

Frigidaire® Fit Promise

We simplify the built-in cooking shopping process for the retail salesperson and reduce the chance of returns.

With the Frigidaire® Fit Promise we provide peace-ofmind to the consumer. On the rare occasion that a fit issue does arise, our Frigidaire® Fit Promise reimburses the consumer up to \$300 toward the cost of professionally modifying their cabinet, so we ease their concerns about unexpected installation expenses! Not only does it provide peace-of-mind for a consumer, but it provides retail associates with the confidence that our 27 inch and 30 inch wall ovens will stay sold.



FRIGID PROMIS

FRIGIDAIRE FIT PROMISE

How Does it Work?

Go to: The Frigidaire Fit Tool at Frigidaire.com

It's so easy — you can do it in 3 Steps...

- 1. Enter the model number of the wall oven the consumer is replacing (regardless of brand).
- 2. Click 'Go.'
- 3. View the Frigidaire® Wall Ovens that fit the consumer's space.

It's also available for integration on retailer websites.



https://samitechnic.com/

Choosing a Ventilation Hood

Cooking produces grease, moisture, heat and smoke that can take a toll on cabinets and walls over time. Pair a ventilation hood with a cooktop or range for maximum odor removal and ventilation.



Total Cooking Surface BTU Output

The burners on a gas cooktop surface produce a lot more heat than those on an electric, so a kitchen with a gas cooktop requires a larger capacity ventilation hood.

To calculate the fan size needed for a gas cooktop surface, combine the BTU ratings for all the burners, then divide by 100 to find the minimum CFM needed.





40,000 BTU gas cooktop ÷ 100 = 400 CFM ventilation hood or higher

EXAMPLE

Ventilation Hood Pairing

Throughout this book, look for the purple \blacktriangle or yellow \checkmark triangle beside the model number to ensure you're pairing the correct ventilation hood with the BTU output of the gas cooktop surface. For specific model number pairings, refer to the following list:




CFM KNOWLEDGE CENTER

- The power or air movement for ventilation hoods is measured in CFM (*cubic feet per minute*). Choosing a range hood with higher CFM results in more air being moved out of the house, a plus for removing smoke and bad odors.
- For cooks that do a lot of heavy cooking with steam or strong odors, recommend a ventilation hood with at least 350 CFM.
- For high-output gas ranges or cooktops, the minimum rate of 1 CFM of ventilation per 100 BTU is recommended.

Choosing a Microwave

Over-the-range microwaves install above cooking surface area, whether a range or a cooktop, and double as a ventilation hood — two appliances in one space! Best for smaller kitchen spaces.





Built-in microwaves can be installed in any wall space in the kitchen. Work well when paired with a wall oven and/or warmer drawer for a full cooking center.





CONVERTIBLE EDUCATION

Two Products in One - Easily converts from a refrigerator to a freezer



Why Sell a Convertible?

Be sure to sell the benefits of a convertible:

The flexibility of the all-refrigerator option for special occasions, bulk storage of fruit or case drinks in the summer.

Then being able to switch to the all-freezer option to keep veggies frozen in the fall, or back to all-refrigerator for bulk food and dish storage during year-end holidays.



REFRIGERATION EDUCATION


Choosing a Refrigerator

Consider the Space

When talking with a customer, help them decide which model is best for them by narrowing down options and asking open-ended questions to identify their needs and wants. Keep in mind new construction or remodeling customers may have considerable flexibility regarding the appliance size they can fit. The replacement customer is generally more constrained by existing space.

If replacing current refrigerator, measure the space of the cabinetry opening. Where is the freezer being placed – garage or laundry room?


Types of Refrigerators



French Door

Full-width refrigerator with plenty of space for wide items and a deep freezer drawer with storage baskets.





Convertible

Offers an easy view of contents with full-width shelves and bins in the door.

Side-by-Side

Parallel freezer and refrigerator with a simultaneous full view of both when opened.

Built-In Refrigerator & Built-In Freezer

Full width for increased capacity. Create a built-in look by adding a trim kit.



Top Freezer

These refrigerators have a freezer compartment on the top and a refrigerator on the bottom.

REFRIGERATION EDUCATION

Choosing a Refrigerator

Counter Depth vs. Standard Depth

Counter Depth

Saves over 4 inches of kitchen space and creates a sleek custom finish in the kitchen, without losing usable shelf space.

Standard Depth

Offers additional storage volume and may extend 4 inches (or more), into the kitchen space beyond the cabinets and countertop.





CUSTOM-FLEX™ DOOR ACCESSORIES



12 oz. Can Dispenser PN# 5304496503

Ideal For:

- 12-Pack Carton of 12 oz. Cans
- 7 Individual 12 oz. Cans

Mini Bin

PN# 5304496497

- Ideal For:
- Snacks Juice Boxes



Dairy Bin PN# 5304496501

- Ideal For:
- Butter

Large Bin

PN# 5304496500

• Sour Cream



• Dressings

Ideal For:

• Condiments



Ideal For: Bottles

- Dressings
- Condiments
- Half-Gallon Storage

LAUNDRY

DISHCARE

13

Ideal For: • Gallon Jug Storage

Choosing a Dishwasher

Comparing Control Panels



FRIGIDAIRE GALLERY power work with cytole	tog every rise and	uten ang bina Ma ang dag Statt . day a unitar stat
FULLY INTEGRATED CONTROL PANEL		
 These dishwashers have the controls on the top, leaving only a solid door and handle. 	 Controls are not visible when door is closed. Sleek, clean look on the exterior of the product. 	 Cycle options are selected and then the user closes the door within 4 seconds, which activates the dishwasher to start



- FRIGIDAIRE
 Name
 Galaxy
 Name
 Galaxy
 Name
 Galaxy
 Name
 Safety
 Safety
- This dishwasher type has the control panel at the top of the dishwasher door.
- Controls are accessible and visible on the exterior of the product when the door is closed.
- Some models have touch-control buttons, while others are a mechanical dial.

the cycle selected.

What Type of Tub Interior Do You Prefer?



DARK GRAY PLASTIC TUB The new dark gray interior further prevents stains, compared to the lighter colored plastic tubs.



STAINLESS STEEL TUB Durable, resists stains and corrosion and has premium aesthetics.

BRAND

COOKING

REFRIGERATION

Slimline Control Panel


Intuitive, easyto-use console design. Premium matte console finish looks great and stays clean. Controls are accessible and visible on the exterior of the dishwasher when the door is closed.




A = SMUDGE-PROOF™ WITH SILVER CONTROL PANEL



F = SMUDGE-PROOF™ WITH BLACK CONTROL PANEL



Choosing a Dishwasher



Rack Organization

Dishes are easier to load and keep organized with the adjustable upper rack. With effortless adjustment it's easy to accommodate large or tall items.



DID YOU KNOW?

Tell your customers they can save up to 55,000 GALLONS of water over the life of their Frigidaire Gallery[®] dishwasher by ELIMINATING HAND WASHING. That is the equivalent of a LIFETIME supply of drinking water for a family of four.

Cleaning Performance

How Is OrbitClean[®] Better?

Explain to Customers — The Difference in Spray Arms.

Traditional spray arms distribute water in a simple circular pattern with fixed jets.

Our OrbitClean[®] Spray Arm rotates throughout the tub, distributing water to the toughest spots on dishes to achieve a more thorough clean and rinse. The moving wash zone along with AquaSurge™ Technology (which adjusts water pressure based on washing needs) combine to set the OrbitClean[®] model apart from others.

30-Minute Fast Wash

A Wash That is Really Quick!

The 30-Minute Fast Wash utilizing the OrbitClean® wash arm enables customers to fully wash a full load of dishes. This way when they entertain - they can clean twice the amount of dishes in the same time that their previous cycle took to do one load.

AquaSurge[™] Technology

Water pressure adjusts 30% above normal for extra-dirty pots/pans and 30% below normal for gentle cleaning of fine china.



SPRAY

ARM



Customers can clean twice the amount of dishes in the same time that their previous cycle took to do one load. BRAND

SPRAY

ARM

WARRANTY/ NOMENCLATURE

FRIGIDAIRE

a

al n



https://samitechnic.com/

Key Features



Induction Cooktop

Get amazingly fast heat with induction easy-to-clean surface that generates heat only to your pan, not your cooktop, meaning spills can't burn onto the surface.



Oval Center Burner

Evenly heat and cook on griddles with the 10,000 BTU oval burner.



Quick Bake Convection

Uses a fan in the rear of the oven to circulate air throughout the entire oven cavity, for more even heat distribution and even baking results.




One-Touch Self Clean

Your oven cleans itself, so you don't have to. Self clean options available in 2, 3 and 4-hour cycles.



Quick Boil

Get meals on the table faster with quick boil elements or burners — water boils quicker than the traditional setting.



SpaceWise® Expandable Elements

Flexible elements expand to meet your cooking needs — big or small.



Keep Warm Zone Keep food warm until everything – and everyone – is ready.



Hidden Bake Element

Lower heating elements are located beneath the oven floor, making for a smooth surface that is easy to clean.



Continuous Corner-to-Corner Grates

Move heavy pots and pans without lifting with continuous corner-to-corner grates.



Sealed Gas Burners

Enjoy easier cleanup and a burner that stays looking great.



Store-More[™] Storage Drawer

With the Store-More[™] Storage Drawer, you will have extra space to store your cookware.



Broil & Serve Drawer

Easily toast, brown or crisp the outside of your food at the touch of a button. (Gas ranges only.)



FFGF3056T D/S/W/B 30" Gas Freestanding Range

- Color-Coordinated Porcelain Cooktop Surface
- 5 Sealed Burners: 17,000 BTU, 12,000 BTU, 9,500 BTU, 5,000 BTU & Center Round 9.500 BTU
- Continuous Corner-to-Corner Cast Iron Grates
- 5.0 Cu. Ft. Oven Capacity
- Quick Bake Convection
- Bake 18,000 BTU / Broil 13,500 BTU
- Oven Racks: 2 Standard
- Auto Shut-Off
- Self Clean
- Storage Drawer



FFGF3054T D/S/W/B

30" Gas Freestanding Range

- Color-Coordinated Porcelain Cooktop Surface
- 5 Sealed Burners: 17,000 BTU, 12,000 BTU, 9,500 BTU, 5,000 BTU & Center Round 9,500 BTU
- Continuous Corner-to-Corner Cast Iron Grates
- 5.0 Cu. Ft. Oven Capacity
- Bake 18,000 BTU / Broil 13,500 BTU
- Oven Racks: 2 Standard
- Auto Shut-Off
- Self Clean
- Storage Drawer



FFGF3052T D/S

30" Gas Freestanding Range

BRAND

REFRIGERATION

DISHCARE

LAUNDRY

PLANNING

Available In:

W

В

• 4.2 Cu. Ft. Oven Capacity

12,000 BTU, 9,500 BTU, 5,000 BTU

- Bake 18,000 BTU / Broil 16,000 BTU • Oven Racks: 2 Standard
- Manual Clean
- Broil and Serve Drawer

• Deep-Well Black Porcelain

• 5 Sealed Burners: 16,000 BTU,

& Center Oval 10.000 BTU

Continuous Cast Iron Grates

Cooktop Surface



W

В

FFGF3051T S/W/B 30" Gas Freestanding Range

- Color-Coordinated Porcelain Cooktop Surface
- 4 Sealed Burners: 16,000 BTU, 12,000 BTU, 9,500 BTU & 5,000 BTU
- Continuous Cast Iron Grates
- 4.2 Cu. Ft. Oven Capacity
- Bake 18,000 BTU / Broil 16,000 BTU
- Oven Racks: 2 Standard
- Manual Clean
- · Broil and Serve Drawer



W

В

FFGF3016T W/B 36" Gas Freestanding Range

- Color-Coordinated Porcelain Cooktop Surface
- 4 Sealed Burners: 14,000 BTU, 2 - 9,500 BTU & 5,000 BTU
- Black Square Wire Grates
- 4.2 Cu. Ft. Oven Capacity
- Bake 18,000 BTU / Broil 16,000 BTU
- Oven Racks: 2 Standard
- Manual Clean
- Broil and Serve Drawer

FFGF3012T W/B 30" Gas Freestanding Range

- Color-Coordinated Porcelain Cooktop Surface
- 4 Burners: 9,000 BTU
- Black Square Wire Grates
- 4.2 Cu. Ft. Oven Capacity
- Bake 18,000 BTU / Broil 16,000 BTU
- Oven Racks: 2 Standard
- Manual Clean
- Broil and Serve Drawer







FFIF3054T D/S 30" Induction Freestanding Range

- Black Ceramic Glass Smoothtop Surface
 4 Elements: 8" 3,600 W, 2 7" 2,800 W
- & 5.5" 2,500 W
- Hot-Surface Indicator Light
- 5.4 Cu. Ft. Oven Capacity
- Bake 2,600 W / Broil 3,000 W
- Oven Racks: 2 Standard
- Self Clean
- Storage Drawer



FFEF3056T D/S/W/B 30" Electric Freestanding Range

- Black Ceramic Glass Smoothtop Surface
- 5 Elements: 9" / 12" 1,800 W / 3,000 W,
 6" / 9" 1,400 W / 3,000 W, 2 6" 1,200 W
 & Center Keep Warm 100 W
- 5.4 Cu. Ft. Oven Capacity
- Quick Bake Convection
- Hidden Bake 3,500 W / Broil 3,600 W
- Oven Racks: 2 Standard
- Self Clean
- Storage Drawer



FFEF3054T D/S/W/B 30" Electric Freestanding Range

- Color-Coordinated Ceramic Glass
 Smoothtop Surface
- 5 Elements: 12" 2,700 W,
 6" / 9" 1,400 / 3,000 W, 2 6" 1,200 W
 & Center Keep Warm 100 W
- 5.3 Cu. Ft. Oven Capacity
- Bake 2,600 W / Broil 3,000 W
- Oven Racks: 2 Standard
- Self Clean
- Storage Drawer





FFEF3052T D/S 30" Electric Freestanding Range

- Ceramic Black Glass Smoothtop Surface
- 5 Elements: 6" / 9" 1,400 W / 3,000 W,
 9" 3,000 W, 2 6" 1,200 W
 & Center Keep Warm 100 W
- 4.9 Cu. Ft. Oven Capacity
- Bake 2,600 W / Broil 3,000 W
- Oven Racks: 2 Standard
- Manual Clean
- Storage Drawer



FFEF3051T S/W/B 30" Electric Freestanding Range

- Color-Coordinate Porcelain
 Cooktop Surface
- 4 Elements: 6" / 9" 1,400 W / 3,000 W, 9" 3,000 W & 2 - 6" 1,200 W
- 4.9 Cu. Ft. Oven Capacity
- Bake 2,600 W / Broil 3,000 W
- Oven Racks: 2 Standard
- Manual Clean
- Storage Drawer



FFEF3016T S/W/B 30" Electric Freestanding Range

- Color-Coordinated Porcelain Cooktop Surface
- 4 Coil Elements: 2 8" 2,600 W
 & 2 6" 1,500 W
- Chrome SpillSafe® Drip Bowls
- 5.3 Cu. Ft. Oven Capacity
- Bake 2,600 W / Broil 3,000 W
- Oven Racks: 2 Standard
- Self Clean
- Storage Drawer



Available In:



FFEF3012T W/B

30" Electric Freestanding Range

• Color-Coordinated Porcelain

• 4.8 Cu. Ft. Oven Capacity

• Oven Racks: 2 Standard

• 4 Coil Elements: 2 - 8" 2.100 W

• Bake 2.600 W / Broil 3.000 W

Cooktop Surface

& 2 - 6" 1.250 W

Manual Clean

Storage Drawer





FFMV1745T S/W/B

Over-the-Range Microwave

- 1.7 Cu. Ft. Capacity
- 1,000 W
- 13-1/2" Glass Turntable
- 10 Power Levels
- Interior LED Lighting
- Zero-Clearance Door
- Multi-Stage Cooking Options
- Auto-Reheat Options
- 2 Auto-Defrost Options
- Add-30-Seconds
- 2-Speed Hidden Vent / 300 CFM
- Dishwasher-Safe Vent Filters
- Cooktop LED Lighting

BLACK STAINLESS STAINLESST

FFMV1645T D/S/H/M/W/B Over-the-Range Microwave

• 1.6 Cu. Ft. Capacity

- 1.000 W
- 12-1/2" Glass Turntable
- 10 Power Levels
- Interior LED Lighting
- Zero Clearance Door
- Multi-Stage Cooking Options
- Auto-Reheat Options
- 2 Auto-Defrost Options
- Add-30-Seconds
- 2-Speed Hidden Vent / 220 CFM
- Cooktop LED Lighting



FFCT1278LS Countertop Microwave

- 1.2 Cu. Ft. Capacity
- 1,100 W / 1,500 W
- 13-19/32" Glass Turntable
- 10 Power Levels
- 10 Convection Options
- 7 Auto-Cook Options
- Multi-Stage Cooking Option
- 7 Auto-Reheat Options
- Auto-Defrost Options
- Accessory Metal Rack
- Convection
- Effortless™ Grill Options

FFCM1134LS Countertop Microwave

Available In:

- 1.1 Cu. Ft. Capacity
- 1,100 W
- 12-3/8" Glass Turntable
- 10 Power Levels
- 8 Auto-Cook Options
- Multi-Stage Cooking Options
- 4 Auto-Reheat Options
- Auto-Defrost Options
- 6 Easy-Set™ Start One-Touch Options

FFCM1134L W/B Countertop Microwave

- 1.1 Cu. Ft. Capacity
 1100 W
- 1,100 w
 11-3/4" Glass Turntable
- 11-3/4 Glass Turnlabl
- 10 Power Levels
- 8 Auto-Cook Options
- Multi-Stage Cooking Options4 Auto-Reheat Options
- 4 Auto-Reneat Optio
- Auto-Defrost Options
- 6 Easy-Set™ Start One-Touch Options

23



FFCM0934L S/W/B Countertop Microwave

- 0.9 Cu. Ft. Capacity
- 900 W
- 10-5/8" Glass Turntable
- 10 Power Levels
- 7 Auto-Cook Options
- Multi-Stage Cooking Option
- 4 Auto-Reheat Options
- Auto-Defrost Options
- Popcorn, Baked Potato & Beverage Buttons



FFCM0734LS

Countertop Microwave

- 0.7 Cu. Ft. Capacity
- 700 W
- 9-5/8" Glass Turntable
- 10 Power Levels
- 7 Auto-Cook Options
- Multi-Stage Cooking Option
- 4 Auto-Reheat Options
- Auto-Defrost Options
- 6 Easy-Set™ Start One-Touch Options



FFCM0724L W/B Countertop Microwave

- 0.7 Cu. Ft. Capacity
- 700 W
- 9-5/8" Glass Turntable
- 10 Power Levels
- 7 Auto-Cook Options
- Multi-Stage Cooking Option
- 4 Auto-Reheat Options
- Auto-Defrost Options
- 6 Easy-Set[™] Start One-Touch Options



FFCE2278LS Countertop Microwave

- 2.2 Cu. Ft. Capacity
- 1,200 W
- 16" Glass Turntable
- 10 Power Levels
- Multi-Stage Cooking Option
- 7 Sensor-Cook Options
- Auto-Defrost Options
- Popcorn, Baked Potato & Beverage Buttons



FFCE2238L W/B Countertop Microwave

- 2.2 Cu. Ft. Capacity
- 1,200 W
- 16" Glass Turntable
- 10 Power Levels
- Multi-Stage Cooking Option
- 7 Sensor-Cook Options
- Auto-Defrost Options
- Popcorn, Baked Potato & Beverage Buttons



FFCE1638LS FFCE1638TD Countertop Microwave

- 1.6 Cu. Ft. Capacity
- 1,100 W
- 14-1/4" Glass Turntable
- 10 Power Levels
- Multi-Stage Cooking Option
- 7 Sensor-Cook Options
- Auto-Defrost Options
- Popcorn, Baked Potato & Beverage Buttons

PLANNING

WARRANTY/ NOMENCLATURE



FFCE1638L W/B Countertop Microwave

- Countertop Microwa
- 1.6 Cu. Ft. Capacity
- 1,100 W
- 14-1/4" Glass Turntable
- 10 Power Levels
- Multi-Stage Cooking Option
- 7 Sensor-Cook Options
- Auto-Defrost Options
- Popcorn, Baked Potato & Beverage Buttons

FFCE1439L W/B

Countertop Microwave

- 1.4 Cu.Ft. Capacity
- 1,100 W
- 14-3/16" Glass Turntable
- 10 Power Levels
- Multi-Stage Cooking Option
- 7 Sensor-Cook Options
- Auto-Defrost OptionsPopcorn, Baked Potato
- & Beverage Buttons



BUILT-IN COOKING

Key Features



Even Bake Technology

Get great tasting, even results with our Even Baking Technology.



One-Touch Self Clean

Your oven cleans itself - so you don't have to. Self clean options available in 2, 3 and 4-hour cycles.



Keep Warm Zone Keep food warm until everything — and everyone is ready.



Vari-Broil Temperature Control

Allows you to choose between two heat levels.



Delay Clean Option

Set your oven to begin cooking on your schedule. It can be programmed from 1 to 24 hours.



Quick Boil

Get meals on the table faster with quick boil elements or burners — water boils quicker than the traditional setting.



Delay Start Baking Option

Set your oven to begin cooking on your schedule. It can be programmed from 1 to 24 hours.



Oven Rack Handles

Oven racks are designed with space for you to easily pull out the racks, even when wearing an oven mitt.



Timed Cook Option

Lets you set the oven to begin cooking at a predetermined time.



Auto Shut-Off

As an extra safety measure, the oven will automatically shut off after 12 hours.



A.D.A. Compliant

Frigidaire* offers products that, when properly installed, are A.D.A.-qualified based on the United States Access Board's A.D.A./A.B.A. Accessibility Guidelines and the Department of Justice's 2010 A.S.A. Standards for Accessible Design.



Bright Lighting Our bright lighting makes it easy to see what's inside.

BUILT-IN COOKING COLLECTION

W



FFET3026T D/S/W/B 30" Electric Double Oven

- 4.6 Cu. Ft. Oven Capacity (Both)
- Even Baking Technology
- Bake 2,000 W / Broil 3,400 W (Both)
- Oven Racks: 2 Handle (Both)
- Lighting: 1 Halogen (Both)
- Vari-Broil™ Option
- Extra Large Windows
- Self Clean
- Also Available in 27": FFET2726T S/W/B
- 3.8 Cu. Ft. Oven Capacity (Both)
- Bake 1,450 W / Broil 3,400 W (Both)



FFEW3026T D/S/W/B 30" Electric Single Oven

- 4.6 Cu. Ft. Oven Capacity • Even Baking Technology
- Bake 2,000 W / Broil 3,400 W
- Oven Racks: 2 Handle
- Lighting: 1 Halogen
- Vari-Broil™ Option
- Self Clean
- Keep Warm Setting
- Also Available in 27": FFEW2726T S/W/B
- 3.8 Cu. Ft. Oven Capacity
- Bake 1,450 W / Broil 3,400 W



FFEW2425Q S/W/B

24" Electric Single Oven

• 3.3 Cu.Ft. Oven Capacity

• Oven Racks: 2 Standard

• Lighting: 1 Halogen

• Vari-Broil™ Option

 Self Clean Auto Shut-Off

• Bake 2,100 W / Broil 3,400 W

BRAND

REFRIGERATION





• Bake 14,000 BTU / Broil 14,000 BTU

В

• Oven Racks: 2 Standard • Lighting: 1 Halogen

• 3.3 Cu. Ft. Oven Capacity

FFGW2415Q S/W/B

24" Gas Single Oven

- Vari-Broil™ Option
- Manual Clean
- Broil Drawer

WARRANTY/ NOMENCLATURE

Available In: W В

FFEW2415Q W/B 24" Electric Single Oven

-

- 3.3 Cu. Ft. Oven Capacity
- Bake 2,100 W / Broil 3,400 W
- Oven Racks: 2 Standard
- Lighting: 1 Halogen
- Manual Clean
- Vari-Broil™ Option



Available In: W В

FFGW2425Q S/W/B 24" Gas Single Oven

- 3.3 Cu. Ft. Oven Capacity
- Bake 14,000 BTU / Broil 14,000 BTU
- Oven Racks: 2 Standard
- Lighting: 1 Halogen
- Vari-Broil™ Option
- Self Clean
- Storage Drawer

BUILT-IN COOKING COLLECTION



FFMO1611L S/W/B

Built-In Microwave with Trim Kit

- 1.6 Cu. Ft. Capacity
- 1.100 W
- 14-1/4" Glass Turntable
- 10 Power Levels
- 1 Auto-Cook Option
- Multi-Stage Cooking Options
- 8 Sensor-Cook Options Optional 30" & 27" Trim Kits: (30") FFMOTK30L S/W/B
- (27") FFMOTK30L S/W/B



FFGS3026T S/W/B

30" Gas Slide-In Range • Deep-Well Color-Coordinated

- Porcelain Cooktop Surface • Sealed Burners: 15,000 BTU,
- 2 9,500 BTU & 5,000 BTU
- Continuous Cast Iron Grates
- 4.5 Cu. Ft. Oven Capacity
- Bake 18,000 BTU / Broil 11,500 BTU
- Oven Racks: 2 Handle Racks
- Storage Drawer
- Self Clean
- Auto Shut-Off



FFES3026T S/W/B 30" Electric Slide-In Range

- Color-Coordinated Ceramic Glass Smoothtop Surface • 4 Elements: 12" 2,700 W,
- 6" / 9" 1,400 W / 3,000 W, 7" 1.500 W & 6" 1.200 W
- 4.6 Cu. Ft. Oven Capacity
- Bake 2,750 W / Broil 3,400 W
- Oven Racks: 2 Handle
- Storage Drawer
- Self Clean



W

В

FFES3016T S/W/B 30" Electric Slide-In Range

- Color-Coordinated Porcelain Cooktop Surface
- Coil Elements: 2 8" 2,600 W & 2 - 6" 1,500 W
- 4.6 Cu. Ft. Oven Capacity
- Bake 2,750 W / Broil 3,400 W
- Oven Racks: 2 Handle
- Storage Drawer
- Self Clean
- · Auto Shut-Off



FFED3026T S/W/B 30" Electric Drop-In Range

- Color-Coordinated Ceramic Glass Smoothtop Surface
- 4 Elements: 12" 2,700 W, 6" / 9" 1,400 W / 3,000 W, 7" 1,500 W & 6" 1,200 W
- 4.6 Cu. Ft. Oven Capacity
- Bake 2,750 W / Broil 3,400 W
- Oven Racks: 2 Handle
- Self Clean
- Auto Shut-Off



FFED3016T W/B 30" Electric Drop-In Range

- Color-Coordinated Porcelain Cooktop Surface
- 4 Coil Elements: 2 8" 2,600 W & 2 - 6" 1,500 W
- 4.6 Cu. Ft. Oven Capacity
- Bake 2,750 W / Broil 3,400 W
- Oven Racks: 2 Handle
- Self Clean
- Auto Shut-Off

BUILT-IN COOKING COLLECTION

COOKING

REFRIGERATION

DISHCARE



FFGC3626S S/W/B 36" Gas Cooktop

- Stainless Steel/Color-Coordinated Porcelain Cooktop
- 4 Sealed Burners: 15,000 BTU, 12,000 BTU, 9,500 BTU & 5,000 BTU
- Ready-Select® Controls
- Continuous Corner-to-Corner Grates
- Low Simmer Burner
- Electronic Pilotless Ignition
- Also available in 30" FFGC3026S



FFEC3624P S/W/B 36" Electric Cooktop

- Color-Coordinated Ceramic
 Glass Smoothtop Surface
- 5 Electric Elements:
 2 9" 2,500 W, 2 6" 1,200 W
 & Keep Warm Zone 100 W
- Ready-Select[®] Controls
- Color-Coordinated Control Knobs
- "On" Indicator Light



FFEC3024PS FFEC3024LB 30" Electric Cooktop

- Black Ceramic Glass Smoothtop Surface
- 4 Electric Elements:
 2 9" 2,500 W & 2 6" 1,200 W
- Ready-Select[®] Controls
- Color-Coordinated Control Knobs
- "On" Indicator Light



FFEC3605L S/W/B 36" Electric Cooktop

- Brushed Chrome/Color-Coordinated Porcelain Cooktop Surface
- 4 Coil Elements:
- 2 8" 2,100 W & 2 6" 1,250 W
- Ready-Select[®] Controls
- "On" Indicator Light
- Spill Saver™ Cooktop



FFEC3005L S/W/B 30" Electric Cooktop

- Stainless Steel/Color-Coordinated Porcelain Cooktop Surface
- 4 Coil Elements:
- 2 8" 2,100 W & 2 6" 1,250 W
- Ready-Select[®] Controls
- "On" Indicator Light
- Spill Saver[™] Cooktop

Available In:

FFEC3225M W/B 32" Electric Cooktop

- Color-Coordinated Ceramic Glass Smoothtop Surface
- 4 Electric Elements:
 2 9" 2,500 W & 2 6" 1,250 W
- Ready-Select[®] Controls
- Hot Surface Indicator Light
- "On" Indicator Light

LAUNDRY

BUILT-IN COOKING COLLECTION https://samitechnic.com/



FFEC3205L S/W 32" Electric Cooktop

- Brushed Chrome/Color-Coordinated Porcelain Cooktop Surface
- 4 Coil Elements:
- 2 8" 2,100 W & 2 6" 1,250 W
- Ready-Select[®] Controls
- "On" Indicator Light
- Spill Saver™ Cooktop



FFEC2111QB 22" Electric Cooktop

- Black Ceramic Glass Smoothtop Surface
- 2 Electric Elements:
 6" / 9" 1,000 W / 2,500 W & 6" 1,200 W
- Ready-Select[®] Controls
- Hot Surface Indicator Light
- SpillSafe[®] Cooktop





RC36DG60PS 36" Downdraft Cooktop

- Deep-Sump Formed Stainless
 Steel Platform
- 4 Sealed Burners: 2 21,000 BTU Bridge, 17,000 BTU & 5,000 BTU
- Ready-Select® Controls
- Continuous Grates
- Low Simmer Burner
- Electronic Pilotless Ignition
- Downdraft Centrifugal 3-Speed Blower



RC30DG60PS

30" Downdraft Cooktop

- Deep-Sump Formed Stainless Steel Platform
- 4 Sealed Burners: 17,000 BTU, 12,000 BTU, 9,500 BTU & 5,000 BTU
- Ready-Select[®] Controls
- Continuous Grates
- Low Simmer Burner
- Electronic Pilotless Ignition
- Downdraft Centrifugal 3-Speed Blower



RC36DE60PB 36" Downdraft Cooktop

- Black Ceramic Glass Smoothtop Surface
- 4 Electric Elements:
- 6" / 9" / 12" 800 W / 1,900 W / 3,000 W 9" 3,200 W, 5" / 7" 750 W / 1,800 W & 6" 1,200 W
- Ready-Select[®] Controls
- Hot Surface Indicator Lights
- Downdraft Centrifugal
 3-Speed Blower



RC30DE60PB 30" Downdraft Cooktop

- Black Ceramic Glass Smoothtop Surface
- 4 Electric Elements:
- 4 Electric Elements.
 9" 3,200 W, 5" / 7" 750 W / 1,800 W
- 2 7" 1,800 W with Bridge 800 W
- Ready-Select® Controls
- Hot Surface Indicator Lights
- Downdraft Centrifugal
 3-Speed Blower

Key Features



PureSource Ultra® II Water Filtration

Discover how our genuine filtration works to keep your water cleaner. PureSource Ultra® Water Filters remove 99.3% of lead and 99.9% of cysts from your water.



Store-More® Door Bins

Our gallon-size bins are designed to store more, so you can easily fit a gallon of milk or two liter bottles.



PureAir[®] Freshness Booster™

Keep that fresh-from-thegarden taste. Produce stays fresher longer with the PureAir® Freshness Booster™.



Chill Drawer

Cold air from the freezer is used to quickly cool food and drinks. Includes temperature control settings.



Cool Zone® Drawer

Extends completely and provides space to easily store anything from sheet cakes and large platters to snacks and juice boxes.



Counter-Depth Design

Saves over 4 inches of kitchen floor space without losing valuable shelf space.



Self Closing Doors

Maintain your desired temperature in the refrigerator while never worrying about accidentally leaving the door open.



Adjustable Interior

Shelves and door bins can be moved up or down to easily accommodate for taller items.



Multi-Level Lighting Corner-to-corner LED lighting throughout.



Store-More™ Humidity-Controlled Crisper Drawers

Designed to keep fruits and vegetables fresh so they last longer.

(D)



FFHD2250T D/S 21.7 Cu. Ft. Counter-Depth French Door Refrigerator

- EvenTemp[™] System Improved Cooling
- Multi-Level LED Lighting
- PureSource Ultra® II Ice & Water Filtration
- Self Closing Doors
- Flush Exterior Ice & Water Dispenser
- Adjustable Interior Storage
- Full-Width Cool Zone® Drawer
- 2 Effortless[™] Glide Adjustable Humidity Crisper Drawers
- 4 Store-More™ Fixed Glass Shelves
- 3 Gallon Door Bins
- Optional Second Ice Maker
- Effortless[™] Freezer Basket with Divider
- Effortless[™] Glide Freezer Drawers
- Automatic Ice Maker & Optional Second
- Adjustable Interior Storage



FFHG2250T D/S 21.7 Cu. Ft. Counter-Depth French Door Refrigerator

- EvenTemp[™] System Improved Cooling
- Multi-Level LED Lighting
- Self Closing Doors
- PureSource Ultra® II Ice & Water Filtration
- Express-Select® Controls
- Adjustable Interior Storage
- Full-Width Cool Zone® Drawer
- 2 Effortless™ Glide Adjustable Humidity Crisper Drawers
- 4 Store-More™ Fixed Glass Shelves
- 4 Store-More™ Gallon Door Bins
- 2 Effortless[™] Glide Freezer Baskets with Divider
- Effortless[™] Glide Freezer Drawers
- Automatic Ice Maker
- Adjustable Interior Storage



FFHN2750T D/S 27.6 Cu. Ft. Standard-Depth French Door Refrigerator

Available In:

D

- EvenTemp[™] System Improved Cooling
- PureSource Ultra® II Ice & Water Filtration
- LED Lighting
- Self Closing Doors
- Full-Width Cool Zone® Drawer
- 2 Effortless[™] Glide Adjustable Humidity-Controlled Crisper Drawers
- 4 Store-More[™] Glass Shelves
- 2 Effortless[™] Glide Freezer Baskets
- 6 Gallon Door Bins
- Automatic Ice Maker
- Quick Ice Option
- Adjustable Interior Storage

FFBN1721TV 17.4 Cu. Ft. French Door Refrigerator

- 4-Door Design
- Exterior Easy Access Control Panel
- LED Interior Light in Fresh Food
- 2 SpaceWise[®] Adjustable Glass Shelves
- 2 Store-More[™] Crisper Drawers
- Store-More[™] Gallon Door Bin
- 2 Separate Freezer Doors
- 4 Freezer Bins
- 2 Pull-Out Freezer Drawers
- Adjustable Interior Storage

E FFHB2750T D/S/P/E

26.8 Cu. Ft. Standard-Depth French Door Refrigerator

- EvenTemp[™] System Improved Cooling
- Multi-Level LED Lighting
- Self Closing Doors
- PureSource Ultra® II Ice & Water Filtration
- Full-Width Cool Zone® Drawer
- 2 Effortless™ Glide Adjustable Humidity Crisper Drawers
- 4 Store-More™ Glass Shelves
- 2 Effortless™ Glide Freezer Baskets
- 3 Gallon Door Bins
- Automatic Ice Maker & Optional Second
- Adjustable Interior Storage





PLANNING

WARRANTY/ NOMENCLATURE

FFSC2323T S/P/E 22.2 Cu. Ft. Counter-Depth Side-by-Side Refrigerator

- Dual-Level LED Lighting
- Exterior Dispenser with Color Match User Interface
- PureSource 3[®] Ice & Water Filtration
- Clear Stacked Meat Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- Slim Design Glass Shelves
- 1 Fixed Gallon Door Bin
- Clear Refrigerator Door Bins
- White Door Can Rack
- 3 Fixed Wire Freezer Shelves
- 1 Wire Freezer Basket
- 4 White Freezer Door Bins
- Automatic Ice Maker & Optional Second
- Adjustable Interior Storage

BRAND

Available In: D BLACK STAINLESS S

Ρ

REFRIGERATION





FFSS2625T S/P/E

25.6 Cu. Ft. Standard-Depth Side-by-Side Refrigerator

- LED Lighting
- Exterior Dispenser with Color Match User Interface
- PureSource 3[®] Ice & Water Filtration
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Store-More™ Glass Shelves
- 2 Store-More™ Adjustable Gallon Door Bins
- Clear Dairy Door
- 1 Flip / 2 Wire Freezer Shelves
 4 White Freezer Door Bins
- 1 Freezer Basket
- Automatic Ice Maker & Optional Second
- Adjustable Interior Storage



FFSS2615T D/S/P/E 25.6 Cu. Ft. Standard-Depth Side-by-Side Refrigerator

- LED Lighting
- Exterior Dispenser with Color Match User Interface
- PureSource 3[®] Ice & Water Filtration
- 2 Store-More™ Crisper Drawers
- 2 Store-More™ Glass Shelves
- 2 Store-More™ Adjustable Gallon Door Bins
- Clear Dairy Door
- 1 Flip / 2 Wire Freezer Shelves
- 4 White Freezer Door Bins
- 1 Freezer Basket
- Automatic Ice Maker & Optional Second
- Smooth Door Finish
- Adjustable Interior Storage





FFSS2325T S/P/E

22.0 Cu. Ft. Standard-Depth Side-by-Side Refrigerator

- LED Lighting
- Exterior Dispenser with Color Match User Interface
- PureSource 3[®] Ice & Water Filtration
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Store-More™ Glass Shelves
- 2 Store-More™ Adjustable Gallon Door Bins
- Clear Dairy Door
- 1 Flip / 2 Wire Freezer Shelves
- 4 White Freezer Door Bins
- Automatic Ice Maker & Optional Second
- Smooth Door Finish
- Adjustable Interior Storage



FFSS2315T D/S/P/E 22.1 Cu. Ft. Standard-Depth Side-by-Side Refrigerator

- LED Lighting
- Exterior Dispenser with Color Match User Interface
- PureSource 3[®] Ice & Water Filtration
- 2 Store-More™ Crisper Drawers
- 2 Store-More[™] Glass Shelves
- 2 Store-More™ Adjustable Gallon Door Bins
- Clear Dairy Door
- 1 Flip / 2 Wire Freezer Shelves
- 1 Plastic Freezer Basket
- 4 White Freezer Door Bins
- Automatic Ice Maker & Optional Second
- Smooth Door Finish
- Adjustable Interior Storage



FFTR2032T S/P/E 20.4 Cu. Ft. Top Freezer Refrigerator

- LED Lighting
- 2 Full-Width Sliding SpillSafe® Glass Shelves
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- Full-Width Deli Drawer
- Clear Dairy Door
- 3 Full-Width White Refrigerator Door Racks
- 1 Gallon Door Bin
- Full-Width Wire Freezer Shelf
- 2 Full-Width Clear Freezer Door Racks
- Smooth Door
- Reversible Door
- Optional Ice Maker Available: #IM116



FFHT2021T S/W/B 20.4 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Independent Temperature Controls
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpaceWise® Glass Shelves
- 1 Gallon Door Bin
- 3 Full-Width White Refrigerator Door Racks
- Clear Dairy Door
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Reversible Door
- Smooth Door
- ENERGY STAR[®] Most Efficient
- Optional Ice Maker Available: #IM116



FFTR2021T D/S/W/B 20.4 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Independent Temperature Controls
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpaceWise* Glass Shelves
- 3 Full-Width White Door Racks
- 1 Full-Width Wire Freezer Shelf
- Reversible Door
- Optional Ice Maker Available: #IM116



FFHI1832T D/S/P/E

18.0 Cu. Ft. Top Freezer Refrigerator

- Ice Maker Included
- LED Lighting
- Independent Electronic Temperature Controls
- Half-Width Deli Drawer
- 2 Store-More[™] Humidity-Controlled Crisper Drawers
- 2 Full-Width SpillSafe® Glass Shelves
- Clear Dairy Door
- 1 Gallon Door Bin
- 3 Full-Width White Refrigerator Door Bins
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width Clear Freezer Door Bins
- Reversible Door
- Smooth Door
- ENERGY STAR[®] Most Efficient



REFRIGERATION

DISHCARE

Available In:

Ρ

E

BRAND

FFHT1832T S/M/P/E

18.0 Cu. Ft. Top Freezer Refrigerator

- Independent Temperature Controls
- LED Lighting
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpillSafe® Glass Shelves
- 1 Gallon Door Bin
- Clear Dairy Door
- 3 Full-Width White Refrigerator Door Bins
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width Clear Freezer Door Bins
- Reversible Door
- Smooth Door
- Optional Ice Maker Available: #IM116



FFTR1832T S/P/E 18.0 Cu. Ft. Top Freezer Refrigerator

- LED Lighting
- Independent Temperature Controls
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpillSafe® Glass Shelves
- 1 Gallon Door Bin
- Clear Dairy Door
- 3 Full-Width Refrigerator Door Bins
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width Freezer Door Bins
- Reversible Door
- Smooth Door
- Optional Ice Maker Available: #IM116



FFHT1821T S/W/B

18.0 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Independent Temperature Controls
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpaceWise® Glass Shelves
- 1 Gallon Door Bin
- 3 Full-Width White Refrigerator Door Racks
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Reversible Door
- Smooth Door
- ENERGY STAR[®] Most Efficient
- Optional Ice Maker Available: #IM116

LAUNDRY W В

Available In: D

FFTR1821T D/M/S/W/B

PLANNING

WARRANTY/ NOMENCLATURE

18.0 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Independent Temperature Controls
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpaceWise® Glass Shelves
- 1 Clear Dairy Door
- 3 Full-Width White Refrigerator Door Racks
- 1 Gallon Door Storage
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Smooth Door
- Reversible Door
- Optional Ice Maker Available: #IM116



FFHT1814T W/B

18.0 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Independent Temperature Controls • 2 Store-More™ Humidity-Controlled
- Crisper Drawers
- 2 Full-Width SpaceWise® Wire Refrigerator Shelves
- 1 Clear Dairy Door
- 1 Gallon Door Storage
- 3 Full-Width Refrigerator Door Racks
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Smooth Door
- Reversible Door
- Optional Ice Maker Available: #IM116



FFTR1814T S/W/B

18.0 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Independent Temperature Controls
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 1 Gallon Door Bin
- 1 Full-Width Wire Freezer Rack
- 2 Full-Width White Freezer Door Racks
- Smooth Door
- Reversible Door

• Bright Lighting

Crisper Drawers

• 1 Gallon Door Bin

• Clear Dairy Door

Door Racks

Reversible Door

• Textured Door

• Optional Ice Maker Available: #IM116



FFHT1621T S/W/B

16.3 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpaceWise® Glass Shelves
- 1 Gallon Door Bin
- Clear Dairy Door
- 3 Full-Width White Refrigerator Door Bins
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Racks
- Reversible Door
- ENERGY STAR® Most Efficient
- Optional Ice Maker Available: #IM116



FFTR1621T W/B

16.3 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpaceWise® Glass Shelves
- 1 Gallon Door Bin
- Clear Dairy Door
- 3 Full-Width White Refrigerator Door Bins
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Textured Door
- Reversible Door
- Optional Ice Maker Available: #IM116



FFHT1614T W/B

• 2 Store-More™ Humidity-Controlled

3 Full-Width White Refrigerator

• 1 Half-Width Wire Freezer Shelf

ENERGY STAR[®] Most Efficient

• Optional Ice Maker Available: #IM116

• 2 Full-Width SpaceWise® Wire Shelves

• 2 Full-Width White Freezer Door Racks

FFTR1614TW 16.3 Cu. Ft. Top Freezer Refrigerator

16.3 Cu. Ft. Top Freezer Refrigerator

Available In:

W WHITE

- Bright Lighting
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpaceWise® Wire Shelves
- 1 Gallon Door Bin
- 3 Full-Width White Refrigerator Door Racks
- Clear Dairy Door
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Reversible Door
- Textured Door
- Optional Ice Maker Available: #IM116

COOKING

REFRIGERATION

DISHCARE

LAUNDRY

PLANNING

Available In:

W



FFTR1521TW

14.5 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- 2 Store-More™ Humidity-Controlled
- Crisper Drawers
- 2 Full-Width SpaceWise® Glass Shelves
- 1 Gallon Door Bin
- 2 Full-Width 1 Half-Width White Refrigerator Door Racks
- Clear Dairy Door
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Textured Door
- Reversible Door
- Optional Ice Maker Available: #IM116

FFHT1514T S/W/B

- 14.5 Cu. Ft. Top Freezer Refrigerator
- Bright Lighting
- 2 Store-More™ Humidity-Controlled
- Crisper Drawers
- 2 Full-Width SpaceWise® Wire Shelves
- 1 Gallon Door Bin
- Clear Dairy Door
- 2 Full-Width / 1 Half-Width White Refrigerator Door Racks
- 1 Half-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Reversible Door
- ENERGY STAR® Most Efficient
- Optional Ice Maker Available: #IM116

FFTR1514T W/B

14.5 Cu. Ft. Top Freezer Refrigerator

- Bright Lighting
- Mechanical Controls
 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpaceWise* Wire Shelves
- 1 Gallon Door Bin
- Clear Dairy Door
- 2 Full-Width / 1 Half-Width
- White Refrigerator Door Racks
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width White Freezer Door Racks
- Reversible Door
- Textured Door
- Optional Ice Maker Available: #IM116



FFFH21F6QW 20.5 Cu. Ft. Upright Freezer

- Frost-Free
- Smooth Door
- ArcticLock™ Walls
- LED Theatre Lighting
- Soft Freeze Zone
- Exterior Express-Select® Adjustable Temperature Control with LCD Display
- Door Ajar/Temperature and Power Failure Alarms
- 4 SpaceWise® Full-Width Adjustable Glass Shelves
- 2 SpaceWise* Full-Width Adjustable Baskets with Color-Coordinated Clips
- 4 SpaceWise® Adjustable Door Bins (1 Full-Width/3 Half-Width)



FFFH21F4Q T/W 20.5 Cu. Ft. Upright Freezer

- Frost-Free
- Smooth Door
- ArcticLock™ Walls
- LED Lighting
- Adjustable Mechanical Control
- 4 Full-Width Adjustable Wire Shelves
- 2 SpaceWise[®] Full-Width Adjustable Baskets with Color-Coordinated Clips
- 3 SpaceWise[®] Half-Width Adjustable Door Bins
- 2 Fixed Full-Width Door Bins

FFFU21M1QW 21.0 Cu. Ft. Upright Freezer

- Manual Defrost
- Textured Door
- ArcticLock[™] Walls
- Incandescent Lighting
- Adjustable Mechanical Control
- 4 Full-Width Fixed Wire Shelves
- 6 Full-Width Fixed Door Racks
- Garage-Ready
- Power-On Light
- Lock with Pop-Out Key
- WARRANTY/ NOMENCLATURE



FFFH20F2QW 20.0 Cu. Ft. Upright Freezer

- Frost-Free
- Smooth Door
- ArcticLock™ Walls
- LED Lighting
- Adjustable Mechanical Control
- 4 Full-Width Adjustable Wire Shelves
- 6 Full-Width Fixed Door Racks

FFFH17F4Q T/W

16.6 Cu. Ft. Upright Freezer

- Frost-Free
- Smooth Door
- ArcticLock™ Walls
- LED Lighting
- Adjustable Mechanical Control
- 4 Full-Width Adjustable Wire Shelves
- 2 SpaceWise[®] Full-Width Adjustable Baskets with Color-Coordinated Clips
- 3 SpaceWise® Half-Width Adjustable Door Bins
- 2 Full-Width Fixed Door Bins

FFFH17F2QW 16.6 Cu. Ft. Upright Freezer

- Frost-Free
- Smooth Door
- ArcticLock[™] Walls
- LED Lighting
- Adjustable Mechanical Control
- 4 Full-Width Adjustable Wire Shelves
- 5 Full-Width Fixed Door Racks
- Garage-Ready
- Power-On Light
- Lock with Pop-Out Key



FFFU17M1QW 17.0 Cu. Ft. Upright Freezer

- Manual Defrost
- Textured Door
- Incandescent Lighting
- Adjustable Mechanical Control
- 3 Full-Width Fixed Wire Shelves
- 5 Full-Width Fixed Door Racks
- Garage-Ready
- Power-On Light
- Lock with Pop-Out Key

FFFU14M1QW 14.0 Cu. Ft. Upright Freezer

- Manual Defrost
- Textured Door
- ArcticLock™ Walls
- Incandescent Lighting
- Adjustable Mechanical Control
- 3 Full-Width Fixed Wire Shelves
- 5 Full-Width Fixed Door Racks
- Garage-Ready
- Power-On Light
- Lock with Pop-Out Key

FFFU14F2QW 14.0 Cu. Ft. Upright Freezer

- Frost Free
- Textured Door
- ArcticLock™ Walls
- LED Lighting
- Adjustable Mechanical Control
- 3 Full-Width Adjustable Wire Shelves
- 5 Full-Width Fixed Door Racks
- Garage-Ready
- Power-On Light
- Lock with Pop-Out Key



REFRIGERATION



W

Available In:

PLANNING



FFFU06M1TW

5.8 Cu. Ft. Upright Freezer

- Manual Defrost
- Smooth Door
- Adjustable Mechanical Control
- 5 Full-Width Fixed Wire Shelves
- Space Saver
- Reversible Door

FFVU21F4QW

20.5 Cu. Ft. Convertible Freezer

- Frost-Free
- Smooth Door
- ArcticLock™ Walls
- LED Lighting
- Adjustable Mechanical Control
- 4 Full-Width Adjustable Wire Shelves
- 2 SpaceWise® Full-Width Adjustable Baskets with Color-Coordinated Clips
- 3 SpaceWise® Half-Width Adjustable Door Bins
- 2 Full-Width Fixed Door Bins
- Reversible Door

16.6 Cu. Ft. Convertible Freezer

FFVU17F4QW

- Frost-Free
- Smooth Door
- ArcticLock™ Walls
- LED Lighting
- Adjustable Mechanical Control
- 4 Full-Width Adjustable Wire Shelves
- 2 SpaceWise® Full-Width Adjustable Baskets with Color-Coordinated Clips
- 3 SpaceWise® Half-Width Adjustable Door Bins
- 2 Full-Width Fixed Door Bins



FFVU17F2SC 16.6 Cu. Ft. Camo Upright Freezer

- Mossy Oak® Camouflage Pattern
- Frost-Free
- ArticLock™ Walls
- LED Lighting
- Adjustable Mechanical Control
- 4 Full-Width Adjustable Wire Shelves
- 5 Full-Width Fixed Door Bins
- External Power-On Indicator Light



FFFC25M4TW 24.8 Cu. Ft. Chest Freezer

- Manual Defrost
- Foamed-Lid

C

- LED Lighting
- Exterior Adjustable Mechanical Control
- 2 Store-More™ Sliding Plastic Baskets
- Garage-Ready
- Caster Wheels
- · Power-On Light
- Lock with Pop-Out Key
- Defrost Water Drain

FFFC20M4TW 19.8 Cu. Ft. Chest Freezer

- Manual Defrost
- Foamed-Lid
- LED Lighting
- Exterior Adjustable Mechanical Control
- 2 Store-More™ Sliding Plastic Baskets
- Garage-Ready
- · Caster Wheels
- · Power-On Light
- Lock with Pop-Out Key
- Defrost Water Drain



FFFC15M4TW

14.8 Cu. Ft. Chest Freezer

- Manual Defrost
- Foamed-Lid
- LED Lighting
- Exterior Adjustable Mechanical Control
- SpaceWise® Sliding Plastic Baskets
- Garage-Ready
- Caster Wheels
- Power-On Light
- Lock with Pop-Out Key
- Defrost Water Drain

FFFC13M4TW

12.8 Cu. Ft. Chest Freezer

- Manual Defrost
- Foamed-Lid
- LED Lighting
- Exterior Adjustable Mechanical Control
- SpaceWise® Sliding Plastic Basket
- Garage-Ready
- Caster Wheels
- Power-On Light
- Lock with Pop-Out Key
- Defrost Water Drain

FFFC09M1RW 8.7 Cu. Ft. Chest Freezer

- Manual Defrost
- Foamed-Lid
- Smooth Finish
- Exterior Adjustable Mechanical Control
- Store-More™ Lift-Out/Sliding Wire Basket
- Garage-Ready
- Power-On Light
- Defrost Water Drain



FFFC07M1TW 7.0 Cu. Ft. Chest Freezer

- Manual Defrost
- Foamed-Lid
- Smooth Finish
- Exterior Adjustable Mechanical Control
- Store-More™ Lift-Out/Sliding Wire Basket
- Garage-Ready
- Power-On Light
- Defrost Water Drain



FFFC05M1TW 5.0 Cu. Ft. Chest Freezer

- Manual Defrost
- Foamed-Lid
- Smooth Finish
- Exterior Adjustable Mechanical Control
- Store-More™ Lift-Out/Sliding Wire Basket
- Garage-Ready
- Power-On Light
- Defrost Water Drain



Available In:

W

WHITE

10.0 Cu. I t. Duit in Kenigerat

- Total Capacity 16.6 Cu. Ft.
- Shelf Area 11.6 Sq. Ft.
- 3 Full-Width SpaceWise®
- Adjustable Glass Shelves
- 2 Full-Width SpaceWise® Baskets
- 5 Full-Width Door Racks
- Bright LED Lighting

Available In

W

REFRIGERATION

DISHCARE

Available In

S

FFWC4222QS

Available In:

S

42 Bottle Capacity Wine Cooler

- 4.6 Cu. Ft.
- Freestanding Installation
- Precision Electronic Temperature Control with LED Digital Display
- 1 Temperature Zone Range 41°-64°F
- 5 Black Wire, Slide-Out Racks
- Bright LED Exhibit Lighting
- Contemporary Top Front-Mounted Handle

FFWC3822QS

38 Bottle Capacity Wine Cooler

- 4.4 Cu. Ft.
- 2 Temperature Zone Ranges Top 41°-54°F / Bottom 55°-64°F
- Freestanding Installation
- Precision Electronic Temperature Control with LED Digital Display
- 5 Stained, Slide-Out Wood Racks
- Bright LED Exhibit Lighting
- Contemporary Top Front-Mounted Handle



FFRU17B2QW

16.6 Cu. Ft. Built-In Refrigerator

• 3 Full-Width Adjustable Wire Shelves

• Total Capacity - 16.6 Cu. Ft.

• Shelf Area - 18.2 Sq. Ft.

• 5 Full-Width Door Racks

Bright Lighting

FFBC4622QS 4.6 Cu. Ft. Beverage Center

- 138 12 oz. Can Capacity
- Freestanding Installation
- Precision Electronic Temperature Control with LED Digital Display
- 1 Temperature Zone Range 33°-50°F
- 3 SpaceWise® Adjustable Glass Shelves
- LED Exhibit Lighting
- Contemporary Top Front-Mounted Handle



FFET1222Q S/W/B 12.0 Cu. Ft. Apartment Refrigerator

- Bright Lighting
- Ready-Select® Controls
- 2 Clear Store-More™ Crisper Drawers
- 2 SpaceWise® Adjustable and 1 Fixed Glass Shelves
- 2 Full-Width Freezer Door Racks
- 1 Store-More™ Gallon Door Bin

Available In:



W

B

FFTR1222Q M/W/B 12.0 Cu. Ft. Apartment Refrigerator

- Bright Lighting
- Ready-Select® Controls
- 2 Clear Store-More™ Crisper Drawers
- 2 SpaceWise® Adjustable and 1 Fixed Glass Shelves
- 2 Full-Width Freezer Door Racks
- 1 Store-More™ Gallon Door Bin

PLANNING



FFET1022Q W/B

10.0 Cu. Ft. Apartment Refrigerator

• 2 Clear Store-More™ Crisper Drawers

• Bright LED Lighting

• Ready-Select® Controls

1 Fixed Glass Shelves

• 2 SpaceWise[®] Adjustable and

• 2 Full-Width Freezer Door Racks

Available In:

SILVER MIST

W

B

FFTR1022Q M/W/B

10.0 Cu. Ft. Apartment Refrigerator

- Bright LED Lighting
- Ready-Select® Controls
- 2 Clear Store-More™ Crisper Drawers
- 2 SpaceWise® Adjustable and 1 Fixed Glass Shelves
- 2 Full-Width Freezer Door Racks
- 1 Store-More™ Gallon Door Bin



FFPS4533QM 4.5 Cu. Ft. Compact Refrigerator

- Bright Lighting
- Single Knob Control
- 1 Clear Store-More™ Crisper Drawer
- 1 SpaceWise® Adjustable and 1 Fixed Glass Shelves
- 1 Full-Width Wire Freezer Door Rack
- Store-More™ Built-In Can Dispenser



FFPE4522QM

4.5 Cu. Ft. Compact Refrigerator

- Bright Lighting
- Single Knob Control
- 1 Clear Store-More™ Crisper Drawer
- 1 SpaceWise® Adjustable and 1 Fixed Removable Glass Shelves
- Store-More™ Built-In Can Dispenser
- Lock with Pop-Out Key



FFPS3122QM 3.1 Cu. Ft. Compact Refrigerator

- Bright Lighting
- Single Knob Control
- 1 Clear Store-More™ Crisper Drawer
- 1 SpaceWise® Adjustable and 1 Fixed Removable Glass Shelves
- 1 Full-Width Clear Freezer Door Rack
- Store-More™ Built-In Can Dispenser



FFPE2411QB 2.4 Cu. Ft. Compact Refrigerator

- Single Knob Control
- 1 SpaceWise® Adjustable and 1 Fixed Removable Glass Shelves
- Store-More™ Built-In Can Dispenser
- Lock with Pop-Out Key



DISHCARE

Key Features



OrbitClean* Spray Arm Gives you better water coverage for a thorough clean every time.



Heated Dry Heating element helps dry your dishes the first time.



DishSense[™] Technology

Automatically adjusts the cycle time based on how much cleaning your dishes need.



NSF[®] Certified

Sanitize cycle removes 99.9% of common household bacteria.



2-6 Hour Delay Start

Set your dishwasher to run on your schedule. It can be set to run 2, 4 or 6 hours in advance.



Multiple-Cycle Option

Features easy-to-use cleaning cycle options including Top Rack, Rinse Only and Heavy Wash.



Polymer Interior Supports the drying process, keeping dishes dry the first time.



Low-Rinse Aid Indicator Light

Displays a light when your rinse aid needs refilled.



Filtration Removable, self-cleaning filter.



ENERGY STAR®-Qualified

Eco-friendly cycle uses less energy without compromising cleaning performance.



DISHCARE COLLECTION



FFID2426T D/S

24" Built-In Dishwasher

- Premium Gray Tub
- Fully-Integrated Control Panel
- New Look Door and Handle
- OrbitClean[®] Spray Arm
- 54 dBA Sound Level
- Direct Feed Wash System
- 4 Wash Cycles
- 5 Wash Levels
- Nylon Racks
- 2, 4 or 6 Hour Delay Start
- High Temperature Wash Cycle
- Heated Dry
- DishSense™ Technology



FFBD2412S S/M/W/B/Q

24" Built-In Dishwasher

- White Tub
- Slimline Control Panel
- 55 dBA Sound Level
- 5 Wash Cycles
- 5 Wash Levels
- White PVC Racks
- 2, 4 or 6 Hour Delay Start
- Tall Tub Design



FFBD2406N S/W/B 24" Built-In Dishwasher

- White Tub
- Ready-Select® Controls
- 60 dBA Sound Level
- Direct Feed Wash System
- 3 Wash Cycles
- 5 Wash Levels
- White PVC Racks
- 2, 4 or 6 Hour Delay Start
- Tall Tub Design

FBD2400K W/B 24" Built-In Dishwasher

O

Available In:

W

В

- White Tub
- Mechanical Controls
- 62 dBA Sound Level
- Tower Wash System
- 2 Wash Cycles
- 2 Wash Levels
- White PVC Racks
- Tall Tub Design

DISHCARE COLLECTION



FFBD1821M S/W/B 18" Built-In Dishwasher

- Stainless Steel Tub
- Ready-Select® Controls
- 55 dBA Sound Level
- Direct Feed Wash System
- 6 Wash Cycles
- 4 Wash Levels
- Nylon Racks
- 2-4 Hour Delay Start

FFPD1821M W/B 18″ Portable Dishwasher

Available In:

(W)

В

- Stainless Steel Tub
- Ready-Select[®] Controls
- 59 dBA Sound Level
- Direct Feed Wash System
- 6 Wash Cycles
- 2 Wash Levels
- Nylon Racks
- 1-3 Hour Delay Start



WASTE DISPOSER COLLECTION

COOKING

REFRIGERATION



FPDI103DMS Direct Wired - 1 HP Waste Disposer

- High-Torque GrindPro™ Magnet Motor
- Easy-Fit Design
- Lifetime Limited Warranty
- Continuous-Feed Operation
- 1 Horsepower
- Extra-Large Capacity
- UltraQuiet™ III Sound Package



FPDI758DMS Direct Wired - 3/4 HP Waste Disposer

- High-Torque GrindPro™ Magnet Motor
- Easy-Fit Design
- 12-Year Limited Warranty
- Batch-Feed Operation
- 3/4 Horsepower
- Extra-Large Capacity
- UltraQuiet™ II Sound Package



FGDI753DMS Direct Wired - 3/4 HP

Waste Disposer

- High-Torque GrindPro™ Magnet Motor
- Easy-Fit Design
- 10-Year Limited Warranty
- Continuous-Feed Operation
- 3/4 Horsepower
- Large Capacity
- UltraQuiet™ I Sound Package



FFDI501DMS Direct Wired - 1/2 HP Waste Disposer

- High-Torque GrindPro™ Magnet Motor
- Easy-Fit Design
- 2-Year Limited Warranty
- Continuous-Feed Operation
- 1/2 Horsepower
- Large Capacity
- Standard Sound Package Also Available Corded, 1/2 HP -FFDI501CMS
- NEMA Plug Type (A) 5-15P

FFDI331DMS

Direct Wired - 1/3 HP Waste Disposer

- High-Torque GrindPro™ Magnet Motor
- Easy-Fit Design
- 2-Year Limited Warranty
- Continuous-Feed Operation
- 1/3 Horsepower
- Large Capacity
- Standard Sound Package Also Available Corded, 1/3 HP -FFDI331CMS
- NEMA Plug Type (A) 5-15P

DISHCARE

LAUNDRY

Key Features

Washer



Quick Wash Cycle Washes clothes fast.



Stainless Steel Drum The stainless steel drum with agitator offers durability with long-lasting performance.

Dryer



Quick Dry Cycle Dries clothes fast.



Anti-Wrinkle Anti-Wrinkle option helps reduce wrinkles.



Electronic Controls

Easy-to-use electronic controls with digital readout and cycle status lights.



High Efficiency

Strong, efficient cleaning performance, every time, with our high efficiency washer with stainless steel tub.



Electronic Controls

Easy-to-use electronic controls with digital readout and cycle status lights.



Reversible Door Offers versatile installation options.



Eco Warm When option is selected, energy is reduced. ENERGY STAR ENERGY STAR*-Qualified

Maximize your energy and dollar savings with ENERGY STAR®-Qualified Appliances.



Moisture Sensor

Dries your clothes more precisely by sensing the moisture, reducing wrinkles.

REFRIGERATION



FFTW4120SW

High-Efficiency Top Load Washer

- 4.1 Cu. Ft. Capacity
- 12 Wash Cycles
- 680 RPM Spin Speed
- Agitator Wash System
- 3 Temperature Selections
- Automatic Water Levels
- Stainless Steel Drum
- Electronic Digital Controls
- Quick Wash
- Eco Warm
- 5 Soil Level Selections
- Delay Start up to 24 Hours
- MaxFill™ Option

FFRE4120SW (Electric) FFRG4120SW (Gas) Dryer

Dryc

- 6.7 Cu. Ft. Capacity
- 10 Dry Cycles
- 4 Temperature Selections
- 5 Dryness Levels
- Quick Dry Cycle
- Anti-Wrinkle Option
- Reversible Door
- Stainless Steel Drum
- Moisture Sensor
- 50 RPM Tumble Speed
- Electronic Digital Controls
- Estimated Time Remaining Display



FFLE3911QW (Electric) FFLG3911QW (Gas) High-Efficiency Laundry Center

Washer

- 3.8 Cu. Ft. D.O.E.¹ Capacity
- 8 Wash Cycles
- 850 RPM Spin Speed
- 3 Temperature Selections
 Dryer
- 5.5 Cu. Ft. D.O.E.¹ Capacity
- 4 Dry Cycles
- 3 Temperature Selections

FFLE4033Q T/W (Electric) FFLG4033Q T/W (Gas) High-Efficiency Laundry Center

Available In:

W

Washer

- 3.8 Cu. Ft. Capacity
- 9 Wash Cycles
- SilentDesign[™]
- 850 RPM Spin Speed
- Quick Wash Cycle
- 5 Temperature Selections Dryer
- 5.5 Cu. Ft. Capacity
- 9 Dry Cycles
- DrySense™ Technology
- 4 Temperature Selections

WARRANTY/ NOMENCLATURE

FRIGIDAIRE GALLERY.

力

https://samitechnic.com/

COFFE

Practical never looked so *stylish*.

Our Frigidaire Gallery[®] product line offers a variety of innovations so customers can spend more time doing things they love.



FREESTANDING COOKING

Key Features



True Convection

Single convection fan with surrounding heating element circulates hot air throughout the oven for even baking across multiple racks up to 30% faster.



Quick Preheat

Uses convection fan and heating elements to quickly get the oven up to temperature in just a few minutes.¹



Effortless™ Temperature Probe

Oven will alert when selected temperature is reached and switch over to Auto Keep Warm at 170° F until ready to serve.



Temperature Precision

With induction, heat adjustments are incredibly precise — especially at low temperatures. It's ideal for melting or keeping sauces and chocolate warm.



Easy to Clean

Don't stress over spills with induction's easy-to-clean surface that generates heat only to your pan, not your cooktop, meaning spills can't burn onto the surface.



Smudge-Proof™ Stainless Steel

High-grade stainless steel coated with layers of polymers for a stainless steel finish that is both durable and resistant to fingerprints.



Quick Bake Convection

Uses a fan in the rear of the oven to circulate air throughout the entire oven cavity, for more even heat distribution and even baking results.



PureAir® Microwave Filter

Keep the aromas you love and less of what lingers with PureAir® Microwave Filter that removes 10 times more cooking odors than standard Frigidaire® filters. Available in Over-the-Range Microwave only.



Steam Oven Cleaning

A light manual clean cycle that's chemical-free, odor-free and fast.



Effortless Clean Interior

Easily wipe away and clean spills from your microwave with the Effortless Clean Interior surface. Available in Over-the-Range Microwave only.



SpaceWise® Expandable Elements

Convenient element on electric cooktop surfaces that expands (6"-9", 9"-12" or 6"-9"-12") to fit pan size and increases wattage to fit your cooking needs.



CustomFlex[™] Cooktop with Griddle and Oval Burner

Evenly heat and cook pancakes, hamburgers, or quesadillas on the CustomFlex™ cooktop that includes a center oval burner and separate griddle grate.

FREESTANDING COOKING COLLECTION



FGDF4085TS

40" Dual-Fuel Freestanding Range

- Gas through Glass with Stainless Steel Frame
- 5 Sealed Burners: 18.000 BTU. 15,000 BTU, 9,500 BTU, 5,000 BTU & Center Oval 10.000 BTU
- Continuous Cast Iron Grates
- 6.4 Cu. Ft. Oven Capacity
- True Convection
- Quick Preheat
- Effortless™ Temperature Probe
- Oven Racks: 3 Heavy Duty
- Self Clean
- Hidden Bake 3000 W / Broil 4000 W

FGGF3685TS

36" Gas Freestanding Range

- Gas through Glass with Stainless Steel Frame
- 5 Sealed Burners: 18,200 BTU, 15,000 BTU, 9,500 BTU, 5,000 BTU & Center Oval 10.000 BTU
- Continuous Cast Iron Grates
- 6.0 Cu. Ft. Oven Capacity
- True Convection
- Quick Preheat
- Effortless™ Temperature Probe
- Oven Racks: 3 Heavy Duty
- Self Clean
- Bake 27,000 BTU / Broil 11,500 BTU



FGGF3059T D/F 30" Gas Freestanding Range

- Black Porcelain Cooktop Surface
- 5 Sealed Burners: 18,000 BTU, 14,000 BTU, 9,500 BTU, 5,000 BTU & Center Oval 10,000 BTU
- Continuous Corner-to-Corner Cast Iron Grates
- 5.0 Cu. Ft. Oven Capacity
- True Convection
- Quick Preheat
- CustomFlex[™] Cooktop with Griddle & Oval Burner
- Effortless™ Temperature Probe
- Oven Racks: 3 Heavy-Duty Handle Racks
- Self Clean
- 20-Minute (Manual) Steam Clean
- Hidden Bake 18,000 BTU / Broil 13,500 BTU
- Storage Drawer



FGGF3047TF

30" Gas Freestanding Range

Black Porcelain Cooktop Surface

14,000 BTU, 9,500 BTU, 5,000 BTU

CustomFlex[™] Cooktop with Griddle

• 30-Minute (Manual) Steam Clean

• 5 Sealed Burners: 17,000 BTU,

& Center Oval 10,000 BTU Continuous Corner-to-Corner

• 5.0 Cu. Ft. Oven Capacity

• Quick Bake Convection

• Oven Racks: 2 Standard

• Hidden Bake 18,000 BTU /

Cast Iron Grates

& Oval Burner

Broil 13,500 BTU

• Storage Drawer

• Self Clean

Available In: (F)

Available In 新开展 D 0 0 0 BLACK STAINLESS E Smudge-Pro W (В

FGGF3036T D/F/W/B

30" Gas Freestanding Range

• Color-Coordinated Porcelain

• 5 Sealed Burners: 17,000 BTU, 14,000 BTU, 9,500 BTU, 5,000 BTU

& Center Round 9,500 BTU

Continuous Corner-to-Corner

• 30-Minute (Manual) Steam Clean

• Bake 18,000 BTU / Broil 13,500 BTU

• 5.0 Cu. Ft. Oven Capacity

• Quick Bake Convection

• Oven Racks: 2 Standard

Cooktop Surface

Cast Iron Grates

• Self Clean

• Storage Drawer



PLANNING

BRAND

COOKING

REFRIGERATION

FREESTANDING COOKING COLLECTION



FGEF4085TS

40" Electric Freestanding Range

- Black Ceramic Glass Smoothtop Surface
- 5 Elements: Triple Expandable 6" / 9" / 12"
 1,200 W / 2,000 W / 3,000 W, 7" 1,800 W
 with Bridge 2,600 W, 7" 1,800 W,
 6" 1,200 W & Center Keep Warm 100 W
- 6.4 Cu. Ft. Oven Capacity
- True Convection
- Quick Preheat
- Effortless™ Temperature Probe
- Oven Racks: 3 Heavy Duty
- Self Clean
- Hidden Bake 3,000 W / Broil 4,000 W



FGIF3036T D/F

30" Induction Freestanding Range

- Black Ceramic Glass Smoothtop Surface
- 4 Auto-Sizing[™] Elements: 9" 3,600 W, 2 - 7" 2,800 W, 5.5" 2,500 W
- 7" 2,800 W, 5.5" 2,500
 5.4 Cu. Ft. Oven Capacity
- Quick Bake Convection
- Hidden Bake 3.500 W / Broil 3.900 W
- Oven Racks: 2 Standard
- Self Clean
- Storage Drawer



FGEF3059T D/F 30" Electric Freestanding Range

- Black Ceramic Smoothtop Glass Surface
- 5 Elements: Triple Expandable
 6" / 9" / 12" 1,200 W / 2,000 W / 3,000 W,
 6" / 9" 1,400 W / 3,000 W, 2 6" 1,200 W
 & Center Keep Warm 100 W
- 5.7 Cu. Ft. Oven Capacity
- True Convection
- Quick Preheat
- Effortless™ Temperature Probe
- Self Clean
- 20-Minute (Manual) Steam Clean
- Oven Racks: 2 Heavy Duty, 1 Offset
- Hidden Bake 3,500 W / Broil 3,900 W
- Storage Drawer



FGEF3036T D/F/W/B 30" Electric Freestanding Range

- Black Ceramic Glass Smoothtop Surface
- 5 Elements: 6" / 12" 1,200 W / 3,000 W,
 9" 3,200 W, 2 6" 1,200 W
- & Center Keep Warm 100 W • 5.4 Cu. Ft. Oven Capacity
- Quick Bake Convection
- Self Clean
- 30 Minute (Manual) Steam Clean
- Oven Racks: 2 Standard
- Hidden Bake 3,500 W / Broil 3,900 W
- Storage Drawer



FGMV155CT D/F Over-the-Range Microwave

- Convection (100°-450°F)
- 1.5 Cu. Ft. Capacity
- 900 W/
- Effortless Clean Interior Surface
- PureAir® Microwave Vent Filter
- Interior LED Lighting
- Stainless Steel Interior
- 13-1/2" Glass Turntable
- 10 Power Levels
- 10 Convection Options
- Sensor-Cook Options
- 3 Auto-Reheat Options
- 2 Auto-Defrost Options
- Convection Cooking Rack
- 2-Speed Hidden Vent/300 CFM
- Cooktop LED Light



FGMV176NT D/F/W/B Over-the-Range Microwave

- 1.7 Cu. Ft. Capacity
- 1,000 W
- Effortless Clean Interior Surface
- PureAir® Microwave Filter
- Interior LED Lighting
- 13-1/2" Glass Turntable
- 10 Power Levels
- 10 Auto-Cook Options
- Sensor-Cook Options
- 3 Auto-Defrost Options
- 2-Speed Hidden Vent / 300 CFM
- Cooktop LED Lighting



BUILT-IN COOKING

Key Features



True Convection

Single convection fan with surrounding heating element circulates hot air throughout the oven for even baking across multiple racks up to 30% faster.



Quick Preheat

Preheat in just a few minutes¹ with a third heating element and convection fan so you can start baking faster.



Effortless™ Temperature Probe

Oven will alert when selected temperature is reached and switch over to Auto Keep Warm at 170° F until ready to serve.



Effortless™ Convection Conversion

Takes the guesswork out of convection cooking — our ovens automatically adjust standard baking temperatures to convection temperatures for consistent results.



Temperature Precision

With induction, heat adjustments are incredibly precise — especially at low temperatures. It's ideal for melting or keeping sauces and chocolate warm.



Easy to Clean

Induction heats the pan, not the cooktop. Spills don't burn on! Since the cooktop doesn't get hot, spills won't burn or scorch — so cleanup is quick and easy.



Smudge-Proof™ Stainless Steel

High-grade stainless steel coated with layers of polymers for a stainless steel finish that is both durable and resistant to fingerprints.



Quick Boil

Brings a large pot of water to boil by raising the power up to 3,000 W for up to 10 minutes. Also available on gas models with 15,000 BTU (or higher) burners.



SpaceWise® Expandable Elements

Convenient element expands (6", 9" and 12") to fit your pan and increases wattage to fit your cooking needs.



Bridge Element

Two elements are bridged together to create one element that is perfect for irregularly shaped pans such as a griddle.



2-in-1 Convection Oven or Microwave

Bake and brown like an oven and cook at microwave speed, all in one.



Continuous Corner-to-Corner Grates

Make it easy to move heavy pots and pans without lifting.

W



FGET3065P D/F/W/B 30" Electric Double Oven

- 4.6 Cu. Ft. Oven Capacity (Both)
- True Convection (Both)
- Quick Preheat
- Effortless™ Temperature Probe with Auto Keep Warm (Upper Oven)
- Power Broil
- One-Touch Self Clean
- 20-Minute Steam (Manual) Clean
- One-Touch Keep Warm Setting
- Hidden Bake 2,000 W / Broil 3,400 W (Both)
- Oven Racks: 2 Heavy Duty, 1 Offset (Both)
- Lighting: 2 Halogen (Both)
- Auto Shut-Off Also available in 27" - FGET2765P
- 3.8 Cu. Ft. Oven Capacity (Both)
- Bake 1,450 W / Broil 3,400 W (Both)



FGEW3065P D/F/W/B

30" Electric Single Oven

- 4.6 Cu. Ft. Oven Capacity
- True Convection
- Quick Preheat
- Effortless™ Temperature Probe with Auto Keep Warm
- Power Broil
- One-Touch Self Clean
- 20-Minute Steam (Manual) Clean
- One-Touch Keep Warm Setting
- Hidden Bake 2,000 W / Broil 3,400 W
- Oven Racks: 2 Heavy Duty, 1 Offset
- Lighting: 2 Halogen
- Auto Shut-Off
- Also Available in 27" FGEW2765P
- 3.8 Cu. Ft. Oven Capacity
- Bake 1,450 W / Broil 3,400 W



27" Electric Single Side-Swing Door Oven

- 3.8 Cu. Ft. Oven Capacity
- Side Swing Reversible Door
- True Convection
- Quick Preheat
- Effortless™ Temperature Probe with Auto Keep Warm
- Power Broil
- One-Touch Self Clean
- One-Touch Keep Warm Setting
- Hidden Bake 1,450 W / Broil 3,400 W
- Oven Racks: 2 Handle
- Lighting: 2 Halogen
- Auto Shut-Off



FGDS3065PF 30" Dual-Fuel Slide-In Range

- Black Porcelain Cooktop Surface
- 4 Sealed Burners: 17,000 BTU,
- 15,000 BTU, 9,500 BTU & 5,000 BTU • Continuous Cast Iron Grates
- 4.6 Cu. Ft. Oven Capacity
- True Convection
- Storage Drawer
- Quick Preheat
- Self Clean
- Effortless™ Temperature Probe with Auto Keep Warm
- Hidden Bake 2,500 W / Broil 3,400 W
- Oven Racks: 1 Heavy Duty,
- 1 Offset & 1 Effortless™



FGIS3065PF 30" Induction Slide-In Range

- Black Ceramic Glass Smoothtop Surface
- 5 Induction Elements:
- 10" 2,500 W / 3,800 W,
- 8" 2,300 W / 3,200 W,
- 7" 1,800 W / 2,000 W,
- 6" 1,200 W / 1,400 W
- & Center Keep Warm 100 W
- 4.6 Cu. Ft. Oven Capacity
- True Convection
- Storage Drawer
- Quick Preheat
- Effortless™ Temperature Probe with Auto Keep Warm
- Hidden Bake 2,500 W / Broil 3,400 W
- Oven Racks: 1 Heavy Duty, 1 Offset & 1 Effortless™

FGES3065P F/W/B 30" Electric Slide-In Range

- Color-Coordinated Ceramic Glass Smoothtop Surface
- 5 Elements: 9" / 12" 2,000 W / 3,200 W, 6" / 9" 1,400 W / 3,000 W, 2 - 6" 1,200 W & Center Keep Warm 100 W
- 4.6 Cu. Ft. Oven Capacity
- True Convection
- Quick Preheat
- Effortless™ Temperature Probe with Auto Keep Warm
- Self Clean
- 20-Minute Steam Clean
- Hidden Bake 2,500 W / Broil 3,400 W
- Oven Racks: 1 Heavy Duty,
- 1 Offset & 1 Effortless™ • Storage Drawer

FGEW276SP F/B

Available In: (F)

W

В

BRAND

COOKING

REFRIGERATION

DISHCARE

LAUNDRY

PLANNING









- Color-Coordinated Porcelain Cooktop Surface
- 4 Sealed Burners: 17,000 BTU, 15,000 BTU, 9,500 BTU & 5,000 BTU
- Continuous Cast Iron Grates
- 4.5 Cu. Ft. Oven Capacity
- True Convection
- Quick Preheat
- Self Clean
- Effortless™ Temperature Probe with Auto Keep Warm
- Bake 18,000 BTU / Broil 11,500 BTU
- Oven Racks: 1 Heavy Duty,
- 1 Offset & 1 Effortless™
- Storage Drawer



FGMC3065P F/B 30" Electric Microwave Combination Oven

Microwave

• 2.0 Cu. Ft. Capacity • 4.6 Cu. Ft. Capacity

Oven

• True Convection

- 1.200 W
- 16" Glass Turntable Quick Preheat
- Effortless™ Reheat One-Touch Self Clean
- Sensor Cooking
- One-Touch Options 20-Minute Steam (Manual) Clean

Also Available in One-Touch Keep 27" - FGMC2765P Oven

- Bake 2.000 W / • 3.8 Cu. Ft. Capacity Broil 3.400 W • Bake 1.450 W / • Oven Racks: 2
- Broil 3,400 W

Warm Setting

- Heavy Duty, 1 Offset • Lighting: 2 Halogen
- Auto Shut-Off



FGWD3065PF 30" Electric Warmer Drawer

- 1.6 Cu. Ft. Capacity
- 1 SpaceWise® Half Rack
- Indicator Light
- Bread Proofing
- Temperature Range 80°F-210°F
- Adjustable Humidity Control
- Under-Counter Approved
- Fully Extendable Drawer



FGGC3645Q S/W/B 36" Gas Cooktop

- Stainless Steel/Color-Coordinated Recessed Cooktop
- 5 Sealed Burners: 750 18,000 BTU, 12,000 BTU, 2 - 9,500 BTU & 5,000 BTU
- Express-Select® Controls
- Continuous Corner-to-Corner Grates
- Low Simmer Burner
- Electronic Pilotless Ignition
- Also available in 30" FGGC3045Q



FGGC3047Q S/W/B 30" Gas Cooktop

- Stainless Steel/Color-Coordinated Recessed Cooktop
- 5 Sealed Burners: 750 18,000 BTU, 12,000 BTU, 2 - 9,500 BTU & 5,000 BTU
- Express-Select[®] Controls
- Continuous Corner-to-Corner Grates
- Low Simmer Burner
- Electronic Pilotless Ignition



FGIC3667MB 36" Induction Cooktop

- Black Ceramic Glass Smoothtop Cooking Surface
- 5 Induction Elements: 10" 3,400 W, 2 - 8" 3,200 W, 7" 2,600 W, 6" 2,000 W
- Express-Select® Controls
- · Hot Surface Indicator Lights
- Also available in 30" FGIC3067MB

COOKING

REFRIGERATION

DISHCARE



FGEC3645PS FGEC3645KB 36" Electric Cooktop

- Color-Coordinated Ceramic Glass
 Smoothtop Surface
- 5 Electric Elements:
 12" 2,700 W, 6" / 9" 1,600 W / 3,000 W,
 2 7" 1,500 W & 6" 1,200 W
- Express-Select® Controls
- Hot Surface Indicator Lights
- Fits-More™ Cooktop



FGEC3045PS FGEC3045K W/B 30" Electric Cooktop

- Color-Coordinated Ceramic
 Glass Smoothtop Surface
- 4 Electric Elements: 12" 2,700 W,
 6" / 9" 1,600 W / 3,000 W,
 7" 1,500 W & 6" 1,200 W
- Express-Select® Controls
- Hot Surface Indicator Lights



FGEC3067M S/B 30" Electric Cooktop

- Black Ceramic Glass Smoothtop Surface
 5 Electric Elements:
- 2 6" / 9" 1,600 W / 3,000 W, 7" 1,500 W, 6" 1,200 W & Keep Warm Zone 100 W
- Express-Select[®] Controls
- Hot Surface Indicator Lights
- Fits-More™ Cooktop



FGMO205K F/W/B Built-In Microwave with Trim Kit

- 2.0 Cu. Ft. Capacity
- 1,200 W
- 16" Glass Turntable
- 10 Power Levels
- 20 Auto-Cook Options
- 5 Sensor-Cook Options
- 3 Auto-Reheat Options
- 27" (MWTK27KF) or 30" (MWTK30KF) Trim Kits available



FGMO206NTD

Built-In Microwave with Trim Kit

- 2.0 Cu. Ft. Capacity
- 1,200 W
- 16" Glass Turntable
- 10 Power Levels
- 5 Sensor-Cook Options
- 6 Auto-Defrost Options
- Add 30-Seconds
- 27" (MWTK27KF) or 30" (MWTK30KF) Trim Kits available

LAUNDRY



- 400 CFMs
- Electronic Push Button Controls
- Centrifugal Fan
- Vertical Air Discharge
- 3 Fan Speeds
- Dual Halogen Lights
- Dishwasher-Safe Stainless Steel Filters
- Convertible Exhaust Duct
- Also available in 30" FHWC3055LS 📥

- 400 CFMs
- Electronic Push Button Controls
- Centrifugal Fan
- Vertical Air Discharge
- 4 Fan Speeds
- 4 Halogen Lights
- Dishwasher-Safe Stainless Steel Filters
- Convertible Exhaust Duct
- Also available in 36" FHPC3660LS 📥

- 400 CFMs
- Electronic Push Button Controls
- Centrifugal Fan
- Vertical Air Discharge
- 3 Fan Speeds
- Dual Halogen Lights
- Dishwasher-Safe Stainless Steel Filters
- Convertible Exhaust Duct
- Also available in 30" FHWC3060LS 📥



FHWC3640MS

36" Under-Cabinet Vent Hood

- 300 CFMs
- Mechanical Push Button Controls
- Fan Blower
- Vertical or Horizontal Air Discharge
- 3 Fan Speeds
- Dual Halogen Lights
- Dishwasher-Safe Stainless Steel Filters
- Convertible Exhaust Duct
- Also available in 30" FHWC3040MS 📥



FHWC3625M S/W/B

36" Under-Cabinet Vent Hood

- 220 CFMs
- Rocker Switch Controls
- Fan Blower
- Vertical or Horizontal Air Discharge
- 2 Fan Speeds
- Incandescent Lighting
- Dishwasher-Safe Filters
- Convertible Exhaust Duct
- Also available in 30" FHWC3025M A



FH36DD50MS 36" Downdraft Vent

- In-Cabinet Mount
- 500 CFMs
- Variable Slider Controls
- Push-Button Auto/Raise Control
- Centrifugal Fan
- Infinite Fan Speeds
- Dishwasher-Safe Filters
- External Exhaust Duct
- Also available in 30" FH30DD50MS A

COOKING

REFRIGERATION



RH36WC55G ▲ 36" Chimney Wall-Mount Vent Hood

- 600 CFMs
- Electronic Controls with LCD Display
- Dual-Centrifugal Fan
- Vertical Air Discharge
- 4 Fan Speeds
- Dual Halogen Lights
- Dishwasher-Safe Stainless Steel Filters
- Convertible Exhaust Duct
- Intelligent Heat Sensor
- Also available in 30" RH30WC55G 🔺



RH36WC60G 🔺

36" Glass Canopy Chimney Wall-Mount Vent Hood

- 600 CFMs
- Electronic Controls with LCD Display
- Dual-Centrifugal Fan
- Vertical Air Discharge
- 4 Fan Speeds
- Dual Halogen Lights
- Dishwasher-Safe Stainless Steel Filters
- Convertible Exhaust Duct
- Intelligent Heat Sensor
- Also available in 30" RH30WC60G 🔺



RH42PC60G

42" Glass Canopy Island/Ceiling Mount Vent Hood

- 600 CFMs
- Electronic Controls with LCD Display
- Dual-Centrifugal Fan
- Vertical Air Discharge
- 4 Fan Speeds
- 4 Halogen Lights
- Dishwasher-Safe Stainless Steel Filters
- Convertible Exhaust Duct
- Intelligent Heat Sensor
- Also available in 36" RH36PC60G 📥



REFRIGERATION

Key Features



Stackable Crispers

Stack or stagger drawers to create more shelf space. When stacked on the right — drawers can fully extend with left refrigerator door closed.



Store-More® Door Bins

Our gallon-size bins are designed to store more, so you can easily fit a gallon of milk or two liter bottles.



Soft-Freeze Zone

A bin that remains 6-10 degrees warmer than the freezer interior for convenient storage of soft freeze items such as ice cream.



Cool Zone® Drawer

Extends completely and provides space to easily store anything from sheet cakes and large platters to snacks and juice boxes.



Flip-Up Shelves

Shelf flips up to allow room for taller items without having to move shelf position.



Counter-Depth Design

Saves over 4 inches of kitchen floor space without losing valuable shelf space.



Sliding SpillSafe® Shelves

Glass shelves slide out for easy access and are designed to keep spills contained, making cleanup a breeze.



SpaceWise® Adjustable Baskets with Color-Coordinated Clips

Heavy-duty, color-coordinated baskets allow consumers to organize items by category such as food group or purchase date.



Custom-Flex[™] Door Bins

The Custom-Flex™ Door comes with 4 different bins and accessories so you can customize your door. It includes one large, two medium and one small bin.



PureAir Ultra® Air Filter

Effortlessly keep the air in your refrigerator fresh. Our air filters are 7 times more effective than baking soda.



Automatic Alerts

Alerts you if the door is left open, if the temperature rises or if there is a power outage — so you don't have to worry about your food going bad.



Smudge-Proof™ Stainless Steel

High-grade stainless steel coated with layers of polymers for a stainless steel finish that is both durable and resistant to fingerprints.

(D)

(F)





21.7 Cu. Ft. Counter-Depth Refrigerator

- EvenTemp[™] System Improved Cooling
- Self Closing Doors
- Cluster LED Lighting
- Full-Width Cool Zone® Drawer
- PureSource Ultra® II Ice & Water Filtration
- PureAir Ultra® Air Filtration
- Express-Select® Controls
- Flush Exterior Ice & Water Dispenser
- 2 CrispSeal Adjustable Humidity-Controlled Crisper Drawers
- 1 Fixed Flip-Up & 3 Half-Width Glass Shelves with Metallic Trim
- 2 Effortless[™] Glide Freezer Baskets
- 4 Gallon Door Bins
- Quick Freeze Option



FGHG2368TF 22.4 Cu. Ft. Counter-Depth Refrigerator

- EvenTemp[™] System Improved Cooling
- Self Closing Doors
- Multi-Level LED Lighting
- Full-Width Cool Zone® Drawer
- PureSource Ultra® II Ice & Water Filtration
- PureAir Ultra® II Air Filtration
- Express-Select® Controls
- Flush Exterior Ice & Water Dispenser • 2 CrispSeal Adjustable Humidity-
- Controlled Crisper Drawers
- 4 Half-Width Store-More[™] Glass Shelves
- 2 Effortless[™] Glide Freezer Baskets
- 6 Gallon Door Bins
- Quick Freeze Option



REFRIGERATION

DISHCARE

Available In D BLACK STAINLESS

E

Ρ

BRAND

FGHB2868T D/F/P/E 26.8 Cu. Ft. Standard-Depth Refrigerator

- EvenTemp[™] System Improved Cooling
- Self Closing Doors
- Multi-Level Cluster LED Lighting
- Full-Width Cool Zone® Drawer
- PureSource Ultra® II Ice & Water Filtration
- PureAir Ultra® II Air Filtration
- Express-Select[®] Controls
- Flush Exterior Ice & Water Dispenser
- · 2 CrispSeal Adjustable Humidity-Controlled Crisper Drawers
- 1 Fixed Flip-Up & 3 Half-Width Glass Shelves with Metallic Trim
- 2 Effortless™ Glide Freezer Baskets
- 4 Adjustable Gallon Door Bins
- Quick Freeze Option

Smudge



FGHN2868T F/P/E 27.6 Cu. Ft. Standard-Depth Refrigerator

- EvenTemp[™] System Improved Cooling
- Self Closing Doors
- Multi-Level Cluster LED Lighting
- 1 Full-Width Cool Zone® Drawer
- PureSource Ultra® II Ice & Water Filtration
- PureAir Ultra® II Air Filtration
- 2 CrispSeal Adjustable Humidity-Controlled Crisper Drawers
- 4 Half-Width Glass Store-More[™] Shelves with Metallic Trim
- 2 Effortless[™] Glide Freezer Baskets
- 6 Gallon Door Bins
- Automatic Ice Maker
- Quick Ice & Quick Freeze Options



FGSC2335T D/F 22.2 Cu. Ft. Counter-Depth Refrigerator

- Exterior Dispenser with Color Match User Interface/White LED Lights
- Cluster LED Lighting
- PureSource Ultra® II Ice & Water Filtration
- PureAir Ultra® Air Filtration
- 2 Store-More[™] Humidity-Controlled Crisper Drawers
- 3 Store-More[™] Glass Shelves with Metallic Trim
- 1 Stacked Cool Zone® Drawer
- 1 Store-More™ Fixed Gallon Door Bin
- Automatic Ice Maker
- Improved Cooling System

AUNCH E FGSS2635T D/F/P/E

25.6 Cu. Ft. Standard-Depth Refrigerator

- Exterior Dispenser with Color Match User Interface/White LED Lights
- Cluster LED Lighting
- 1 Stacked Cool Zone[®] Drawer
- PureSource Ultra[®] II Ice & Water Filtration
- PureAir Ultra® Air Filtration
- Express-Select® Temperature Controls
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 3 Store-More[™] Glass Shelves with Metallic Trim
- 2 Store-More™ Adjustable Gallon Door Bins
- Automatic Ice Maker
- Energy Saver Plus Technology
- Improved Cooling System

WARRANTY/ NOMENCLATURE

LAUNDRY

PLANNING



FGSS2335TF 22.2 Cu. Ft. Standard-Depth Refrigerator

- Exterior Dispenser with Color Match User Interface/White LED Lights
- Designer Multi-Level LED Lighting
- 1 Stacked Cool Zone® Drawer
- PureSource Ultra® II Ice & Water Filtration
- PureAir Ultra® Air Filtration
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 3 Store-More[™] Glass Shelves with Metallic Trim
- 2 Store-More™ Adjustable Gallon Door Bins
- Automatic Ice Maker
- Quick Ice & Quick Freeze Options
- Improved Cooling System



FGHI2164TF 20.5 Cu. Ft. Top Freezer Refrigerator

- Ice Maker Included
- Bright LED Lighting
- Full-Width Store-More™ Drawer
- Independent Temperature Controls
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 3 Half-Width SpillSafe® Glass Shelves
- 1 Full-Width Glass Freezer Shelf with Sliding Wire Basket
- Custom-Flex™ Door Bins and Accessories
- Tilt-Out Wire Freezer Door Rack
- Half-Width Deli Drawer



FGTR2042T D/F 20.4 Cu. Ft. Top Freezer Refrigerator

- Bright LED Lighting in Fresh Food and Freezer
- Independent Temperature Controls
- 1 Full-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpillSafe® Glass Shelves
- 1 Full-Width White Fixed Refrigerator Door Bin
- 1 SpillSafe® Full-Width Glass Freezer Shelf
- 2 Full-Width Clear Freezer Door Bins
- Custom-Flex[™] Door Bins and Accessories
 Comes with: 1 Small, 2 Medium, and
 1 Large Bin
- Optional Ice Maker Available: #IM116



Available In

(F)

Ρ

Е

FGTR2037T F/P/E 20.4 Cu. Ft. Top Freezer Refrigerator

- Bright LED Lighting in Fresh Food and Freezer
- Independent Temperature Controls
- Half-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpillSafe® Glass Shelves
- 3 Full-Width White Fixed Refrigerator Door Bins
- 1 Full-Width Wire Freezer Shelf
- 2 Clear Freezer Door Bins
- Optional Ice Maker Available: #IM116



FGHT1842TF 18.3 Cu. Ft. Top Freezer Refrigerator

- Bright LED Lighting in Fresh Food and Freezer
- Independent Temperature Controls
- Full-Width Deli Drawer
- 2 Store-More[™] Humidity-Controlled Crisper Drawers
- 1 Full-Width Glass Freezer Shelf
- 1 Gallon Door Bin
- Custom-Flex™ Door Bins and Accessories
- ENERGY STAR[®] Most Efficient
- Optional Ice Maker Available: #IM116



FGTR1842T D/F 18.0 Cu. Ft. Top Freezer Refrigerator

- Bright LED Lighting
- Half-Width Deli Drawer
- Independent Temperature Controls
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpillSafe® Glass Shelves
- 1 Full-Width Wire Freezer Shelf
- 1 Gallon Door Bin
- Custom-Flex[™] Door Bins and Accessories
- Reversible Door Garage-Ready
- Optional Ice Maker Available: #IM116



FGTR1837T F/P/E

18.0 Cu. Ft. Top Freezer Refrigerator

- LED Lighting
- Independent Temperature Controls
- Full-Width Deli Drawer
- 2 Store-More™ Humidity-Controlled Crisper Drawers
- 2 Full-Width SpillSafe® Shelves
- 1 Gallon Door Bin
- Clear Dairy Door
- 3 Full-Width Refrigerator Door Bins
- 1 Full-Width Wire Freezer Shelf
- 2 Full-Width Freezer Door Bins
- Reversible Door
- Optional Ice Maker Available: #IM116



FGVH2177TF

20.5 Cu. Ft. Upright Freezer

- Frost-Free
- Smooth Door
- Smudge-Proof™ Stainless Steel
- ArcticLock[™] Walls
- LED Theatre Lighting
- Exterior Electronic Express-Select® Adjustable Temperature Control
- Door Ajar/Temperature and Power Failure Alarms
- 3 SpaceWise® Full-Width Adjustable Shelves
- Silver Wire Basket
- Full-Width Clear Crisper Drawer
- 1 Fixed Full-Width Wire Shelf



FGVU21F8QF

20.5 Cu. Ft. Convertible

COOKING

BRAND

REFRIGERATION

DISHCARE

Adjustable Temperature Control • Door Ajar/Temperature and Power Failure Alarms

Exterior Electronic Express-Select[®]

• 3 SpaceWise® Full-Width Adjustable Glass Shelves

Frost-Free

Smooth Door

ArcticLock[™] WallsLED Theatre Lighting

 SpaceWise[®] Adjustable Basket with Color-Coordinated Clip

• Smudge-Proof™ Stainless Steel

• Full-Width Clear Crisper Drawer



FGRU19F6QF 18.6 Cu. Ft. Built-In Refrigerator

- Total Capacity 18.6 Cu. Ft.
- Shelf Area 20.6 Sq. Ft.
- 2 Full-Width SpaceWise[®] Adjustable Glass Shelves
- 1 Full-Width Crisper
- Bright LED Lighting
- Pairs with Built-In Freezer Model **FGFU19F6QF**

Optional Single and Double

Louvered Trim Kits Available (TRIMKITEZ1 and TRIMKITEZ2)



FGFU19F6QF

18.6 Cu. Ft. Built-In Freezer

• Total Capacity - 18.6 Cu. Ft.

• Shelf Area - 20 Sq. Ft.

• Bright LED Lighting

FGRU19F6QF

• 2 Full-Width SpacePro™

Adjustable Glass Shelves

• 2 Full-Width Freezer Baskets

• Optional Single and Double

Louvered Trim Kits Available

(TRIMKITEZ1 and TRIMKITEZ2)

· Pairs with Built-In Refrigerator Model -





FGWC5233TS 52 Bottle Capacity Wine Cooler

- 5.3 Cu. Ft.
- Built-In or Freestanding Installation
- Precision Electronic Temperature Control with LED Digital Display
- 1 Temperature Zone Range 41-64°F
- 7 Black Wire, Slide-Out Racks with Wood Fronts
- Bright LED Exhibit Lighting
- Contemporary Top Front-Mounted Handle

PLANNING

DISHCARE

Key Features



OrbitClean® Wash System

Provides 4 times more water coverage¹ for an excellent clean, along with AquaSurge™ technology that adjusts water pressure based on washing needs.



Effortless[™] Dry System

Move your clean dishes straight to your cabinets with our Effortless™ Dry System. Towel drying becomes a thing of the past!



30-Minute Fast Wash Cycle

Washes a full load of dishes in just 30 minutes! Perfect solution for those times when you need clean dishes quickly, but have a million other things to do.



AquaSurge[™] Technology

Allows the customer to adjust the water pressure 30% above normal for extra-dirty pots/pans and 30% below normal for gentle cleaning of fine china.



SpaceWise[®] Organization System

Our SpaceWise® Organization System features adjustable racks and the largest silverware basket² so there's a place for virtually anything.



Quieter

Lower sound level — Frigidaire Gallery® dishwashers go as low as 49 dBA.



SaharaDry™ There is no need to towel-dry before putting dishes away.



SpaceWise® Adjustable Upper Rack

Flexible racking system lets you adjust the top rack to fit taller items.



EvenDry[™] Drying System

Dishes come out remarkably dry every time with fan-assisted EvenDry™.



Energy Saver Plus Cycle

Eco-friendly cycle uses less energy without compromising cleaning performance.



Floor Beam Light

Displays a green light on the floor to indicate when cycle is complete and dishes are clean.



Smudge-Proof™ Stainless Steel

High-grade stainless steel coated with layers of polymers for a stainless steel finish that is both durable and resistant to fingerprints.

BRAND



FGID2479SF

24" Built-In Dishwasher

• Stainless Steel Tub

DISHCARE COLLECTION

- Fully-Integrated Express-Select® Control Panel with Digital Display
- OrbitClean® Wash System
- EvenDry™ Drying System
- 49 dbA Sound Level
- Cycle Complete LED Floor Beam Indicator
- 7 Wash Cycles
- 5 Wash Levels
- Nylon TufRacks[™]
- Adjustable Upper Rack
- 1-24 Hour Delay Start
- Store-More™ Third Rack Improved Design
- New Design Upper Spray Arm
- Improved Filter System
- Improved Leak Detection



FGID2476S F/W/B

24" Built-In Dishwasher

• Stainless Steel Tub

Smudge-Proof" Stainless Steel

- Fully-Integrated Express-Select* Control Panel with Digital Display
- OrbitClean® Wash System
- EvenDry™ Drying System
- 51 dBA Sound Level
- 7 Wash Cycles
- 5 Wash Levels
- Nylon TufRacks[™]
- Adjustable Upper Rack
- 1-24 Hour Delay Start
- 30-Minute Fast Wash Cycle
- Floor Beam Light
- New Design Upper Spray Arm
- Improved Filter System
- Improved Leak Detection



FGID2466Q D/F/W/B 24" Built-In Dishwasher

- Greystone, Polymer Tub
- Fully-Integrated Express-Select® Control Panel with Digital Display
- OrbitClean® Wash System
- SaharaDry™ System
- 52 dBA Sound Level
- 7 Wash Cycles
- 5 Wash Levels
- Nylon TufRacks[™]
- Adjustable Upper Rack
- 1-24 Hour Delay Start
- Upper Rack Only Wash
- 34-Minute Quick Clean
- Aqua-Surge™ Technology
- Stay-Put Door



FGCD2444S A/W/B

24" Built-In Dishwasher

- Greystone Tub
- Super Slimline Control Panel
- Pocket Handle
- Stay-Put Door
- 54 dBA Sound Level
- BladeSpray[™] Wash Arm
- 5 Wash Cycles
- 5 Wash Levels
- Nylon TufRacks™
- Upper Rack Only Wash
- 2, 4 or 6 Hour Delay Start
- 34-Minute Quick Wash
- DishSense™ Technology
- Effortless™ Dry System

WARRANTY/ NOMENCLATURE

Professional-grade appliances, fit for your customer's home.

Car B

FRIGIDAIRE

PROFESSIONAL.

Now your customers can bring the power of professional home with professional-grade appliances that offer more power, greater precision and heavy-duty design.





Great results, the first time

Frigidaire Professional[®] makes it easy to cook a variety of great tasting meals every day with consistent, powerful results. Our freestanding cooking collection provides easily-installed commercial style and performance with modern, robust knobs and heavy-duty grates. Double your cooking capacity with our over-the-range convection oven and microwave. Ask your customers if they would like to have a second oven above their range oven - they will be impressed to learn about the baking and cooking technology on this convection oven and microwave.

Key Features



PowerPlus[®] 2-in-1 Burner & Griddle

Ultimate cooking flexibility for endless meal options. Use the simmer burner for delicate foods like sauces or the griddle burner for pancakes or flatbread.



PowerPlus® Convection

Powerful performance delivers consistent results. Evenly cooked dishes, every time, with PowerPlus® Convection Bake and Roast.



PowerPlus® Temperature Probe

Ensures great results the first time. Set and monitor dish temperature with the PowerPlus* Temperature Probe.



PowerPlus® Burner

Quickly boil, sauté and sear foods at high heat with the PowerPlus® 18,000 BTU burner.



PowerPlus® Preheat

With PowerPlus® Preheat, your oven is ready in a few minutes for a powerful start to every delicious meal.



SpacePro[™] Bridge Element

2-in-1 cooktop element allows endless meal options. Either use one element at a time or combine two so you can create a variety of dishes using a griddle or a large pot.



2-in-1 Convection Oven or Microwave

Bake more evenly with PowerPlus* Convection or cook at microwave speed, all-in-one.

Smudge-Proof[™] Stainless Steel

Smudge-Proof™ Stainless Steel

Resists fingerprints and is easy to clean.

FREESTANDING COOKING COLLECTION

Available In:

Smudge-Proof Stainless Steel

• 5.1 Cu. Ft. Capacity Oven

PowerPlus[®] Convection

PowerPlus[®] Preheat

PowerGlide[®] Rack

Storage Drawer

• PowerPlus® Temperature Probe

Smudge-Proof[™] Stainless Steel

• PowerPlus® 2-Hour Self-Clean

• 5 Burner Cooktop: PowerPlus® Burner

18,000 BTU, 12,000 BTU, 7,500 BTU,

5,000 BTU & Center Oval 1,125 - 15,500 BTU

FPGH3077RF

30" Gas Front Control

Freestanding Range

LAUNDRY

Available In: F

WARRANTY/ NOMENCLATURE

PLANNING

(F) FPEH3077RF 30" Electric Front Control Freestanding Range • 5.1 Cu. Ft. Capacity Oven • PowerPlus® 2-in-1 Griddle & Burner PowerPlus[®] Convection

Smudge-Proof Stainless Steel

- PowerPlus® Temperature Probe
- Smudge-Proof[™] Stainless Steel • PowerPlus® 2-Hour Self-Clean
- PowerPlus[®] Preheat
- SpacePro™ Bridge Element

Available In:

(F)

- 5 Element Cooktop: 9" / 12" Expandable 1,800 W / 3,000 W, 2 - 7" 1,800 W, 6" 1,200 W & Keep Warm Zone
- PowerGlide[®] Rack
- Storage Drawer



FPGF3077QF 30" Gas Freestanding Range

- 5.6 Cu. Ft. Capacity Oven
- PowerPlus® Convection
- PowerPlus® Temperature Probe
- Smudge-Proof™ Stainless Steel
- PowerPlus® 2-Hour Self-Clean
- PowerPlus® Preheat
- 5 Burner Cooktop: PowerPlus® Burner 18,000 BTU, 12,000 BTU, 9,500 BTU, 5,000 BTU & Center Oval 10,000 BTU
- Dual Timers
- Storage Drawer

FPEF3077QF 30" Electric Freestanding Range

0000 📰 0000

• 6.1 Cu. Ft. Capacity Oven

Smudge-Proof Stainless Steel

- PowerPlus[®] Convection
- PowerPlus® Temperature Probe
- Smudge-Proof™ Stainless Steel
- PowerPlus® 2-Hour Self-Clean
- PowerPlus[®] Preheat
- SpacePro[™] Bridge Element
- 5 Element Cooktop: 9" / 12" Expandable 1,800 W / 3,000 W, 2 - 7" 1,800 W with Bridge, 6" 1,200 W & Keep Warm Zone
- Dual Timers
- Storage Drawer

FPBM3077RF 30" Over-the-Range Convection Oven/Microwave

- 1.8 Cu. Ft. Capacity
- 1,050 W
- 2-in-1 Convection Oven or Microwave
- PowerBright[™] Cooktop & Interior LED Lighting
- Smudge-Proof™ Stainless Steel

Available In

- PowerPlus[®] 4-Speed Fan
- Adjustable Timer
- 10 Power Levels

71

BUILT-IN COOKING



Power-Packed and Built for Results

Our new wall ovens and cooktops come with the features you need to bring power, versatility and speed to every meal for years to come. Cooktops with two fuel options to boil, sear or sauté a variety of meals. And form meets function in our powerful ventilation hood, for the finishing touch to the kitchen.

Key Features



PowerPlus® Convection

Powerful performance delivers consistent results. Evenly cooked dishes, every time, with PowerPlus® Convection Bake and Roast. Available in both ovens.



PowerPlus® Temperature Probe

Ensures great results the first time. Set and monitor dish temperature with the PowerPlus® Temperature Probe. Available in the upper oven.



PowerPlus® No Preheat

Oven is ready in no time. Start baking immediately with PowerPlus® No Preheat. Available in both ovens.



PowerPlus® Burner

Boil, sear and sauté with power. The PowerPlus® Burner delivers a strong performance every time with 18,200 BTU.



SpacePro[™] Bridge Element

2-in-1 cooktop element offers endless meal options. Cook two separate dishes at once, or combine two elements into one for large pots or griddle-use.



2-In-1 Convection Oven or Microwave

Bake more evenly with PowerPlus® Convection or cook at microwave speed, all-in-one.



Durable, Continuous Grates

Cook a variety of dishes at the same time with ease. Our durable, continuous cast-iron grates allow you to slide a variety of heavy pots and pans across burners.

Smudge-Proof[®] Stainless Steel

Smudge-Proof™ Stainless Steel

Resists fingerprints and is easy to clean.

Available In:

REFRIGERATION

DISHCARE

Available In:

TRIM KIT AVAILABLE

Available In

E

FPIC3677RF 36" Induction Cooktop

666

PowerPlus® Induction Technology

Available In:

Available In:

S

- SpacePro[™] Bridge Element
 5 Induction Elements: 10" 2,600 W / 3,800 W, 2 - 7" 1,800 W / 2,600 W with Bridge, 6" 1,450 W / 2,000 W
 & 8" 2,300 W / 3,200 W Center
- Cool-to-the-Touch Cooktop Surface
- Professional-Grade Controls
- Hot Surface Indicator Lights
- Also Available in 30" FPIC3077RF

Available In:

FPET3077RF 30" Double Wall Oven

FPGC3677RS

36" Gas Cooktop

• PowerPlus® Burner

PrecisionPro Controls®

& 750 - 5.000 BTU

• Low Simmer Burner

Griddle Included

• Durable, Continuous Grates

 5 Sealed Burners: 18,200 BTU, 14,000 BTU, 2 - 9,500 BTU

• Also available in 30" - FPGC3077RS

- 5.1 Cu. Ft. Oven Capacity (Both Ovens)
- PowerPlus® Dual-Fan ConvectionPowerPlus® Temperature Probe
- (Both Ovens) • PowerPlus® No Preheat (Both Ovens)
- Smudge-Proof™ Stainless Steel
- Dual Timers
- 2-Hour Self-Clean
- Convection Conversion
- PowerGlide[™] Racks
- Also available in 30" Single FPEW3077RF

FHWC3650RS 36" Ventilation Hood

FPEC3677RF

36" Electric Cooktop

• SpacePro™ Bridge Element

• Smudge-Proof™ Stainless Steel

9" / 12" 1,800 W / 3,000 W,

• Hot Surface Indicator Lights

6" 1,200 W & Keep Warm Zone

• Also available in 30" - FPEC3077RF

2 - 7" 1,800 W / 800 W with Bridge,

PrecisionPro Controls[®]

• Keep Warm Zone

• 5 Electric Elements:

- Under-Cabinet Installation
- 400 CFMs
- Smudge-Proof™ Stainless Steel
- Rotary Knob Control
- Vertical or Horizontal Air Discharge
- 3 Fan Speeds
- 4 LED Lights
- Dishwasher-Safe Filters
- External Exhaust Duct
- Also available in 30" FHWC3050RS 📥

FPMO209RF 24" Built-In Microwave

- 2.0 Cu. Ft. Capacity
- 1,200 W
- 16" Turntable
- PowerSense™ Cooking Technology
- Smudge-Proof™ Stainless Steel
- Melt Setting
- Auto Defrost
- Adjustable Timer
- 27" (MWTK27KF) or 30" (MWTK30KF) Trim Kits available

PLANNING

LAUNDRY



Fresh air, great taste

Our new refrigeration collection offers quick access to great tasting, fresh ingredients. Achieve a built-in look with our counter-depth design, flexible storage solutions and our exclusive Smudge-Proof[™] Stainless Steel finish that make our French Door and Side-by-Side Refrigerators a versatile, lasting addition to your kitchen. Upgrade to the Built-In Refrigerator/Freezer model for even more storage and full-width organization.

Key Features



PureAir Ultra® Filtration System

Fresh air offers great taste. PureAir[®] Filtration removes up to 7 times more odor than baking soda to keep ingredients tasting fresh.



SpacePro[™] Adjustable Crisper Bins

Optimize your space and keep food fresh with our crisper bins that adjust a variety of ways and keep produce at the ideal humidity level.



SpacePro[™] Shelving System

Offers quick access to fresh ingredients with organizational solutions designed for space optimization like SpacePro™ Slide-Under & Flip-Up Shelves and SpacePro™ Adjustable Crisper Bins.



PureSource Ultra® II Ice & Water Filtration

Discover how our genuine filtration works to keep your water cleaner. PureSource Ultra® II Water Filters remove 99.3% of lead and 99.9% of cysts from your household water.



Counter-Depth Design

Built-in look, maximize your space. Save over 4 inches of kitchen floor space with our counter-depth design.

Smudge-Proof[®] Stainless Steel

Smudge-Proof™ Stainless Steel

Resists fingerprints and is easy to clean.

REFRIGERATION COLLECTION



LAUNDRY

PLANNING



FPRU19F8RF/FPFU19F8RF Built-In Refrigerator/Freezer

- PureAir Ultra® Filtration System
- SpacePro™ Shelving System
- Smudge-Proof[™] Stainless Steel
- Automatic Alerts
- SpacePro™ Crisper Bins
- SpacePro™ Full-Width Drawer
- SpacePro[™] Shelving
- SpacePro[™] Door Bins
- PowerBright[™] LED Lighting
- Optional Trim Kit Available
- PrecisionPro Controls[®]

TRIM KIT AVAILABLI FPBC2277RF 22 Cu. Ft. Counter-Depth

Available In:

- French Door Refrigerator
- PureAir Ultra® Filtration System
- SpacePro[™] Shelving System

e-Proof

- Smudge-Proof™ Stainless Steel
- PureSource Ultra® II Water Filtration
- SpacePro[™] Adjustable Crisper Bins
- SpacePro[™] Slide-Under & Flip-Up Shelves
- SpacePro™ Freezer System
- Automatic Alerts
- SpacePro™ Full-Width Drawer
- PowerBright[™] LED Lighting
- Dual-Ice
- Also available in 27 Cu. Ft. Standard Depth - FPBS2777RF

Available In:



FPBG2277RF 22 Cu. Ft. Counter-Depth French Door Refrigerator

- PureAir Ultra® Filtration System
- SpacePro[™] Shelving System
- Smudge-Proof[™] Stainless Steel
- SpacePro[™] Adjustable Crisper Bins
- SpacePro™ Slide-Under Shelf
- SpacePro™ Freezer System
- Automatic Alerts
- SpacePro[™] Full-Width Drawer
- PowerBright[™] LED Lighting
- Automatic Ice Maker



FPSC2277RF

23 Cu. Ft. Side-by-Side Refrigerator

• PureAir Ultra® Filtration System

• Smudge-Proof™ Stainless Steel

• PureSource Ultra® II Water Filtration

• SpacePro™ Shelving System

PowerGlide[™] Sliding Shelves

• SpacePro[™] Freezer System

• SpacePro™ Gallon Door Bin

PowerBright[™] LED Lighting

• Also available in 26 Cu. Ft. Standard Depth - FPSS2677RF

• SpacePro™ Crisper Bins

• Automatic Alerts

• SpacePro™ Ice Maker



FPHT1897TF

Top Freezer Refrigerator

- Bright LED Lighting
- 2 Full-Width Sliding SpillSafe® Shelves
- 2 Humidity-Controlled Crisper Drawers
- 3 Full-Width White Door Racks
 - 2 Full-Width White Freezer Door Racks
 - Half-Width Deli Drawer
 - Optional Ice Maker Available: #IM116



Powerful clean, fast

You can achieve a powerful, precision clean in 30 minutes. Our feature-rich dishwasher makes cleanup simple and efficient. Even the exterior of the dishwasher is easy to clean with its Smudge-Proof[™] Stainless Steel finish. And there is plenty of room for all the dinner dishes with our versatile racking system that can hold up to 14 place settings.

Key Features



A Complete Clean

Clean dishes with OrbitClean* Wash System, which uses four times more water coverage for a complete clean.



Remarkable Dry Dishes come out remarkably dry every time with EvenDry[™].⁺



Powerful Clean, Fast Get a powerful clean, fast with the best 30-minute clean.‡



Excellent Drying Performance

There's no need to towel dry with the fan assisted SaharaDry™.



A Place for Everything

Experience the ultimate flexibility of the SpacePro® Organization System. The third rack offers easy access and fits small cooking utensils, while the second rack adjusts to fit tall pots and pans.



Cleans Hard-to-Reach Spots

Clean hard-to-reach spots with our PrecisionPro Wash Zones* that target tough spots for the ultimate clean.



Know When Dishes Are Ready

Let's you know when dishes are complete when the blue LED light appears with PowerBright™ Floor Light.


Smudge-Proof® Stainless Steel

Smudge-Proof™ Stainless Steel

Resists fingerprints and is easy to clean.

COOKING

BRAND



LAUNDRY

PLANNING

Optional Trim Kits for Built-In Refrigerator and Freezer

Our brushed Double and Single Trim Kits are designed to create a "built-in look" installation with the Frigidaire Professional® Built-In Refrigerator and Freezer. Included with each kit are two individual look and fit options.

Install Together with the Double Trim Kit

SHOWN WITH DOUBLE TRIM KIT

(79" LOUVERED GRILLE OPTION)
APPLICABLE MODELS:

FPRU19F8RF, FGFU19F6QF, FGRU19F6QF

Option #1 79" Louvered Grille Installation with the single or double louvered grille requires an enclosure



79" Louvered Grille Option

Option #2

(PN# TRIMKITEZ2)

75" Collar Trim

Installation with the single or double top collar trim requires an enclosure height of 75 inches.



75" Collar Trim Option

Install Separate with the Single Trim Kit

(PN# TRIMKITEZI)



SHOWN WITH SINGLE TRIM KIT (79" LOUVERED GRILLE OPTION)

APPLICABLE MODELS: FPRU19F8RF, FPFU19F8RF

Option #1 79" Louvered Grille

Installation with the single or double louvered grille requires an enclosure height of 79 inches.



79" Louvered Grille Option

Option #2 75" Collar Trim

Installation with the single or double top collar trim requires an enclosure height of 75 inches.



75" Collar Trim Option

BRAND

PLANNING


WARRANTY/ NOMENCLATURE

Installation Notes: Trim kit attaches directly to cutout opening through louvered grille or optional top collar trim piece to stabilize unit(s). Louvered grille used for 79" opening height and optional top collar trim piece used for 75" opening height. Installation into 75" opening requires side trim pieces be shortened by 4". Double Trim Kit also includes hardware to secure side-by-side units together. Refer to detailed kit installation instructions packed with kit or on web.

TRIM KIT PLANNING INFORMATION

For TRIMKITEZ2 and TRIMKITEZ1

Kits Include: Louvered Grille, Top Collar Trim Piece, Side and Center Trim Pieces, Kickplate, Leveling System and Hardware.



Trim Kit & Cutout Dimensions

Single Trim Kit

Trim Kit Dimensions

(A) 79-1/8" or 75-1/8" (B) 34-3/4"

Cutout Dimensions

(C) 79" or 75" (D) 33" (E) 25-1/4" min.+

64

7/16

32'

70-3/16"*

23-1/2"

PN#TRIMKITEZ1

Optional Trim Kits for French Door and Side-by-Side Refrigerators and Built-In Microwave

Our Trim Kits are designed to create a "built-in look" installation with the Frigidaire Professional[®] French Door, Side-by-Side Refrigerators and Built-In Microwave. Included with each kit are two individual look and fit options.

French Door/Side-by-Side Trim Kits



SHOWN WITH COLLAR TRIM KIT

APPLICABLE MODELS: FPBC2277RF, FPBG2277RF, FPSC2277RF

Option #1 4480 Louvered Grille

Available for both French Door and Side-by-Side Refrigerators.



Louvered Grille Option

Option #2 ECK23CD Collar Trim

Available for both French Door and Side-by-Side Refrigerators.



Collar Trim Option

Built-In Microwave Trim Kits





Installation requires an enclosure height of 27 inches.



27" Cutout Option

30" Cutout MWTK30KF


Installation requires an enclosure height of 30 inches.




30" Cutout Option


For 4480/ECK23CD

Kits Include: Top Trim, Left Hand Side Trim, Right Hand Side Trim, Top Grille 5", Corner Brackets "L" Shaped, Set Screws (For Corner Brackets), Phillips Head Screws - #8 × 3/4", Allen Head Wrench.



Built-In Microwave Dimensions





BRAND

COOKING ACCESSORIES



Smart Choice® 40-Amp, 3-Prong Range Cord PN# 5308819106 (4ft)



Smart Choice* 40-Amp, 4-Prong Range Cord PN# 5308819108 (4ft)



Smart Choice* 5/8"O.D. ProCoat Gas Connector, 1/2"MIP x 1/2"MIP PN# 5304432129 (4ft)



Smart Choice® 50-Amp, 3-Prong Range Cords PN# 5308819006 (4ft) PN# 5308819007 (6ft)



Smart Choice® 50-Amp, 4-Prong Range Cords PN# 5308819008 (4ft) PN# 5308819009 (6ft)



Smart Choice® 5/8"O D ProCoat Gas Connector, 3/4"MIP x 1/2"MIP PN# 5304434481 (4ft)

REFRIGERATION ACCESSORIES



Frigidaire* PureSource Ultra® II Water Filter PN# EPTWFU01



Frigidaire* PureSource Ultra® Water Filter PN# ULTRAWF



Frigidaire*

PureAir[®] Freshness

Booster Starter Kit

Helps keep produce

PN# 5304506638

fresh, longer.

Frigidaire* PureSource3® Water Filter PN# WF3CB



FRIGIDAIRE

Frigidaire* PureSource 2^e Water Filter PN# WF2CB



Frigidaire® PureAir Ultra* Air Filter PN# PAULTRA Removes odors and is 7 times more effective than baking soda.



Frigidaire® French Door

Refrigerator Ice Maker Kits PN# IMK0028A (Standard Depth) PN# IMK0023A (Counter Depth)

Easy installation kit adds a second ice maker in the freezer.

Smart Choice*

Waterlines

Polyflex Refrigerator

PN# 29000405F (5ft)

PN# 29000406F (6ft)





Frigidaire® Top Mount **Refrigerator Ice** Maker Kit PN# IM116000 Add ice-making

capabilities to select top freezer models made after April 2001

Smart Choice* PEX Refrigerator Waterlines PN# 5304511247 (6ft) PN# 5304511248 (8ft) PN# 5304511249 (10ft)



FRIGIDAIRI

Frigidaire* Garage Refrigerator Heater Kit PN# 5303918301 Available on select models.

Frigidaire*

Booster Refill

fresh. longer.

PN# 5304506639

PureAir* Freshness

Helps keep produce



Smart Choice* Stainless Steel **Refrigerator Waterlines** PN# 5308815072 (6ft)



Smart Choice® Fride Spot Strip or Board (5 Pieces ea.) PN# 5304503590 (Strip) PN# 5304503591 (Board) Allow the use of magnets on your stainless steel refrigerator.



Smart Choice* Fridge Spot Strip & Board (8 Pieces) PN# 5304503592

Allow the use of magnets on vour stainless steel refrigerator



PN# 5304474551 (10ft)

Smart Choice* **Refrigerator Mats** PN# 5304503584 (Small) PN# 5304503585 (Medium) PN# 5304503586 (Large)

Smart Choice* Refrigerator Liners (2 Pack)

PN# 5304503587 (Blue Chevron) PN# 5304503588 (Green Waves) PN# 5304503589 (Grey Circle)

DISHCARE ACCESSORIES



Smart Choice* Solid Surface Countertop Dishwasher Installation Kit PN# L304458800

Approved for granite, quartz, acrylic and other solid surface countertops. No drilling required.



Smart Choice* Braided Stainless Steel Dishwasher Installation Kit with Angled Cord PN# 5304506295 (6ft)



Smart Choice* Braided Stainless Steel Dishwasher Installation Kit with Straight Cord PN# 5304503928 (6ft)



Smart Choice® Braided Stainless Steel Waterline with 3/4" Gooseneck PN# 5304510884 (6ft)



Smart Choice* Braided Stainless Steel Waterline with 3/8" Elbow PN# 5305516563 (6ft)



Smart Choice* 15 Amp 105C Straight Line Cord

PN# DHDCORDKIT (6ft)

LAUNDRY ACCESSORIES



Smart Choice* 30-Amp, 3-Prong Dryer Cords PN# 5308819002 (4ft) PN# 5308819003 (6ft)



Smart Choice* 30-Amp, 4-Prong Dryer Cords PN# 5308819004 (4ft) PN# 5308819005 (6ft)



Smart Choice* 3/8"O.D. ProCoat Gas Connectors. 1/2"MIP x 3/8"FIP PN# 5304432127 (4ft) PN# 5304472857 (6ft)

Smart Choice* Rubber Fill Hose PN# 5305516564 (4ft) PN# 5304492685 (6ft)



Braided Stainless Steel Fill Hose PN# 5304507572 (4ft) PN# 5304507573 (5ft) PN# 5308816562 (6ft)

Smart Choice®

Smart Choice* 1/2"O.D. ProCoat Gas Connector, 1/2"MIP x 3/8"FIP PN# 5304432128 (4ft)

Smart Choice* Rubber Steam Dryer Kit PN# 5304512821 (5ft/1ft)



Smart Choice® Braided Stainless Steel Steam Dryer Kit PN# 5304507961 (5ft/1ft)

Smart Choice* Semi-Rigid Dryer Vent Kit PN# 5305512431 (8ft)




COOKING

REFRIGERATION

LAUNDRY

Frigidaire®



FREESTANDING RANGE

FREESTANDING RANGES

MOD	EL	FFGF3056T	FFGF3054T	FFGF3052T	FFGF3051T	FFGF3016T	FFGF3012T	FFIF3054T
	Туре	30" Gas	30" Induction					
	Available Colors	D/S/W/B	D/S/W/B	S	S/W/B	M/W/B	W/B	D/S
ŝ	A - Height (Max.)	47″	47″	47″	47″	47″	47″	46-5/8″
PRODUCT DIMENSIONS	B-Width	29-7/8″	29-7/8″	29-7/8″	29-7/8″	29-7/8″	29-7/8″	29-7/8″
DDUG	C - Depth (Including Handle)	29-1/4"	29-1/4″	29-1/4″	29-1/4″	29-1/4″	29-1/4″	28-13/32″
DIM	Depth with Door Open 90°	46-9/16"	46-9/16"	46-9/16"	46-9/16"	46-9/16"	46-9/16"	48-5/8″
NS	Height (Standard)	36″	36″	36″	36″	36″	36″	36″
UT 4SIO	Width (Min.)	30″	30″	30″	30″	30″	30″	30″
CUTOUT DIMENSIONS	Depth (Min.)	24"	24"	24"		24"	24"	24"


MOD	EL	FFEF3056T	FFEF3054T	FFEF3052TS	FFEF3051T	FFEF3016T	FFEF3012T
	Туре	30" Electric					
	Available Colors	D/S/W/B	D/S/W/B	S	S/W/B	S/M/W/B	W/B
s	A-Height (Max.)	46-5/8″	47"	46-5/8″	46-5/8″	46-5/8″	46-5/8″
PRODUCT DIMENSIONS	B-Width	29-7/8″	29-7/8″	29-7/8″	29-7/8″	29-7/8″	29-7/8″
DDU	C-Depth (Including Handle)	28-13/32"	28-1/2"	28-13/32"	28-13/32"	28-13/32"	28-13/32"
DIM	Depth with Door Open 90°	48-5/8″	48-5/8″	48-5/8″	48-5/8″	48-5/8″	48-5/8″
NS	Height (Standard)	36″	36″	36″	36″	36″	36″
UT 4SIO	Width (Min.)	30″	30″	30″	30″	30″	30″
CUTOUT DIMENSIONS	Depth (Min.)	24"	24"	24"	24"	24"	24″

BRAND

SPECIFICATIONS

Frigidaire®


NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com




SLIDE-IN AND DROP-IN RANGES


MODI	EL	FFGS3026T	FFES3026T	FFES3016T	FFED3026T	FFED3016T
	Туре	30" Gas Slide-In	30" Electric Slide-In	30" Electric Slide-In	30" Electric Drop-In	30" Electric Drop-In
	Available Colors	S/W/B	S/W/B	W/B	S/W/B	W/B
ŝ	A-Height (Max.)	36-5/8″	36-5/8″	36-5/8″	26-1/2"	26-1/2"
PRODUCT DIMENSIONS	B-Width	30″	30"	30″	30″	30″
DDU	C-Depth (Including Handle)	28-5/16"	28-5/16″	28-5/16″	28-5/16"	28-5/16″
DIM	Depth with Door Open 90°	47-9/16"	47-9/16"	47-9/16"	47-9/16"	47-9/16"
SN	Height (Min Max.)	35-7/8" - 36-5/8"	35-7/8" - 36-5/8"	35-7/8" - 36-5/8"	29″	29″
UT 4SIO	Width (Min Max.)	29-15/16" - 30-1/16"	29-15/16" - 30-1/16"	29-15/16" - 30-1/16"	29-15/16" - 30-1/16"	29-15/16" - 30-1/16"
CUTOUT DIMENSIONS	Depth (Min Max.)	21-3/4" - 22-1/8"	21-3/4" - 22-1/8"	21-3/4" - 22-1/8"	21-3/4" - 22-1/8"	21-3/4" - 22-1/8"

Frigidaire[®]









SINGLE WALL OVEN (GAS)

WALL OVENS


SINGLE WALL OVEN

MOD	EL	FFET3026T	FFET2726T	
	Туре	30" Double	27" Double	
	Available Colors	D/S/W/B	S/W/B	
	A - Height	50-7/16″	50-7/16″	
	B-Width	30″	27″	
6	C-Depth (Including Handle)	24-7/8″	24-7/8″	
PRODUCT DIMENSIONS	D-Height (Wrapper)	48-5/8″	48-5/8″	
DDU	E-Width (Wrapper)	28-1/4"	24-5/8″	
PR(Depth with Door Open 90°	44-3/4"	44-3/4"	
NS	Height (Min Max.)	48-3/4" - 49-7/8"	48-3/4" - 49-7/8"	
UT VSIO	Width (Min Max.)	24-7/8" - 25-1/4"	24-7/8" - 25-1/4"	
CUTOUT DIMENSIONS	Depth (Min.)	24"	24"	

MOD	EL	FFEW3026T	FFEW2726T	FFEW2425Q	FFEW2415Q	FFGW2425Q	FFGW2415Q
	Туре	30" Single	27" Single	24" Single	24" Single	24" Gas Single	24" Gas Single
	Available Colors	W/B	S/W/B	S/W/B	W/B	S/W/B	S/W/B
	A - Height	29″	29″	31-7/16″	29″	38-7/16″	38-7/16″
	B-Width	30″	27″	23-7/8″	27″	23-7/8″	23-7/8″
6	C-Depth (Including Handle)	24-7/8″	24-7/8″	25-3/16″	24-7/8″	25-3/8″	25-3/8″
PRODUCT DIMENSIONS	D-Height (Wrapper)	27-3/16″	27-3/16″	27-1/2" - 29-1/8"	27-3/16″	37-3/8″	37-3/8″
DDU	E-Width (Wrapper)	28-1/4"	24-5/8″	21-3/4"	24-5/8″	21-11/16"	21-11/16"
DIA	Depth with Door Open 90°	44-3/4"	44-3/4"	46-3/16"	44-3/4"	43″	43″
	Height (Min Max.)	26-7/8" - 28"	26-7/8" - 28"	27-5/8″ - 28″	26-7/8" - 28"	37-1/2" - 39"	37-1/2" - 39"
S	Width (Min Max.)	28-1/2" - 29"	24-7/8" - 25-1/4"	22" - 22-1/2"	24-7/8" - 25-1/4"	22″	22″
NON:	Depth (Min.)	24"	24"	23-1/2"	24"	23-1/2"	23-1/2"
CUTOUT DIMENSIONS	Cabinet	30-1/8"	30-1/8"	24"	30-1/8"	24"	24″
DCC	Clearance to Floor	31"	31"	31″	31″	27-1/2"	27-1/2"

Frigidaire®

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com



GAS COOKTOP

ELECTRIC/INDUCTION COOKTOP DOWNDRAFT COOKTOP


COOKTOPS

MODEL		FFGC3626S	FFGC3026S	FFEC3624P	FFEC3605L	FFEC3225M	FFEC3205L
	Туре	36" Gas	30" Gas	36" Electric	36" Electric	32" Electric	32" Electric
	Available Colors	S/W/B	S/W/B	S/B	S/W/B	W/B	S/W
NS	A - Width	36″	30″	36-3/4"	36″	32-1/4"	32-1/4"
UCT NSIO	B-Depth	21-3/4"	21-3/4"	21-3/8"	21-1/2"	20-1/4"	20-1/4"
PRODUCT DIMENSIONS	C-Height	4-1/4"	4-1/4"	3"	3"	3-3/4"	3-3/4"
ŝ	Width (Min Max.)	33-7/8" - 34-1/4"	28-1/4" - 28-5/8"	35-7/8" - 36-1/8"	32-3/4" - 34-1/4"	31" - 31-1/4"	31" - 31-1/4"
CUTOUT DIMENSIONS	Depth (Min Max.)	19-3/8" - 19-3/4"	19-3/8" - 19-3/4"	20-1/4" - 20-1/2"	19" - 20"	19" - 19-1/4"	19" - 19-1/4"
TOU.	Height	8″	8″	5″	5″	5-3/4″	5-3/4"
DN C	Cabinet Opening Width	36″	30″	36-3/4"	36″	32-1/4"	32″


MOD	EL	FFEC3024P/L	FFEC3005L	FFEC2111Q	
	Туре	30" Electric	30" Electric	22" Electric	
	Available Colors	S/B	S/W/B	В	
SN	A - Width	30-3/4"	30″	21-1/2"	
UCT	B-Depth	21-3/8″	21-1/2"	17-1/8″	
PRODUCT DIMENSIONS	C-Height	3″	3″	2-1/2"	
S	Width (Min Max.)	29-5/8″ - 29-7/8″	26-3/4" - 28-1/4"	20-1/8" - 20-1/2"	
	Depth (Min Max.)	20-1/4" - 20-1/2"	19-1/8" - 20"	16-1/8" - 16-1/2"	
CUTOUT DIMENSIONS	Height	5″	5″	4"	
D⊿	Cabinet Opening Width	30-3/8″	30″	21″	


MOD	EL	RC36DG60P	RC30DG60P	RC36DE60P	RC30DE60P	
	Туре	36" Gas Downdraft	30" Gas Downdraft	36" Electric Downdraft	30" Electric Downdraft	
	Available Colors	S	S	В	В	
SN	A - Width	36″	30″	36-3/4"	30-3/4"	
UCT VSIO	B-Depth	21-13/32"	21-13/32"	22-1/16"	22-1/16"	
PRODUCT DIMENSIONS	C-Height	17-13/16" - 23-3/8"	17-13/16" - 23-3/8"	18-19/32" - 23-3/8"	18-19/32" - 23-3/8"	
	Width (Min Max.)	34"	28″	34-1/2" - 34-5/8"	28-7/8" - 29"	
NO	Depth (Min Max.)	19-1/8″	19-1/8″	21-1/8" - 21-1/4"	21-1/8" - 21-1/4"	
CUTOUT DIMENSIONS	Height (Min Max.) 17-13/16" - 23-3/8"		17-13/16" - 23-3/8"	18-19/32" - 23-3/8"	18-19/32" - 23-3/8"	
DIA C.	Cabinet Opening Width	36″	30″	36″	30″	

Frigidaire[®]



OVER-THE-RANGE MICROWAVE





COUNTERTOP MICROWAVE

BUILT-IN MICROWAVE WITH TRIM KIT

MICROWAVES

MODI	EL	FFMO1611L		
	Туре	30" or 27" Built-In with Trim Kit		
	Available Colors	S/W/B		
	A - Height	12-7/8″		
s	B-Width	21-3/4"		
PRODUCT DIMENSIONS	C-Depth	18-1/2"		
	D-Height (Trim Kit Faceplate)	18-1/8"		
DIN	E-Width (Trim Kit Faceplate)	29-15/16" - 26-15/16"		
NS	Height (Min Max.)	17" - 17-1/4"		
UT VSIO	Width (Min Max.)	24-3/4" - 25"		
CUTOUT DIMENSIONS	Depth (Min.)	20"		

MOD	EL	FFMV1745T	FFMV1645T	
	Туре	30" Over-The-Range	30" Over-The-Range	
	Available Colors	S/W/B	D/S/H/M/W/B	
NS	A - Height	16-13/32"	16-13/32"	
UCT	B-Width	29-7/8″	29-7/8″	
PRODUCT DIMENSIONS	C-Depth	15-1/32"	15-1/32"	
CUTOUT DIMENSIONS	Height (Min. from floor to top of unit)	66″	66"	
TOU.	Width (Min.)	30″	30″	
-D 2	Depth (Min Max.)	12" - 13"	12" - 13"	


MOD	EL	FFCT1278L	FFCM1134L	FFCM1134L	FFCM0934L	FFCM0734L	FFCM0724L
	Туре	1.2 Cu. Ft. Countertop Convection	1.1 Cu. Ft. Countertop	1.1 Cu. Ft. Countertop	.9 Cu. Ft. Countertop	.7 Cu. Ft. Countertop	.7 Cu. Ft. Countertop
	Available Colors	S	S	W/B	S/W/B	S	W/B
NS	A - Height	13-5/8″	12-3/4"	12"	11-3/8"	10-1/8″	10-1/8″
UCT 4SIO	B-Width	22"	20-3/8"	20-3/8″	19-1/8″	17-1/4"	17"
PRODUCT DIMENSIONS	C-Depth	21-3/8"	16-1/8"	14-3/4"	13-7/8″	13-1/8″	12-7/8″
NS	Height	**	**	**	**	**	**
UT VSIO	Width	**	**	**	**	**	**
CUTOUT DIMENSIONS	Depth	**	**	**	**	**	**


MOD	EL	FFCE2278L	FFCE2238L	FFCE1638L/T	FFCE1638L	FFCE1439L
	Туре	2.2 Cu. Ft. Countertop	2.2 Cu. Ft. Countertop	1.6 Cu. Ft. Countertop	1.6 Cu. Ft. Countertop	1.4 Cu. Ft. Countertop
	Available Colors	S	W/B	S	W/B	W/B
NS	A - Height	13-7/8″	13-7/8″	12-7/8″	12-7/8″	12-7/8″
UCT 4SIO	B-Width	24"	24"	21-3/4"	21-3/4"	21-3/4"
PRODUCT DIMENSIONS	C-Depth	21-3/8"	19-3/8″	18-1/2"	18-1/2"	18-1/2"
NS	Height	**	**	**	**	**
UT 4SIO	Width	**	**	**	**	**
CUTOUT DIMENSIONS	Depth	**	**	**	**	**

**A minimum clearance of 3" is required above microwave and between microwave and adjacent walls.

Frigidaire®

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com





SIDE-BY-SIDE

FRENCH DOOR & SIDE-BY-SIDE REFRIGERATORS


MOD	EL	FFHD2250T	FFHG2250T	FFHB2750T	FFHN2750T	FFBN1721T
	Туре	21.9 Cu. Ft. Counter-Depth French Door	22.4 Cu. Ft. Counter-Depth French Door	26.8 Cu. Ft. Standard-Depth French Door	27.6 Cu. Ft. Standard-Depth French Door	17.4 Cu. Ft. Standard-Depth French Door
	Available Colors	D/S	D/S	D/S/P/E	S	V
	A - Height (Including Hinges & Rollers)	69-7/8″	69-7/8″	69-7/8″	69-7/8″	70″
	B-Cabinet Width/Door Width	35-7/8" - 36"	35-7/8" - 36" 35-7/8" - 36"		35-7/8" - 36"	32-13/16"
NS	C-Depth (Including Door)	28-1/2"	28-1/2"	33-3/8″	33-3/8"	29-1/8"
UCT NSIO	Depth with Door Open 90°	42-1/2"	42-1/2"	47-3/8″	47-3/8"	*
PRODUCT DIMENSIONS	Depth with Drawer Fully Extended (Including Handle)	45-1/2"	45-1/2"	55″	55″	
CUTOUT DIMENSIONS	Height (Including Hinges & Rollers)	70-1/4"	70-1/4"			
	Width	36″	36″			
D P	Depth	25″	25″			

MOD	EL	FFSC2323T	FFSS2625T	FFSS2615T	FFSS2325T	FFSS2315T
	Туре	22.2 Cu. Ft.25.6 Cu. Ft.Counter-DepthStandard-DepthSide-by-SideSide-by-Side		25.6 Cu. Ft. Standard-Depth Side-by-Side	22.0 Cu. Ft. Standard-Depth Side-by-Side	22.1 Cu. Ft. Standard-Depth Side-by-Side
	Available Colors	S/P/E	S/P/E	D/S/P/E	S/P/E	D/S/P/E
6	A - Height (Including Hinges & Rollers)	69-7/8"	69-7/8″	69-5/8″	69-7/8"	69-5/8″
NO ION	B-Cabinet Width/Door Width	35-7/8" - 36"	35-7/8" - 36"	35-5/8" - 36"	32-7/8" - 33"	32-7/8" - 33"
PRODUCT DIMENSIONS	C-Depth (Including Door)	27-1/8″	32″	31-3/4"	32″	32″
PRO	Depth with Door Open 90°	45-1/2"	49-1/2"	49-1/2"	48″	48″
CUTOUT DIMENSIONS	Height (Including Hinges & Rollers)	70-1/4"				
TOU ⁻	Width	36″				
DD C.	Depth	25″				

BRAND

*Preliminary dimension is either not available or subject to change.

Frigidaire[®]



TOP FREEZER REFRIGERATORS

MODEL		FFTR2032T	FFHT2021T	FFTR2021T	FFHI1832T	FFHT1832T	FFTR1832T
	Туре	20.4 Cu. Ft. Top Freezer	20.4 Cu. Ft. Top Freezer	20.4 Cu. Ft. Top Freezer	18.0 Cu. Ft. Top Freezer	18.0 Cu. Ft. Top Freezer	18.0 Cu. Ft. Top Freezer
	Available Colors	S/P/E	S/W/B	D/S/W/B	D/S/P/E	S/M/P/E	S/P/E
s	A - Height (Including Hinges & Rollers)	69"	69"	69″	66-5/8″	66-5/8″	66-1/8"
~	B-Width	29-5/8″	30″	29-5/8″	30″	30″	30″
PRODUCT	C-Depth (Including Door)	32″	31-3/4"	32"	30-1/8″	30-1/8″	30-1/8″
DIV VID	Depth with Door Open 90°	60″	60″	60″	58-1/2"	58-1/2"	58-1/2″


MODEL		FFHT1821T	FFTR1821T	FFHT1814T	FFTR1814T	FFHT1621T	FFTR1621T
	Туре	18.0 Cu. Ft. Top Freezer	16.3 Cu. Ft. Top Freezer	16.3 Cu. Ft. Top Freezer			
	Available Colors	S/W/B	D/S/W/B	W/B	S/W/B	S/W/B	W/B
	A - Height (Including Hinges & Rollers)	66-1/8"	66-1/8"	66-5/8″	66-5/8″	65-1/8″	65-1/8″
JCT SIONS	B-Width	30″	30″	30"	30″	28″	28″
PRODUC	C-Depth (Including Door)	30-1/8"	29-7/8"	30-1/8"	30-1/8″	30-1/8″	30-1/8″
DIM	Depth with Door Open 90°	58-1/2"	58-1/2"	58-1/2"	58-1/2"	56″	56″


MOD	EL	FFHT1614T FFTR1614T		FFTR1521T	FFHT1514T	FFTR1514T
	Туре	16.3 Cu. Ft. Top Freezer	16.3 Cu. Ft. Top Freezer	14.5 Cu. Ft. Top Freezer	14.5 Cu. Ft. Top Freezer	14.5 Cu. Ft. Top Freezer
	Available Colors	W/B	W	W	S/W/B	W/B
6	A - Height (Including Hinges & Rollers)	65-1/8"	65-1/8"	60-5/8″	60-5/8″	60-5/8″
	B-Width	28″	28″	28″	28″	28″
PRODUCT DIMENSIONS	C-Depth (Including Door)	30-1/8″	30-1/8"	30-1/8"	30-1/8"	30-1/8"
DIN DIN	Depth with Door Open 90°	56″	56″	56″	56″	56″

Frigidaire®

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com







CHEST FREEZER


FREEZERS

MOD	EL	FFFH21F6Q	FFFH21F4Q	FFFU21M1Q	FFFH20F2Q	FFFH17F4Q	FFFH17F2Q
	Туре	20.5 Cu. Ft. Upright	20.5 Cu. Ft. Upright	20.9 Cu. Ft. Upright	20.2 Cu. Ft. Upright	16.6 Cu. Ft. Upright	16.6 Cu. Ft. Upright
	Available Colors	W	T/W	W	W	T/W	W
S	A - Height (Including Hinges & Rollers)	73-3/16″	73-3/16"	73-1/4"	73-3/16"	67-11/16"	67-11/16"
CT	B- Width	34"	34"	34"	34"	34″	34″
PRODUCT	C-Depth (Including Door)	30-1/2"	30″	30-1/2"	30-1/2"	28-1/2"	28-1/2"
DIV	Depth with Door Open 90°	62-1/8"	62-1/8"	62-1/8"	62-1/8"	60-1/4"	60-1/4"

MOD	EL	FFFU17M1Q	FFFU14M1Q	FFFU14F2Q	FFFU06M1TQ	FFVU17F2SC	FFVU21F4Q	FFVU17F4Q
	Туре	17.3 Cu. Ft. Upright	14.4 Cu. Ft. Upright	13.8 Cu. Ft. Upright	5.8 Cu. Ft. Upright	16.6 Cu. Ft. Upright	20.5 Cu. Ft. Convertible	16.6 Cu. Ft. Convertible
	Available Colors	W	W	W	W	С	W	W
PRODUCT DIMENSIONS	A - Height (Including Hinges & Rollers)	67-11/16"	62″	62-1/8"	56-13/16"	67-11/16"	73-3/16″	67-11/16″
	B-Width	34″	29-5/8″	29-5/8″	21-3/4″	34″	34″	34″
	C-Depth (Including Door)	28-1/2"	30-1/2"	30-1/2"	22-13/16"	28-1/2″	30-1/2″	28-1/2"
D N	Depth with Door Open 90°	60-1/4"	58″	58″	42-1/8"		62-1/8″	60-1/4"

MOD	EL	FFFC25M4T	FFFC20M4T	FFFC15M4T	FFFC13M4T	FFFC09M1R	FFFC07M1T	FFFC05M1T
	Туре	24.8 Cu. Ft. Chest	19.8 Cu. Ft. Chest	14.8 Cu. Ft. Chest	12.8 Cu. Ft. Chest	9.0 Cu. Ft. Chest	7.0 Cu. Ft. Chest	5.0 Cu. Ft. Chest
	Available Colors	W	W	W	W	W	W	W
S	A-Height (Including Lid)	31-3/4″	31-3/4″	32-1/2″	32-1/2″	32-3/4″	33-5/8″	33-5/8″
CT	B-Width	83-1/8″	73-11/16″	55-3/4″	49-1/2"	44"	37-3/8″	28-7/8″
	C-Depth	31-1/2″	29-9/16″	29-9/16″	29-9/16″	24″	20-11/16″	20-11/16"
PRO	Height with Lid Open 90°	61″	59-1/8″	59-7/8″	59-7/8″	54-1/2″	52″	52″

Frigidaire®



SPECIALTY REFRIGERATORS

MOD	EL	FFRU17G8Q	FFRU17B2Q	
	Туре	16.6 Cu. Ft. Built-In Refrigerator	16.6 Cu. Ft. Built-In Refrigerator	
	Available Colors	W	W	
s	A - Height (Including Hinges)	67-11/16″	67-11/16"	
CT	B- Width	34″	34″	
PRODUCT DIMENSIONS	C-Depth (Including Door)	28-1/2"	28-1/2"	
DIN DIN	Depth with Door Open 90°	60-1/4"	60-1/4"	

MOD	EL	FFWC4222Q	FFWC3822Q	FFBC4622Q
	Туре	4.6 Cu. Ft. Wine Cooler	4.4 Cu. Ft. Wine Cooler	4.6 Cu. Ft. Beverage Center
	Available Colors	S	S	S
	A - Height	34″	34"	34″
S	B-Width	21-1/2"	21-1/2"	21-1/2"
PRODUCT DIMENSIONS	C-Depth (Including Door)	22-3/8″	22-3/8″	22-3/8″
DDU	C- Depth (Including Handle)	24-1/2"	24-1/2"	24-1/2"
PR(D-Depth with Door Open 90°	43″	43″	43"

MOD	EL	FFET1222Q	FFTR1222Q	FFET1022Q	FFTR1022Q	FFPS4533Q	FFPE4522Q	FFPS3122Q	FFPE2411Q
	Туре	11.5 Cu. Ft. Apartment Refrigerator	12.0 Cu. Ft. Apartment Refrigerator	10.0 Cu. Ft. Apartment Refrigerator	10.0 Cu. Ft. Apartment Refrigerator	4.5 Cu. Ft. Compact Refrigerator	4.5 Cu. Ft. Compact Refrigerator	3.1 Cu. Ft. Compact Refrigerator	2.4 Cu. Ft. Compact Refrigerator
	Available Colors	S/W/B	M/W/B	W/B	M/W/B	М	М	М	В
ú	A - Height	59-7/8″	59-7/8″	59-7/8″	59-7/8″	43″	33-7/8″	33″	24-7/8″
CT	B-Width	24″	24"	24″	24″	21-5/8″	21-1/4"	18-1/2″	17-1/2″
PRODUCT	C-Depth (Including Door)	28-3/4″	28-7/8″	26-1/8″	26-1/8″	23-3/4″	23″	19-3/8″	20-1/8″
PR(D-Depth with Door Open 90°	50-1/2"	50-1/2″	47-3/4"	47-3/4"	43″	42-3/4"	37″	36″

Frigidaire®


NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com

COOKING


REFRIGERATION

DISHCARE

BRAND



BUILT-IN DISHWASHER



PORTABLE DISHWASHER

WASTE DISPOSER

DISHWASHERS & WASTE DISPOSERS


MOD	EL	FFID2426T	FFBD2412S	FFBD2406N	FBD2400K	FFBD1821M	FFPD1821M
	Туре	24" Built-In	24" Built-In	24" Built-In	24" Built-In	18" Built-In	18" Portable
	Available Colors	D/S	S/M/W/B/Q	S/W/B	W/B	S/W/B	W/B
	A - Height (Adjustable)	33-1/2" - 35"	32-1/2" - 34-7/8"	33-1/2" - 35"	33-1/2" - 35"	32-1/2" - 34-7/8"	38-1/2″
10	B-Width	24"	24"	24"	24"	17-5/8″	20-1/2"
PRODUCT DIMENSIONS	C-Depth (Including Door)	25″	23″	25″	25″	23″	30″
DDU	D- Depth (To Tub Flange)	22-1/2"	20-1/2"	22-1/2"	22-1/2"	22-1/2"	
DIV	Depth with Door Open 90°	49-1/4"	46″	49-1/4"	49-1/4"	46″	46″
NS	Height (Min Max.)	34-1/4" - 35"	34-1/2" - 35"	34-1/4" - 35-1/4"	34-1/4" - 35-1/4"	32-1/2" - 35-1/4"	
UT 4SIO	Width (Min Max.)	24"	24"	24"	24"	17-5/8" - 18"	
CUTOUT DIMENSIONS	Depth (Min Max.)	24"	24"	24"	24"	24"	

MOD	EL	FPDI103DM	FPDI758DM	FGDI753DM	FFDI501DM/ FFDI501CM	FFDI331DM/ FFDI331CM
	Туре	Direct Wired - 1 HP	Direct Wired - 3/4 HP	Direct Wired - 3/4 HP	Direct Wired / Corded - 1/2 HP	Direct Wired / Corded - 1/3 HP
ICT SIONS	A - Height	16-1/16"	16-1/16"	14-1/2"	13-7/16"	13-7/16"
PRODUCT DIMENSIONS	B - Width	8-1/2"	8-1/2"	8-1/2"	7-11/16"	7-11/16"

PLANNING

LAUNDRY

Frigidaire®



TOP LOAD WASHER & DRYER


LAUNDRY CENTER

LAUNDRY

MOD	EL	FFTW4120S	FFRE4120S/ FFRG4120S	FFLE4033Q/ FFLG4033Q	FFLE3911Q/ FFLG3911Q
	Туре	Top Load Washer	Electric/Gas Dryer	Electric/Gas Laundry Center	Electric/Gas Laundry Center
	Available Colors	W	W	T/W	W
so la	A - Height	44-1/4"	44-1/4"	77″	77″
PRODUCT DIMENSIONS	B-Width	27″	27″	27″	27″
DDU	C-Depth	29″	30-13/16″	31-1/2"	31-1/2"
DIV	Depth with Door Open 90°		48-5/8″	47-1/2"	47-1/2"

Frigidaire® Gallery

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com



FREESTANDING RANGE

SLIDE-IN RANGE

00


00

RANGES

MOD	EL	FGDF4085T	FGGF3685T	FGGF3059T	FGGF3047T	FGGF3036T	FGEF4085T
	Туре	40" Dual-Fuel	36" Gas	30" Gas	30" Gas	30" Gas	40" Electric
	Available Colors	S	S	D/F	F	D/F/W/B	S
ŝ	A-Height (Max.)	49″	49″	46-5/8″	46-5/8″	46-5/8″	49″
PRODUCT DIMENSIONS	B-Width	40″	36″	29-7/8″	29-7/8″	29-7/8″	40″
DDU	C-Depth (Including Handle)	28-1/2″	30-3/4″	29-1/4″	29-1/4″	29-1/4"	28-1/2″
DIV	Depth with Door Open 90°	47-3/4″	47-3/4″	46-9/16"	46-9/16″	46-9/16"	47-3/4″
NS	Height (Standard)	35-3/4″	36″	36″	36″	36″	36″
UT VSIO	Width (Min.)	40-1/4"	36-1/4″	30″	30″	30″	40-1/4"
CUTOUT DIMENSIONS	Depth (Min.)	24"	24"	24"	24"	24"	24″

MOD	EL	FGIF3036T	FGEF3059T	FGEF3036T	FGDS3065P	FGGS3065P	FGIS3065P	FGES3065P
	Туре	30" Induction	30" Electric	30" Electric	30" Dual-Fuel Slide-In	36" Gas Slide-In	30" Induction Slide-In	30" Electric Slide-In
	Available Colors	D/F	D/F	D/F	F	F/W/B	F	F/W/B
S	A-Height (Max.)	46-5/8″	46-5/8″	46-5/8″	36-5/8″	36-5/8″	36-5/8″	36-5/8″
PRODUCT DIMENSIONS	B-Width	29-7/8″	29-7/8″	29-7/8″	30″	30″	30″	30″
	C - Depth (Including Handle)	28-13/32"	28-13/32″	28-13/32"	28-5/16″	28-5/16″	28-5/16″	28-5/16″
DIN	Depth with Door Open 90°	48-5/8″	48-5/8″	48-5/8″	45-1/2"	47-9/16″	47-9/16"	47-9/16″
	Height (Min Max.)	36″ (Standard)	36″ (Standard)	36" (Standard)	35-7/8" - 36-5/8"	35-7/8" - 36-5/8"	35-7/8" - 36-5/8"	35-7/8" - 36-5/8"
CUTOUT DIMENSIONS	Width (Min Max.)	30" (Min.)	30" (Min.)	30" (Min.)	29-15/16" - 30-1/16"	29-15/16" - 30-1/16"	29-15/16" - 30-1/16"	29-15/16" - 30-1/16"
DIME	Depth (Min Max.)	24" (Min.)	24" (Min.)	24" (Min.)	21-3/4" - 22-1/8"	21-3/4" - 22-1/8"	21-3/4" - 22-1/8"	21-3/4" - 22-1/8"

Frigidaire® Gallery



WALL OVENS, MICROWAVE COMBINATION OVEN & WARMER DRAWER

MOD	EL	FGET3065P	FGET2765P	FGEW3065P	FGEW2765P	FGEW276SP
	Туре	30" Double	27" Double	30" Single	27" Single	27" Single Side-Swing Door
	Available Colors	D/F/W/B	F/W/B	D/F/W/B	F/W/B	F/B
	A - Height	50-7/16″	50-7/16"	29″	29″	29"
	B-Width	30″	27″	30″	27″	27″
ú	C-Depth (Including Handle)	24-3/4"	24-3/4"	24-3/4"	24-3/4"	24-3/4"
PRODUCT DIMENSIONS	D-Height (Wrapper)	48-5/8″	48-5/8″	27-3/16″	27-3/16"	27-3/16"
DDD	E-Width (Wrapper)	28-1/4"	24-5/8″	28-1/4"	24-5/8″	24-5/8″
DIN DIN	Depth with Door Open 90°	45-3/4"	45/3/4"	45-3/4"	45-3/4"	45-3/4"
	Height (Min Max.)	48-7/8" - 49-7/8"	48-7/8" - 49-7/8"	27-1/4" - 28-5/8"	27-1/4" - 28-5/8"	27-1/4" - 28-5/8"
ú	Width (Min Max.)	28-1/2" - 29"	24-7/8" - 25-1/4"	28-1/2" - 29"	24-7/8" - 25-1/4"	24-7/8" - 25-1/4"
	Depth (Min.)	23-1/2"	23-1/2"	23-1/2"	23-1/2"	23-1/2"
CUTOUT DIMENSIONS	Cabinet			30-1/8″	27-1/8"	27-1/8"
D C C	Clearance to Floor			31″	31″	31″

MOD	EL	FGWD3065P	
	Туре	30" Warmer Drawer	
	Available Colors	F	
	A - Height	11-1/4"	
SNS	B-Width	30″	
NSIC	C-Depth	23-5/8″	
PRODUCT DIMENSIONS	D-Depth with Drawer Fully Extended (Including Handle)	42"	
NS	Height (Min Max.)	9-7/8" - 10-1/4"	
VSIO	Width (Min Max.)	28-1/2" - 28-3/4"	
CUTOUT DIMENSIONS	Depth (Min Max.)	23-5/8" - 24"	


MOD	EL	FGMC3065P	FGET2765P	
	Туре	30" Microwave Combination Oven	27" Microwave Combination Oven	
	Available Colors	F/B	F/B	
	A - Height	42-3/4"	42-3/4"	
	B-Width	30″	30″	
ŝ	C-Depth (Including Handle)	24-1/2"	24-1/2"	
PRODUCT DIMENSIONS	D-Height (Wrapper)	40-15/16"	40-15/16″	
JENS	E-Width (Wrapper)	28-1/4"	24-5/8″	
DIV	Depth with Door Open 90 $^\circ$	45-1/2"	45-1/2"	
NS	Height (Min Max.)	41-1/8" - 41-1/4"	41-1/8" - 41-1/4"	
UT NSIO	Width (Min Max.)	24-7/8" - 25-1/4"	28-1/2" - 29"	
CUTOUT DIMENSIONS	Depth (Min.)	23-1/2"	23-1/2""	

Frigidaire® Gallery

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com



GAS COOKTOP




ELECTRIC/INDUCTION COOKTOP

COOKTOPS


MOD	EL	FGGC3645Q	FGGC3047Q	FGGC3045Q	FGIC3667M	FGIC3067M
	Туре	36" Gas	30" Gas	30" Gas	36" Induction	30" Induction
	Available Colors	S/W/B	S/W/B	S/B	В	В
NS	A - Width	36″	30″	30″	36-3/4″	30-3/4″
UCT VSIO	B-Depth	21-3/4"	21-3/4"	21-3/4"	21-1/2"	21-1/2"
PRODUCT DIMENSIONS	C-Height	4-1/4"	4-1/4"	4-1/4"	4-3/8"	4-3/8"
.0	Width (Min Max.)	33-7/8" - 34-1/4"	28-1/4" - 28-5/8"	28-1/4" - 28-5/8"	35-7/8" - 36"	29-5/8" - 29-3/4"
NO	Depth (Min Max.)	19-3/8" - 19-3/4"	19-3/8" - 19-3/4"	19-3/8" - 19-3/4"	20-3/8" - 20-1/2"	20-3/8" - 20-1/2"
CUTOUT DIMENSIONS	Height	8″	8″	8″	4-1/2"	4-1/2"
DN CC	Cabinet Opening Width	36"	30″	30″		

MOD	EL	FGEC3645P/K	FGEC3067M	FGEC3045P/K
	Туре	36" Electric	30" Electric	30" Electric
	Available Colors	S/B	S/B	S/W/B
NS	A - Width	36-3/4"	30-3/8″	30-3/8″
NSIO	B-Depth	21-3/8″	21-3/8″	21-3/8"
PRODUCT DIMENSIONS	C-Height	2-5/8″	2-5/8″	2-5/8″
s	Width (Min Max.)	35-5/8" - 36-1/8"	29-5/8" - 29-7/8"	29-5/8" - 29-7/8"
CUTOUT DIMENSIONS	Depth (Min Max.)	20-1/4" - 20-1/2"	20-1/4" - 20-1/2"	20-1/4" - 20-1/2"
TOU	Height	5″	5″	5″
DEC	Cabinet Opening Width	36-3/4"	30-3/8″	30-3/8″

Frigidaire® Gallery



VER-THE-RANG MICROWAVE



WITH TRIM KIT


MICROWAVES

MOD	EL	FGMO205K	FGMO206NT	
	Туре	30" or 27" Built-In with Trim Kit	30" or 27" Built-In with Trim Kit	
	Available Colors	F/W/B	D	
	A - Height	13-3/8″	13-3/8″	
S	B-Width	24"	24″	
PRODUCT DIMENSIONS	C-Depth	19-1/8″	19-1/8″	
DDU	D-Height (Trim Kit Faceplate)	18″	18-1/8″	
DIV	E-Width (Trim Kit Faceplate)	30" - 27"	30" - 27"	
NS	Height (Min Max.)	16-3/4" - 17"	16-3/4" - 17"	
UT NSIO	Width (Min Max.)	24-3/4" - 25"	24-3/4" - 25"	
CUTOUT DIMENSIONS	Depth (Min.)	20"	20″	


MOD	EL	FGMV155CT	FGMV176NT	
	Туре	30" Over-The-Range Convection	30" Over-The-Range	
	Available Colors	D/F	D/F/W/B	
SNS	A - Height	16-13/32"	16-13/32″	
NSIO	B-Width	29-7/8″	29-7/8″	
PRODUCT	C-Depth	15-1/32"	15-1/32"	
CUTOUT DIMENSIONS	Height (Min. from floor to top of unit)	66″	66″	
TOU.	Width (Min.)	30″	30″	
DCC	Depth (Min Max.)	12" - 13"	12" - 13"	

Frigidaire® Gallery


NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com



UNDER-CABINET



WALL/ISLAND MOUNT



DOWNDRAFT

VENTILATION HOODS


MOD	EL	FHWC3660L	FHWC3655L	FHWC3060L	FHWC3055L	FPC4260L	FHPC3660L
	Туре	36" Wall-Mount Vent Hood	36" Wall-Mount Vent Hood	30" Wall-Mount Vent Hood	30" Wall-Mount Vent Hood	42" Island Vent Hood	36" Island Vent Hood
	Available Colors	S	S	S	S	S	S
	A - Height (With one Cover) (Min.)	22-11/16"	26-25/32"	22-11/16"	26-25/32"	22-29/32"	22-29/32"
CT	B- Height (With Flue Extension) (Min Max.)	26-1/2" - 43-29/32"	31-11/16" - 45"	26-1/2" - 43-29/32"	31-11/16" - 45"	30" - 42"	30" - 42"
PRODUCT DIMENSION	C-Width	35-11/32"	35-3/8″	29-7/8″	29-7/8″	41-7/8"	35-11/32"
DIV	D-Depth	19-11/16"	19-11/16"	19-11/16"	19-11/16"	23-5/8″	23-5/8″


MODE	EL	FHWC3650R	FHWC3640M	FHWC3625M	FHWC3050R	FHWC3040M	FHWC3025M
	Туре	36" Under-Cabinet Vent Hood	36" Under-Cabinet Vent Hood	36" Under-Cabinet Vent Hood	30" Under-Cabinet Vent Hood	30" Under-Cabinet Vent Hood	30" Under-Cabinet Vent Hood
	Available Colors	S	S	S/W/B	S	S	S/W/B
SN	A - Height	10-1/2"	4-15/16"	4-15/16"	10-1/2"	4-15/16"	4-15/16"
NSIO	B - Width	36″	36″	36″	30″	30″	30″
PRODUCT	C-Depth	20"	19-3/4"	18-5/8″	20"	19-3/4"	18-5/8″
SNS	Height (Min. Allowed)	24" - 30"	24" - 30"	18" - 24"	24" - 30"	24" - 30"	18" - 24"
NSIO	Width (Min.)	36″	36″	36″	30″	30″	30″
CUTOUT	Depth (Max.)	13″	13"	13″	13″	13″	13″

MOD	EL	FHWC3650R	FHWC3640M	RH42PC60G	RH36PC60G	RH36WC55G	RH36WC60G	RH30 WC55G	RH30 WC60G
	Туре	36" Downdraft Vent	30″ Downdraft Vent	42″ Island/ Ceiling Vent Hood	36" Island/ Ceiling Vent Hood	36" Chimney Wall-Mount Vent Hood	36" Chimney Wall-Mount Vent Hood	30" Chimney Wall-Mount Vent Hood	30" Chimney Wall-Mount Vent Hood
	Available Colors	S	S	S	S	S	S	S	S
PRODUCT DIMENSIONS	A - Height	34-5/16" (Including 10" Rise)	34-5/16" (Including 10" Rise)	28" - 57"	28" - 57"	24" - 42-9/16"	29-7/16" - 54-9/16"	24" - 42-9/16"	29-7/16" - 54-9/16"
DDU	B-Width	36″	30″	41-7/8″	35-7/8″	35-7/8″	35-7/8″	29-7/8″	29-7/8″
PRO	C-Depth	11-7/16″	11-7/16″	19-11/16″	19-11/16″	19-11/16″	19-11/16″	19-11/16″	19-11/16″
CUTOUT DIMENSIONS	Width	32-15/16″	26-15/16"						
CUTOL	Depth	2-1/16"	2-1/16″						

REFRIGERATION

Frigidaire® Gallery





SIDE-BY-SIDE

FRENCH DOOR & SIDE-BY-SIDE REFRIGERATORS

MOD	EL	FGHD2368T	FGHG2368T	FGHB2868T	FGHN2868T
	Туре	21.9 Cu. Ft. Counter-Depth French Door	22.4 Cu. Ft. Counter-Depth French Door	27.2 Cu. Ft. Standard-Depth French Door	27.6 Cu. Ft. Standard-Depth French Door
	Available Colors	D/F	D	D/F	D/F/P/E
	A - Height (Including Hinges & Rollers)	69-7/8″	69-7/8″	69-7/8″	69-7/8″
	B-Cabinet Width/Door Width	35-7/8" - 36"	35-7/8" - 36"	35-7/8" - 36"	35-7/8" - 36"
NS	C-Depth (Including Door)	28-1/2"	28-1/2"	33-3/8"	33-3/8"
UCT ISIO	Depth with Door Open 90°	42-1/2"	42-1/2"	47-3/8"	47-3/8"
PRODUCT DIMENSIONS	Depth with Drawer Fully Extended (including Handle)	45-1/2"	45-1/2"	55″	55″
CUTOUT DIMENSIONS	Height (Including Hinges & Rollers)	70-1/4"	70-1/4"		
	Width	36″	36″		
DM	Depth	25″	25″		

MOD	EL	FGSC2335T	FGSS2635T	FGSS2335T
	Туре	22.2 Cu. Ft. Counter-Depth Side-by-Side	25.6 Cu. Ft. Standard-Depth Side-by-Side	22.2 Cu. Ft. Standard-Depth Side-by-Side
	Available Colors	D/F	D/F/P/E	F
s	A - Height (Including Hinges & Rollers)	69-7/8″	69-7/8″	69-7/8″
ION ION	B-Cabinet Width/Door Width	35-7/8" - 36"	35-7/8" - 36"	35-7/8" - 36"
PRODUCT DIMENSIONS	C-Depth (Including Door)	28-1/2"	33-3/8″	28-1/2"
PRO	Depth with Door Open 90°	45″	50″	45″
T	Height (Including Hinges & Rollers)	70-1/4"		
CUTOUT DIMENSIONS	Width	36″		
DCC	Depth	25″		

COOKING


REFRIGERATION


DISHCARE

SPECIFICATIONS

Frigidaire® Gallery

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com





FREEZER


TOP FREEZER REFRIGERATORS & UPRIGHT/CONVERTIBLE FREEZERS

MOD	EL	FGHI2164T	FGTR2042T	FGTR2037T	FGHT1842T	FGTR1842T	FGTR1837T
	Туре	20.5 Cu. Ft. Top Freezer	20.4 Cu. Ft. Top Freezer	20.4 Cu. Ft. Top Freezer	18.3 Cu. Ft. Top Freezer	18.0 Cu. Ft. Top Freezer	18.0 Cu. Ft. Top Freezer
	Available Colors	F	D/F	F/P/E	F	D/F	F/P/E
s	A - Height (Including Hinges & Rollers)	69"	69″	69″	66-1/8"	66-1/8"	66-1/8"
CT	B- Width	30″	29-5/8″	29-5/8″	29-5/8″	29-5/8″	30″
PRODUCT	C-Depth (Including Door)	31-3/4"	31-3/4"	31-3/4"	29-7/8″	29-7/8″	29-7/8″
DIV	Depth with Door Open 90°	60″	60″	60″	58-1/2"	58-1/2"	58-1/2"

MOD	EL	FGVH2177T	FGVU21F8Q
	Туре	20.5 Cu. Ft. Upright Freezer	20.5 Cu. Ft. Convertible
	Available Colors	F	F
s	A - Height (Including Hinges)	73-3/16"	73-3/16"
	B- Width	34"	34″
PRODUCT DIMENSIONS	C-Depth (Including Door)	30-1/2"	30-1/2"
DIN	Depth with Door Open 90°	62-1/8″	62-1/8″

LAUNDRY

Frigidaire® Gallery



SPECIALTY REFRIGERATORS

MOD	EL		FGRU19F6Q	FGFU19F6Q
		Туре	18.6 Cu. Ft. Built-In Refrigerator	18.6 Cu. Ft. Built-In Freezer
		Available Colors	F	F
s		A - Height (Including Door/ Cabinet Including Hinge)	71-3/8" - 70-5/8"	71-3/8" - 70-5/8"
PRODUCT DIMENSIONS		B-Width	32″	32″
PRODUCT		C-Depth (Including Door)	26-1/2"	26-1/2"
DIN DIN		Depth with Door Open 90°	57-3/8″	57-3/8″
	Б	Height	72″	72″
		Width	33″	33″
	SINGLE UNIT WITHOUT TRIM KIT	Depth	25-1/4" (Min.)	25-1/4" (Min.)
	L H	Height	75" or 79"	75" or 79"
		Width	33″	33″
	SINGLE UNIT WITH TRIM KIT & LEVELING SYSTEM	Depth	25-1/4" (Min.)	25-1/4" (Min.)
	F	Height	72″	72″
		Width	66″	66″
	DOUBLE UNIT WITHOUT TRIM KIT	Depth	25-1/4" (Min.)	25-1/4" (Min.)
SN	μŢ	Height	75" or 79"	75" or 79"
NSIO		Width	66″	66″
CUTOUT DIMENSIONS	DOUBLE UNIT WITH TRIM KIT & LEVELING SYSTEM	Depth	25-1/4" (Min.)	25-1/4" (Min.)

MOD	EL	FGWC5233T
	Туре	4.6 Cu. Ft. Wine Cooler
	Available Colors	S
	A - Height	34-1/4″
6	B- Width	23-7/16″
PRODUCT DIMENSIONS	C-Depth (Including Door)	23-7/16″
JENS	C- Depth (Including Handle)	25-3/4″
DIV	D-Depth with Door Open 90°	45-3/4″

COOKING


PLANNING

WARRANTY/ NOMENCLATURE

SPECIFICATIONS

Frigidaire® Gallery

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com




BUILT-IN DISHWASHER

DISHWASHERS

MOD	EL	FGID2479S	FGID2476S	FGID2466Q	FGCD2444S	
	Туре	24" Built-In	24" Built-In	24" Built-In	24" Built-In	
	Available Colors	F	F/W/B	D/F/W/B	A/W/B	
	A - Height (Adjustable)	33-3/4" - 35-3/4"	33-3/4" - 35-3/4"	33-1/2" - 35"	33-1/2" - 35"	
10	B-Width	23-3/4"	23-3/4"	24"	24″	
PRODUCT DIMENSIONS	C-Depth (Including Door)	24-1/4"	24-1/4"	25″	25″	
IENS	D- Depth (To Tub Flange)	22-1/2"	22-1/2"	22-1/2"	22-1/2"	
DIV	Depth with Door Open 90°	50-1/4"	50-1/4"	49-1/4"	49-1/4"	
NS	Height (Min Max.)	34" - 35-3/4"	34" - 35-3/4"	34-1/4" - 35-3/4"	34-1/4" - 35"	
UT VSIO	Width (Min Max.)	24"	24"	24"	24″	
CUTOUT DIMENSIONS	Depth (Min Max.)	24"	24"	24"	24"	

Frigidaire® Professional



RANGES & OVENS

MOD	EL	FPGH3077R	FPGF3077Q	FPEH3077R	FPEF3077Q
	Туре	30″ Gas	30″ Gas	30" Electric	30" Electric
	Available Colors	F	F	F	F
6	A - Height (Max.)	36-5/8″	47-3/4″	36-5/8″	47-3/4″
PRODUCT DIMENSIONS	B-Width	29-7/8″	29-7/8″	29-7/8″	29-7/8″
DDU	C - Depth (Including Handle)	28-3/4″	29-1/4″	28-3/4″	29-1/4″
DIV	Depth with Door Open 90°	46″	46-5/8″	46″	49″
NS	Height (Standard)	36″	36″	36″	36″
VSIO	Width (Min.)	30-1/8″	30″	30-1/8″	30″
CUTOUT DIMENSIONS	Depth (Min.)	24"	24"	24"	24"

мор	FI	FPET3077R	FPEW3077R
	Туре	30" Double	30" Single
	Available Colors	F	F
	A - Height	50-7/16"	29"
	B-Width	30″	30″
	C-Depth (Including Handle)	24-3/4"	24-3/4"
ION:	D-Height (Wrapper)	48-7/16"	26-11/16"
PRODUCT DIMENSIONS	E-Width (Wrapper)	28-1/4"	28-1/4"
DIN	Depth with Door Open 90°	45-3/4"	45-3/4"
	Height (Min Max.)	48-1/2" - 49-3/4"	26-3/4" - 28"
S	Width (Min Max.)	28-1/2" - 29"	28-1/2" - 29"
CUTOUT DIMENSIONS	Depth (Min.)	23-1/2"	23-1/2"
	Cabinet		30-1/8"
D 2	Clearance to Floor		31″

COOKING

REFRIGERATION


SPECIFICATIONS

Frigidaire[®] Professional

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com




GAS COOKTOP




ELECTRIC/INDUCTION COOKTOP

COOKTOPS

MODI	EL	FPGC3677R	FPGC3077R	FPIC3677R	FPIC3077R	FPEC3677R	FPEC3077R
	Туре	36" Gas	30" Gas	36" Induction	30" Induction	36" Electric	30" Electric
	Available Colors	S	S	F	F	F	F
NS	A - Width	36″	30″	36″	30″	36-3/4″	30-3/8″
UCT NSIO	B-Depth	21-3/4"	21-3/4"	20-1/8"	20-5/8″	21-3/8"	21-3/8″
PRODUCT DIMENSIONS	C-Height	4-1/4"	4-1/4"	2-7/8"	2-7/8"	2-5/8″	2-5/8″
S	Width (Min Max.)	33-7/8" - 34-1/4"	28-1/4" - 28-5/8"	33-7/8" - 34"	28-1/2" - 28-5/8"	35-5/8" - 36-1/8"	29-5/8" - 29-7/8"
	Depth (Min Max.)	19-3/8" - 19-3/4"	19-3/8" - 19-3/4"	19-1/8" - 19-1/4"	19-5/8" - 19-3/4"	20-1/4" - 20-1/2"	20-1/4" - 20-1/2"
CUTOUT DIMENSIONS	Height	8″	8″	3-5/8″	3-5/8″	5″	5″
D⊿ CC	Cabinet Opening Width	36″	30″	36″	30″	36-3/4"	30-3/8″



OVER-THE-RANGE MICROWAVE



BUILT-IN MICROWAVE WITH TRIM KIT


MICROWAVES

MODEL		FPMO209R
	Туре	30" or 27" Built-In with Trim Kit
	Available Colors	F
	A - Height	13-3/8″
6	B-Width	24"
PRODUCT DIMENSIONS	C-Depth	19-1/8″
DDUG	D-Height (Trim Kit Faceplate)	18-1/8″
DIN	E-Width (Trim Kit Faceplate)	30" - 27"
SN	Height (Min Max.)	16-3/4" - 17"
UT 4SIO	Width (Min Max.)	24-3/4" - 25"
CUTOUT DIMENSIONS	Depth (Min.)	20″


MODEL		FGMV155CT
	Туре	30" Over-The-Range Convection
	Available Colors	F
NS	A - Height	17-9/16″
PRODUCT DIMENSIONS	B-Width	29-7/8″
	C-Depth	16-1/16"
CUTOUT DIMENSIONS	Height (Min. from floor to top of unit)	66″
TOU.	Width (Min.)	30″
DD CC	Depth (Min Max.)	12" - 17"


DISHCARE

Frigidaire® Professional



FRENCH DOOR





REFRIGERATORS

MODEL		FPBC2277R	FPBG2277R	FPBS2777R
Туре		22.6 Cu. Ft. Counter-Depth French Door	22.6 Cu. Ft. Counter-Depth French Door	27.8 Cu. Ft. Standard-Depth French Door
	Available Colors	F	F	F
	A - Height (Including Hinges & Rollers)	69-7/8″	69-7/8″	69-7/8″
	B-Cabinet Width/Door Width	35-7/8" - 36"	35-7/8" - 36"	35-5/8" - 36"
PRODUCT DIMENSIONS	C-Depth (Including Door)	28-1/2"	28-1/2"	33-3/8″
	Depth with Door Open 90°	42-1/2"	42-1/2"	47-1/2"
	Depth with Drawer Fully Extended (Including Handle)	45-1/2"	45-1/2"	55″
CUTOUT DIMENSIONS	Height (Including Hinges & Rollers)	70-1/4"	70-1/4"	
	Width	36″	36″	
	Depth	25″	25″	

MODEL		FPHT1897T
	Туре	18.0 Cu. Ft. Top Freezer
	Available Colors	F
s	A - Height (Including Hinges & Rollers)	66-1/8"
CT	B- Width	29-5/8″
PRODUCT DIMENSIONS	C-Depth (Including Door)	29-7/8″
DIN	Depth with Door Open 90°	58-1/2″

MODEL		FPSC2277R	FPSS2677R
	Туре	22.6 Cu. Ft. Counter-Depth Side-by-Side	25.6 Cu. Ft. Standard-Depth Side-by-Side
	Available Colors	F	F
s	A - Height (Including Hinges & Rollers)	69-7/8″	69-7/8″
PRODUCT DIMENSIONS	B-Cabinet Width/Door Width	35-7/8" - 36"	35-7/8" - 36"
DDD	C-Depth (Including Door)	28-1/2"	33-3/8″
PRO	Depth with Door Open 90°	45″	50″
CUTOUT DIMENSIONS	Height (Including Hinges & Rollers)	70-1/4"	
	Width	36″	
DCC	Depth	25″	

BRAND

COOKING


SPECIFICATIONS

Frigidaire[®] Professional

NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com



FREEZER



BUILT-IN DISHWASHER

BUILT-IN REFRIGERATOR/FREEZER & DISHWASHERS

MOD	EL		FPRU19F8R	FPFU19F8R
		Туре	18.6 Cu. Ft. Built-In Refrigerator	18.6 Cu. Ft. Built-In Freezer
		Available Colors	F	F
s		A - Height (Including Door/ Cabinet Including Hinge)	71-3/8" - 70-5/8"	71-3/8" - 70-5/8"
CT ION		B - Width	32"	32″
PRODUCT DIMENSIONS		C-Depth (Including Door)	26-1/2"	26-1/2"
DIN		Depth with Door Open 90°	57-3/8″	57-3/8″
	SINGLE UNIT WITHOUT TRIM KIT	Height	72″	72″
		Width	33″	33″
		Depth	25-1/4" (Min.)	25-1/4" (Min.)
	SINGLE UNIT WITH TRIM KIT & LEVELING SYSTEM	Height	75" or 79"	75" or 79"
		Width	33″	33″
		Depth	25-1/4" (Min.)	25-1/4" (Min.)
	F	Height	72″	72″
	UL TUN	Width	66″	66″
	DOUBLE UNIT WITHOUT TRIM KIT	Depth	25-1/4" (Min.)	25-1/4" (Min.)
SN	DOUBLE UNIT WITH TRIM KIT & LEVELING SYSTEM	Height	75" or 79"	75" or 79"
NSIO		Width	66″	66″
CUTOUT DIMENSIONS	DOUBLE UNI' WITH TRIM K & LEVELING SYSTEM	Depth	25-1/4" (Min.)	25-1/4" (Min.)

MODEL		FPID2498S	FPID2486T
	Туре	24" Built-In	24" Built-In
	Available Colors	F	F
	A-Height (Adjustable)	33-3/4" - 35-3/4"	33-1/2" - 35"
S	B-Width	24″	24″
PRODUCT DIMENSIONS	C-Depth (Including Door)	24-1/4″	25″
	D- Depth (To Tub Flange)	22-1/2″	
DIN	Depth with Door Open 90°	50-1/4″	49-1/4″
NS	Height (Min Max.)	34" - 35-3/4"	34" - 35-3/4"
CUTOUT DIMENSIONS	Width (Min Max.)	24″	24″
	Depth (Min Max.)	24″	24″

NOMENCLATURE

Brand - 1st & 2nd Digit

FF	
- T.	Frigidaire*
FG	Frigidaire Gallery*
FC	Frigidaire Commercial
FA	Affinity Frigidaire Hoods
ww	White Westinghouse
G	Gibson
К	Kelvinator
TA	Tappan
MX KC	Multiflex Kelvinator Commercial
KA	Kelvinator Appliance
U	Unbranded (Can be undercounter, hoods, etc)
Channel	
LF	Lowe's® Frigidaire®
LG LP	Lowe's® Frigidaire Gallery® Lowe's® Frigidaire Professional®
BF	Best Buy* Frigidaire*
BG	Best Buy* Frigidaire Gallery*
BP	Best Buy [®] Frigidaire Professional [®]
DF	Dealer Frigidaire*
DG DP	Dealer Frigidaire Gallery* Dealer Frigidaire Professional*
XF	Builder Frigidaire*
XG	Builder Frigidaire Gallery*
XP	Builder Professional®
HF HG	Sears" Frigidaire"
HD	Sears* Frigidaire Gallery* Sears* Frigidaire Professional*
NF	NMG Frigidaire*
NG	NMG Frigidaire Gallery*
NP	NMG Frigidaire Professional*
AF AG	AVB Frigidaire® AVB Frigidaire Gallery®
AG	AVB Frigidaire Ballery" AVB Frigidaire Professional®
Canadia	
CF	Canada Frigidaire*
CG CP	Canada Frigidaire Gallery* Canada Frigidaire Professional*
KF	Brick Frigidaire*
OF	Leon's Frigidaire®
Internati	onal
S	Spanish
1	International 220/50HZ
Produc	t Category – 3rd & 4th Digit
Dishcare	
PD	Portable
BD ED	Built-In Dishwasher Energy Star Dishwasher
CD	Console Dishwasher
ID	Integrated Dishwasher
CM	Console, Monochromatic
Microwa	
MO MV	Built-In
BM	Over the Range Bottom Controls
СМ	Bottom Controls Counter Top Autocook
CM CE	Bottom Controls Counter Top Autocook Counter Top Sensor
CM CE CT	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection
CM CE CT	Bottom Controls Counter Top Autocook Counter Top Sensor
см се ст Hybrid/F	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection FCFS Ranges
CM CE CT Hybrid/F DH EH GH	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CFS Ranges Dual Fuel Electric Gas
CM CE CT Hybrid/F DH EH GH IH	Botom Controls Counter Top Sensor Counter Top Convection CFCF Ranges Dual Fuel Electric Gas Induction
CM CE CT Hybrid/F DH EH GH	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CPS Ranges Dual Fuel Electric Gas Induction Ranges
CM CE CT Hybrid/F DH EH GH IH Slide In F	Botom Controls Counter Top Sensor Counter Top Convection CFCF Ranges Dual Fuel Electric Gas Induction
CM CE CT Hybrid/F DH EH GH IH Slide In F DS ES GS	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CPS Ranges Dual Fuel Electric Gas Dual Fuel Electric Gas
CM CE CT Hybrid/F DH EH GH IH Slide In F DS ES GS IS	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CFCFS Ranges Dual Fuel Electric Gas Induction Dual Fuel Electric Gas Induction
CM CE CT Hybrid/F DH EH GH IH Slide In F DS ES GS IS CS	Bottom Controls Counter Top Sensor Counter Top Convection COLINET Top Convection CPCFS Ranges Dual Fuel Electric Gas Induction Ranges Dual Fuel Electric Gas Induction Hybrid Induction
CM CE CT Hybrid/F DH EH GH IH Slide In F DS ES GS IS	Bottom Controls Counter Top Sensor Counter Top Convection CFCFS Ranges Dual Fuel Electric Gas Induction Ranges Dual Fuel Electric Gas Induction Hybrid Induction
CM CE CT Hybrid/F DH EH GH IH Slide In F DS ES GS CS Drop In I ED	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CDS Ranges Dual Fuel Electric Gas Dual Fuel Electric Gas Induction Hybrid Induction Ranges
CM CE CT Hybrid/F DH EH GH DS Slide In F DS Slide In F DS CS Drop In I ED Freestan DF	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Hybrid Induction Ranges Electric Ging Ranges Dual Fuel
CM CE CT Hybrid/F DH EH GH IH Slide In F DS ES GS CS Drop In I ED Freestan DF EF	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CFCFS Ranges Dual Fuel Electric Gas Induction Aanges Electric Gas Induction Hybrid Induction Ranges Electric Ciding Ranges Dual Fuel Electric
CM CE CT Hybrid/F DH EH GH DS Slide In F DS Slide In F DS CS Drop In I ED Freestan DF	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Hybrid Induction Ranges Electric Ging Ranges Dual Fuel
CM CE Hybrid/F DH EH Slide In F Ss GS CS Drop In I ED Freestan DF EF GF GF LF	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Atages Electric Gas Induction Hybrid Induction Atyperal Electric Cing Ranges Electric Cing Ranges Electric Gas Liquid Propane Liquid Propane Liquid Fropane
CM CE CT Hybrid/F DH EH GM H H Slide In F DS CS CS CS Drop In I ED Freestan DF EF EF EF EF CS CS CS CS CS CS CS CS CS CS CS CS CS	Bottom Controls Counter Top Sensor Counter Top Convection CPCFS Ranges Dual Fuel Electric Gas Induction Ruper Electric Gas Hybrid Induction Ruper Electric ding Ranges Electric ding Puel Electric Gas Liquid Propane Electric Sas Super Fuel Electric Sas Dual Fuel Electric Sas Liquid Propane Induction
CM CE Hybrid/F Hybrid/F H H Slide In F DS ES GS CS Drop In I ED Freestan DF Freestan DF E Freestan DF E Cooktop EC	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CFCFS Ranges Dual Fuel Electric Gas Induction Auges Dual Fuel Electric Gas Electric Cing Ranges Dual Fuel Electric Cing Ranges Electric Cing Canges Electric Cing Canges Electric Cing Canges Electric Cing Canges Electric Cing Canges Electric Cing Canges Electric Cing Canges Electric Cing Canges Electric Cing Canges Electric Cing Canges Cing Canges Cing Congenes Induction S E lectric
CM CE CT Hybrid/F DH EH GM H H Slide In F DS CS CS CS Drop In I ED Freestan DF EF EF EF EF CS CS CS CS CS CS CS CS CS CS CS CS CS	Bottom Controls Counter Top Sensor Counter Top Convection CPCFS Ranges Dual Fuel Electric Gas Induction Ruper Electric Gas Hybrid Induction Ruper Electric ding Ranges Electric ding Puel Electric Gas Liquid Propane Electric Sas Super Fuel Electric Sas Dual Fuel Electric Sas Liquid Propane Induction
CM CE CT Hybrid/F DH EH Slide In F DS ES CS Drop In I ED Freestan DF EF GF Cooktop EC CC	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CFCFS Ranges Dual Fuel Electric Gas Induction Anges Electric Gas Electric Gas Electric Cing Ranges Electric Cing Ranges Electric Gas Electric Control Electric Gas Electric Gas Electric Control Electric Gas Electric Control Electric Gas Electric Control Electric Control Electric C
CM CE CT Hybrid/f H GH GH SSide In F DS SSide In F ES CS Drop In I ED Freestan DF CG GF LF Cooktop EC CC CC	Botom Controls Counter Top Sensor Counter Top Sensor Counter Top Convection FCFS Ranges Dual Fuel Electric Gas Induction Hybrid Induction Cas Electric Gas Electric Gas Liquid Propane Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction
CM CE CT Hybrid/F DH EH GH DS Side In F DS Side In F DS CS Drop In I ED Freestan DF EF EF Cooktop EC CC Ventilatio	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CFCF Ranges Dual Fuel Electric Gas Induction Aunges Dual Fuel Electric Gas Induction Hybrid Induction Aunges Electric Gas Electric Gas Electric Gas Lectric Gas Electric Gas Lectric Gas
CM CE CT Hybrid/F DH GH GH DS Slide In F DS Slide In F DS CS Drop In I ED Freestan DF EF GF GF GF Cooktop EC CC CC COoktop DD	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Anges Electric Gas Induction Hybrid Induction Ranges Electric Cding Ranges Dual Fuel Electric Gas Dual Fuel Electric Gas Electric Gas Liquid Propane Induction S Electric Gas Dual Fuel Electric Gas Dual Fuel Electric Gas Electric Gas Dual Fuel Electric Gas Dual Fuel Contro Fuel Contr
CM CE CT Hybrid/F DH EH GH DS Side In F DS Side In F DS CS Drop In I ED Freestan DF EF EF Cooktop EC CC Ventilatio	Botom Controls Counter Top Sensor Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Hybrid Induction Hybrid Induction Hybrid Induction Hybrid Induction Hybrid Induction Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction Hybrid Induction S Electric Gas Liquid Propane Induction Hybrid Induction S Electric Gas Liquid Propane Induction Hybrid Induction S Electric Gas Liquid Propane Induction Hybrid Induction Cooktop On Downdraft Wall Mount - Recirculate
CM CE CT Hybrid/F DH GH GH Slide In F SS CS Drop In I EC Freestan DF Freestan DF Cooktop EC CC Cooktop EC COOKtop EC CC COOKtop EC CC COOKTOP COO COO COO COO COO COO COO COO COO C	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection FCFS Ranges Jual Fuel Electric Gas Induction Hybrid Induction Hybrid Induction Hybrid Induction Hybrid Induction Hybrid Induction Electric Gas Liquid Propane Electric Gas Liquid Propane Electric Gas Liquid Propane Electric Gas Liquid Propane Electric Gas Dual Fuel Electric Gas Liquid Propane Induction Hybrid Induction Cook S Downdratt Wall Mount - Convertible Wall Mount - Curside
CM CE CT Hybrid/F H GH GH S Side In F DS Side In F DS CS Drop In I ED Freestan DF EF GC GF CC CC Ventilatio DD WR WC WC WC	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Hybrid Induction Hybrid Induction Gas Electric Gas Electric Gas Liquid Propane Induction Hybrid Induction Cool Martine Hybrid Induction Hybrid Induction S Electric Gas Liquid Propane Induction Hybrid Induction S Martine Hybrid Induction Hybrid Induction Hybrid Induction Hybrid Induction Hybrid Induction S Electric Gas Liquid Propane Induction Hybrid Induction Hybrid Hybrid Hybrid Hybrid Hybrid Hybrid Hyb
CM CE CT Hybrid/F DH GH GH Slide In F SS CS Drop In I EC Freestan DF Freestan DF Cooktop EC CC Cooktop EC COOKtop EC CC COOKtop EC CC COOKTOP COO COO COO COO COO COO COO COO COO C	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Anges Electric Gas Induction Hybrid Induction Ranges Electric Gas Electric Gas Electric Gas Electric Gas Electric Gas Electric Gas Electric Gas Electric Gas Induction S Electric Gas Induction S Control Cooket Electric Gas Induction S Control Cooket C
CM CE CT Hybrid/F DH GH GH Slide In F DS CS Drop In I ES CS Drop In I EF Freestan DF Cooktop EC Cooktop EC Cooktop CC COOKtop CC CC Ventiatio DD WR WC DD DG	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection
CM CE CT Hybrid/F DH EH CS Slide In I DS CS Drop In I ED Freestan DF EF COoktop EC COoktop EC CC CVentilati DD WR WC WC PC DE	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection
CM CE CT Hybrid/F DH EH GH SSlide In F ES CS Drop In I ES CS Drop In I EF Freestan DF Cooktop EC CC CC Ventiatio DD WR WC DG WW WC ES EW	Botom Controls Counter Top Sensor Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Ranges Dual Fuel Electric Gas Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction Hybrid Induction Cocktop ON Downdraft Wall Mount - Recirculate Wall Mount - Corvertible Wall Mount - Corvertible Wall Mount - Corvertible Wall Mount - Corvertible Downdraft Electric Downdraft Electric
CM CE CT Hybrid/F H H GH S Side In F S Side In F S CS Drop In I CS Drop In I F Freestan DF E Cooktop E C C C C C C C C C C C C C C C C C C	Bottom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CFCFS Ranges Counter Top Convection CFCS Ranges Induction Cases Induction Cases Induction Cases Electric Case Case Case Case Case Case Case Case
CM CE CT Hybrid/F DH EH GH SSlide In F ES CS Drop In I ES CS Drop In I EF Freestan DF Cooktop EC CC CC Ventiatio DD WR WC DG WW WC ES EW	Botom Controls Counter Top Sensor Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Ranges Dual Fuel Electric Gas Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction Hybrid Induction Cocktop ON Downdraft Wall Mount - Recirculate Wall Mount - Corvertible Wall Mount - Corvertible Wall Mount - Corvertible Wall Mount - Corvertible Downdraft Electric Downdraft Electric
CM CE CT Hybrid/F DH GH GH Slide In F DS CS Drop In I EC CS Drop In I EF Freestan DF Cooktop EF COoktop EC CC COOKtop EC CC COOKtop EC CC COOKtop EC CC COOKtop EC CC CC CC CC CC CC CC CC CC CC CC CC	Botom Controls Counter Top Autocook Counter Top Sensor Counter Top Convection CCFS Ranges Dual Fuel Electric Gas Induction Anges Electric Gas Induction Hybrid Induction Anges Electric Cing Ranges Dual Fuel Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction S Electric Gas Liquid Propane Induction N Domdraft Wall Mount - Recirculate Wall Mount - Ourside Island Convertible Downdraft Electric Downdraft Electric Downdraft Electric Mount - Ourside Island Convertible New Combination Electric Electric Mount - Ourside Island Convertible Downdraft Electric Downdraft Electric Downdraft Electric Downdraft Electric Downdraft Electric Downdraft Electric

Comfort Home AD Dehumidifie MS Mini Split HP Heat Pump PA Portable Portable AC (Heat/Cool) PH PΔ Room Air Conditioner Room Air Connected RC RE Energy Star Room Air RH Room Heat and Cold RL Low-Profile RAC RP PTAC RS Slider/Casement RAC RZ Compact Slide-Out Chassis TA Through-the-Wall тн Through-the-Wall (Heat/Cool) Freezer VU FU Convertible Upright Upright Freeze FC Chest Energy Star All Freezer All Refrigerator FE RU -Energy Star All Refrigerator RE VH Convertible Energy Star Upright сн Energy Star Chest UH Energy Star Upright CD Convertible Drawers Refrigeration SS Side-by-Side Standard Depth sc Side-by-Side Counter Depth TR Top Freezer Refrigerator Top Freezer w/lcemaker тι SN Standard Depth - Wide Door Non-Energy Si SH Standard Depth - Wide Door Energy Star Be Counter Depth - Wide Door Non-Energy Star CN сн Counter Depth - Wide Door Energy Star Bo Bottom Freezer Standard Depth BS BN BC Bottom Freezer Standard Depth, non-dispe Bottom Freezer Counter Depth BG Bottom Freezer Counter Depth, non-dispen Energy Star 2 Door Bottom Mount 2H 21 2B Energy Star 2 Door Bottom Mount w/Icemail 2 Door Bottom Mount нв Energy Star Bottom Freezer - Standard Der Energy Star Bottom Freezer - Standard Dep ΗN Energy Star Bottom Freezer - Counter Dept HD HG HI Energy Star Bottom Freezer - Counter Dept Energy Star Top Freezer w/Icemaker нт Energy Star Top Freezer Energy Star SxS - Standard Depth ΗХ нк Energy Star SxS - Counter Depth PE PR Energy Star Compact Refrigerator Non-Energy Star Compact Refrigerator Energy Star Compact Refrigerator - with 2 d PS TR Non-Energy Star Top Freezer Compact Refri Energy Star Top Freezer Compact Refrigera ET Non-Energy Star Compact Refrigerator Energy Star Compact Refrigerator PR PS Non-Energy Star Top Freezer Compact Refr Non-Energy Star Compact All Refrigerator PT PN PA Energy Star Compact All Refrigerator RW Drawe Specialty Products Beverage Center, Right Swing вс BI Beverage Center, Left Swing Ice Maker IM ws Wine Storage Wine Cooler, Right Swing wc WL Wine Cooler, Left Swing Waste Disposal WD Water Heater Storage Tank WS wı Water Heater Tankless Indoor Water Heater Tankless Exterior (Outdoor) WE WP Water Heater Heat Pump WY Water Heater Hybrid EW Energy Star Water Heater Fabric Care/Laundry Gas Front Load Dryer QG QE Electric Front Load Drver RG Gas Top Load Matching Drye RE Electric Top Load Matching Dryer FW Front Load Washer TE Energy Star Top Load Washer TW Top Load Washer Electric Laundry Center LG FS Gas Laundry Center Front Load Steam Washe Electric Steam Front Load Dryer Gas Steam Front Load Dryer SE SG Size - 5th & 6th Digit 05 5K, 5' Freezers 07 7' Freezers 9' Freezers 09 11 11' Freezers 12 12' Freezers, 12K BTU - Home Comfort 14' Freezers 14

15' Refrigerators, 1.5' Microwaves, 15K BTU - Home Comfort

17' Refrigerators, 17' Freezers, 1.7' Microwaves 18' Refrigerators, 18' Freezers, 18'' DWs, 1.8' MWs

16' Refrigerators, 1.6' Microwaves

19' Refrigerators, 19' Freezers

15

16

17 18

19

Example: Frigidaire Gallery*		Product Category Size Model Color
30" Gas Freestanding 2017 Black Stainless	Brand	VBL Series Year
	20 21	20' Refrigerators, 20' Freezers, 2.0' Microwaves 21' Freezers
	22	22' Freezers, 2.2' Microwaves
	26 28	26' Refrigeration 28' Refrigeration
	27-39	DOE Capacity
	57 70	DOE Capacity DOE Capacity
	23 24	23' Refrigerators 24" Dishwashers
	30	32, 36, 40 Cooking
	40	400 CFM Downdrafts 500 CFM Downdrafts, 50 pt
	50 60	600 CFM Downdrafts
	70 90	7K BTU - Home Comfort
		9K BTU - Home Comfort /Handle/VBL Series - 7th Digit
	0	
	1 2 3	Regular Protection - Home Comfort ONLY, BM one drawer SeaCoast Protection - Home Comfort ONLY, BM two drawer
r Bottom Mount	4	
tom Mount	5 6	
Bottom Mount om Mount	7	Designates connected model across categories
~	8 9	
er r		- 8th Digit
	0 1	
r	2	
Nee Dire	3 4	
I Non-Disp	5	
Non-Disp	6 7	
	8	
	9 H	Heat Pump PTAC
	L	Electric Heat Pump PTAC
ors	M D	Mini Oven BADO Double Oven
erator	т	50/50 BADO
r	D/C P	(Direct Wire or Cord - Waste Disposals) Propane (Water Heater Only)
	N	Natural Gas (Water Heater Only)
erator	E	Electric (Water Heater Only)
	w c	Wall Mount - RAC Condenser - RAC
	s	Set - RAC
	z Voor – C	Multi-Zone - RAC 9th Digit
	H	2008
	к	2009
	M	2010 2011
	N	2012
	P Q	2013 2014
	R	2015
	S T	2016 2017
	U	2018
	v w	2019 2020
	Color -	10th Digit
	в	Black
	E	Camouflage Ebony Black (Smooth)
	F	Real Stainless Steel (Smudge-Proof™)
	G K	Glacier Blue Reverse Stainless
	м	Silver Mist
	P Q	Pearl White (Smooth), Plastic Bisque
	R	Red, Reverse Real Stainless Steel
	s T	Stainless, Silver (Kitchen Only), Steel Clad Classic Slate
	w	White on White
	Y Z	Gray White and Black or (Reverse White - REF only)
	N	Classic Blue

- N Classic Blue Silver (Laundry and Dish w/Silver Console) A
 - н Stainless with Black Handle Home Comfort ONLY

115 Volts 230/208 Volts

2 265 Volts

One-Year Limited

Your appliance is covered by a one year limited warranty. For one year from your original date of purchase, Electrolux will pay all costs for repairing or replacing any parts of this appliance that prove to be defective in materials or workmanship when such appliance is installed, used, and maintained in accordance with the provided instructions.

Exclusions

This warranty does not cover the following:

- Products with original serial numbers that have been removed, altered or cannot be readily determined.
- Product that has been transferred from its original owner to another party or removed outside the USA or Canada.
- Rust on the interior or exterior of the unit.
- Products purchased "as-is" are not covered by this warranty.
- Food loss due to any refrigerator or freezer failures.
- Products used in a commercial setting.
- Service calls which do not involve malfunction or defects in materials or workmanship, or for appliances not in ordinary household use or used other than in accordance with the provided instructions.
- Service calls to correct the installation of your appliance or to instruct you how to use your appliance.
- Expenses for making the appliance accessible for servicing, such as removal of trim, cupboards, shelves, etc., which are not a part of the appliance when it is shipped from the factory.
- Service calls to repair or replace appliance light bulbs, air filters, water filters, other consumables, or knobs, handles, or other cosmetic parts.
- Surcharges including, but not limited to, any after hour, weekend, or holiday service calls, tolls, ferry trip charges, or mileage expense for service calls to remote areas, including the state of Alaska.
- Damages to the finish of appliance or home incurred during installation, including but not limited to floors, cabinets, walls, etc.
- Damages caused by: services performed by unauthorized service companies; use of parts other than genuine Electrolux parts or parts obtained from persons other than authorized service companies; or external causes such as abuse, misuse, inadequate power supply, accidents, fires, or acts of God.

Disclaimer of Implied Warranties; Limitation of Remedies

Customer's sole and exclusive remedy under this limited warranty shall be product repair as provided herein. Claims based on implied warranties, including warranties of merchantability or fitness for a particular purpose, are limited to one year or the shortest period allowed by law, but not less than one year. Electrolux shall not be liable for consequential or incidental damages such as property damage and incidental expenses resulting from any breach of this written limited warranty or any implied warranty. Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages, or limitations on the duration of implied warranties, so these limitations or exclusions may not apply to you. This written warranty gives you specific legal rights. You may also have other rights that vary from state to state.

If You Need Service

Keep your receipt, delivery slip, or some other appropriate payment record to establish the warranty period should service be required. If service is performed, it is in your best interest to obtain and keep all receipts. Service under this warranty must be obtained by contacting Electrolux at the addresses or phone numbers on the back cover.

This warranty only applies in the USA and Canada. In the USA, your appliance is warranted by Electrolux Major Appliances North America, a division of Electrolux Home Products, Inc.

In Canada, your appliance is warranted by Electrolux Canada Corp. Electrolux authorizes no person to change or add to any obligations under this warranty. Obligations for service and parts under this warranty must be performed by Electrolux or an authorized service company. Product features or specifications as described or illustrated are subject to change without notice

USA

10200 David Taylor Drive • Charlotte, NC 28262 1-800-FRIGIDAIRE • **frigidaire.com**

CANADA

5855 Terry Fox Way • Mississauga, ON L5V 3E4 1-800-265-8352 • **frigidaire.ca**



FRIGIDAIRE

FRIGIDAIRE GALLERY.

FRIGIDAIRE

https://samitechnic.com/

USA

10200 David Taylor Drive Charlotte, NC 28262 1-800-FRIGIDAIRE frigidaire.com

CANADA

5855 Terry Fox Way Mississauga, ON L5V 3E4 1-800-265-8352 frigidaire.ca